

CLUB RACING BOARD MINUTES | December 7, 2021

The Club Racing Board met by teleconference on December 7, 2021. Participating were Peter Keane, Chairman; Jim Goughary, John LaRue, Paula Hawthorne, Sam Henry, Tom Start, Tony Ave and Shelly Pritchett, secretary. Also participating were: Bob Dowie, Chris Albin, Clay Turner and Dayle Frame, BoD liaisons; Eric Prill, Chief Operations Officer, Deanna Flanagan, Director of Road Racing, Rick Harris, Club Racing Technical Manager and Scott Schmidt, Series Tech Chief. The following decisions were made:

Member Advisory

None.

No Action Required

AS

1. #30293 (ROGER EAGLETON) Proposed Revisions to SCCA GCR 2021 Appendix M, Part 1

Thank you for your letter. A committee representative will be in touch with you regarding the Spec Mustang changes and how to apply them to American Sedan. After discussion with Roger Eagleton, author of letter, we feel the Alternate flywheel is not appropriate for the class and therefore a weight penalty is not required. Although we will be allowing the change to the final drive ratio. Alternate drive ratios are within the spirit of AS and therefore we feel that change covered in a following letter is appropriate.

2. #31461 (Daniel Richardson) Request to Classify the 2016 to 2018 Camaro

Thank you for your letter. The ASAC appreciates and encourages your input. Please continue to work directly with the ASAC to establish the modifications and procedures to classify the 6th generation Camaro for inclusion in American Sedan. The ASAC would like to add the vehicle in both the full preparation and limited preparation configuration for the 2023 season.

3. #31645 (Allison Palitz) Regional Classes Rules allowed in National Classes (SMG)

Thank you for your letter. The ASAC and the Touring committee will work together to ensure classified cars such as the SMG meet the intended national class philosophy they are intended to compete with. Please continue to communicate with the ASAC to help ensure the success of this Balance of performance.

B-Spec

1. #31147 (Josh Smith) Mazda 2 Swaybar End Links

Thank you for your letter. The BSAC feels the rules are written fine as is. Cars can be run with any (or all) of the parts in an OEM kit. Also, it is already legal to run without the front sway bar.

2. #31346 (Alex Ratcliffe) Request to tighten up and revise the rule book language Thank you for your letter. The BSAC committee agrees with the intent to tighten up the language. Please submit specific requests and see the answer to letter 31359 in current Fastrack.

3. #31384 (Charles Davis) Define the Term

Thank you for your letter. Please see letter # 31359 in current Fastrack.

FA

1. #31717 (Samuel Voydanoff) Formula Atlantic survey 016 written as 014 Thank you for your letter. The Club Racing Board appreciates your comments.



Ρ1

1. #31721 (Lee Alexander) In Support of Letter #31609

Thank you for your letter. Please see the response to letter #31609 in this Fastrack's Technical Bulletin.

P2

1. #31686 (Vaughan Scott) Response to Dec TB Rule Change on P2 Floor Aero Thank you for your letter. Please see the response to letter #31783 in this Fastrack's Technical Bulletin.

2. #31702 (Craig Farr) Response to Dec TB rule change on P2 floor aero Thank you for your letter. Please see the response to letter #31783 in this Fastrack's Technical Bulletin.

3. #31719 (MICHAEL DEVINS) Technical Bulletin - P2 Item 2 Thank you for your letter. Please see the response to letter #31783 in this Fastrack's Technical Bulletin.

GCR

1. #31274 (Lee Alexander) What Do We Think About Tire Warmers Thank you for your letter. Please see letter # 30855 in current Fastrack.

2. #31290 (Michael Major) Tire Warmers Thank you for your letter. Please see letter # 30855 in current Fastrack.

3. #31356 (Derrick Ambrose) Protests at the end of the race Thank you for your letter. We are forwarding your letter to the Staff and the Race Director for consideration when developing the 2022 Runoffs Supplemental Regulations.

4. #31378 (Michael Fox) Request to allow protests for compliance during post-race impound Thank you for your letter. We are forwarding your letter to the CRB and the Race Director for consideration when developing the 2022 Runoffs Supplemental Regulations.

5. #31435 (Kevin Kloepfer) Tire Warmers Thank you for your letter. Please see letter # 30855 in current Fastrack.

6. #31436 (Terrance Jinks) Tire warmers

Thank you for your letter. Please see letter # 30855 in current Fastrack.

7. #31547 (Dennis Andrade) Proposed Flat Towing Rule

Thank you for your letter. We are forwarding your comments on to the Emergency Service Specialty for clarification and inclusion in their operations manual.

General

1. #31630 (Bill Lamkin) Time to improve communication and procedure in Impound Thank you for your letter and sharing your experience. **HP**

1. #31639 (Vesa Silegren) Compliance Review Request

Thank you for your letter. The referenced rule by the letter writer adequately allows the modification being discussed.



2. #31798 (Mike Ogren) VW Golf/Jetta MK3 into HP

Thank you for your letter. It will be taken into consideration as the competitiveness of this car is monitored.

Prod General

1. #31613 (Daniel Snow) Alternate materials for Thank you for your letter. The usage and definition of stock and replica components is adequate as written, as is the definition of grille and trim.

ST General

1. #31158 (Christopher Childs) Request alternate Miata hubs Thank you for your letter. Front hub was submitted in the General Rules so that it applied to both STL and STU.

2. #31322 (Jose de Miguel) Air Intake for Throttle Thank you for your letter. Please see response to letter # 31328 in current Fastrack.

3. #31646 (Eric Heinrich) Request for Intake Porting Clarification Thank you for your letter. Please see letter # 31323 in current Fastrack.

4. #31710 (Greg Amy) Requesting Super Touring U Thank you for your letter.

5. #31731 (Matt Blehm) Stop Eroding the Philosophy of the Class! Thank you for your letter.

STU

1. #31328 (Axel Cabrera) Runoffs DSQ STU 3rd Place/ Throttle Body Thank you for your letter. Please see letter # 31323 in current Fastrack.

2. #31471 (Raymond Philibert) Mazda 13B Bridge Port Throttle Body Request Thank you for your letter. The rule currently allows any dual throttle bodies or auto type 2BBL with any dual wide manifold. Must run 42mm chokes.

3. #31720 (Dennis Fernandez) 10% weight reduction Thank you for your letter.

4. #31722 (Darin Treakle) Opposes STU rules changes Thank you for your letter.

5. #31735 (Robert Verenna) Rules Stability Thank you for your letter.

Τ1

1. #30885 (Lack Leo) Request consideration E36 engine swap Thank you for your letter. The 128i is not classified in T1. If you know the configuration of the car that you would like to run, please provide the committee with the appropriate VTS sheet.



Т2

1. #30965 (George Biskup) Balance of Performance Favors Porsche by Wide Margin

Thank you for your letter. Data from the season and the Runoffs was analyzed after the season. Please see the suggested T2 BOP adjustments in letter 31480. If you would like to race the 2021 Mach 1, please complete the VTS sheets and submit them.

2. #31021 (Andler Klatzky) M235ir (Evo Package)

Thank you for your letter. Please see T2 Spec Lines for BMW M235iR (-2016), "(effective 01 March 2021: EVO package permitted +75 lbs.)"

3. #31493 (OSCAR HERNANDEZ) Porsche 996 Helper Springs and Spring Holders

Thank you for your letter. The word "allowed" does not mean "required". You do not have to run the helper spring or spring holder.

T2-T4

1. #31390 (John Weisberg) BMW E98 Z4

Thank you for your letter. The committee reached out to the letter writer. He was just fishing for info. We asked him to be more specific about his request. He seems to be considering a 2022 BRZ instead.

Т4

1. #31687 (Tom Fowler) Unnecessary Changes

Thank you for your letter. The performance adjustments published are the result thoughtful consideration, data collection and analysis from all of the touring races throughout the 2021 season. Decisions are not based solely on a single event but all touring races throughout every region. No BOP decision is made quickly or without careful consideration. We ask that you bring out your cars and race. Without data on the adjusted cars further corrections can't be made. Please participate. The more data we get, the better our corrections will be. Please see other letters from other competitors that requested changes.

2. #31688 (Colin Koehler) Support Dec Prelim Fastrack BOP Thank you for your letter and support.

3. #31711 (Tim Myers) Re: T4 Mustang prelims and request for help.

Thank you for your letter. The T4 Mustang has had the most positive adjustments of any car in the class over the past 5 years. In that time period; the weight has been decreased by 75 lbs, wheel size and width increased to 18x8, the OE wheel requirement was removed (decreasing rotating mass), the spring allowance was improved, A/M shocks were allowed (including fully custom non-adjustable), LSD options were opened up, a cold Air intake was allowed and the 50mm flat plate restrictor was removed. We also allowed the Mustang GT brakes. The committee is continually trying to make this car competitive. We will continue to look at this car and we're considering future allowances.

4. #31715 (Kevin Fryer) Alternate Coolant Expansion Tank - 2006-2015 Mazda MX-5

Thank you for your letter. The component you are requesting is already permitted on all Touring cars. See - 9.1 9.2.3.a.2.



5. #31853 (Steven Lakey) RX8 Suspension

Thank you for your letter. The changes to the spec line were made because the old spring parts are no longer available. The new springs are readily available, affordable, and were requested by Mazda Motorsports. They are a stiffer spring than the old allowance, thus the weight adjustment. Springs like these commonly cost a few hundred dollars. The old sway bar (yours) is the basis for the measurements in the new spec line. New builds have the option to use a different set of bars. There is no change to the shock rule, but Mazda Motorsports plans to offer a shock kit specific to the T4 RX-8. This option conforms to the T4 shock rule that has been in place since for years.

Not Recommended

AS

1. #30296 (ROGER EAGLETON) Proposed Revisions to SCCA GCR 2021 Appendix M, Part 4

Thank you for your letter. A committee representative will be in touch with you regarding the Spec Mustang changes and how to apply them to American Sedan. The requested rule change is not recommended for implementation due to the significant reduction of the flywheel mass. The recommended flywheel would be lighter than any other flywheel currently allowed within the class.

2. #30882 (Nathan McBride) Request Pontiac GTO cold air intake

Thank you for your letter. At this point the CRB is not in favor of modifying the induction system for the GTO. The requested change was discussed again by the ASAC and was considered not in the spirit of restricted preparation. The ASAC would like to continue to work with competitors running the GTO to ensure the competitiveness of the vehicle.

3. #31194 (Drew Cattell) Correct weight / tire mistake in GCR

Thank you for your letter. In order to simplify the rules, a single weight specification was implemented. No changes are needed at this time.

4. #31234 (Pamela Richardson) Engine Blocks for Ford and GM Full Preparation Cars

Thank you for your letter. The ASAC, which includes members from GM engineering, feel the supply of engine blocks will improve as soon as supply chain improvements occur. Although current limited availability is difficult, introduction of additional alternatives would be too significant for the class.

FC

1. #31756 (Steve Thomson) Allow USF2000 cars in FC per FRP rules

Thank you for your letter. The Club Racing Board does not recommend this change. Introduction of the MZR-powered USF2000 cars would serve to reopen the debate about balance of performance issues in FC, which would likely result in a decrease in participation in the class. In addition, USF2000 cars are an integral part of the FX class. During the 2021 U.S. Majors season USF2000 cars accounted for approximately 20% of the entries in FX, and the class would have been unable to achieve an average of 4.0 cars per event without their participation.

GCR

1. #31544 (Don Walsh) Fuel Testing of Pre-mix Fuel

Thank you for your letter. Current rule is appropriate as written. There are other two-stroke fuel additives on the market that do not impact the fuel dielectric reading as significantly as the product you are using does.



2. #31631 (Christopher Childs) Adoption of FIA Flagging Rules.

Thank you for your letter. The current flag rules were developed over decades of SCCA road racing experience with varying corner staffing and varied track layouts. The use of FIA flag rules, specifically the green flag following a yellow flag requirement would mean very large yellow flag no passing zones due to minimal staffing and the distances between turn stations at some tracks. Additionally, FIA flag rules have no provision for stopping all race cars on track immediately like our Red Flag rule does for safety. The FIA Red Flag is the equivalent of our Black Flag All rule.

General

1. #31601 (DANIEL SNOW) Installation Lap

Thank you for your letter. Time in the schedule generally will not allow for the extra lap.

GT2

1. #31452 (William Moore) GT2 Trans Am TA2 Weight Reduction to 2830 lbs. Thank you for your letter. The CRB does not feel that this requested weight reduction is justified. We will continue to collect data.

EΡ

1. #30996 (Tim Schreyer) Request Weight Reduction for 84-91 BMW 325is

Thank you for your letter. Please see response to letter #31858, where several other changes were made in EP in an effort to improve the competition balance of the class. Due to those changes, this additional requested change is not recommended at this time, as the results of these changes needs to be seen.

2. #31739 (Rich Walke) Weight Reduction Request for Austin-Healey 3000

Thank you for your letter. In order to properly determine if a performance related competition adjustment is warranted for this vehicle, the PAC needs to see it adequately built and campaigned towards the limit of the Production ruleset.

FP

1. #31600 (DANIEL SNOW) FP Fiat X19 Competition Adjustment

Thank you for your letter. A positive competition judgement was given to this vehicle earlier in 2021, and making another so soon afterwards is not recommended at this time. Please continue to campaign and develop the car, before additional adjustments will be considered.

ΗP

1. #31484 (Darryl Pritchett) Request to move FP Dodge Neon (95-99) SOHC from FP to HP Thank you for your letter, but this request is not recommended. The Neon engines are modern, 16-valve, cross-flow, over-headcam engines, unlike the other 2.0L cars that were added to HP earlier in 2021. Its performance capability belongs in FP. Adjustments to the Neon's spec lines in FP could be considered, with on-track results and data to better show their competition potential.

2. #31602 (DANIEL SNOW) Fiat X19 Intake Manifold

Thank you for your letter. This allowance is not recommended. Please note that other adjustments were made to this car in letter #31653 in current Fastrack.



3. #31658 (STEVE STRICKLAND) Please Consider Classifying the 1999-2000 Mazda Protege in HP

Thank you for your letter, but this vehicle is not recommended for HP. Its engine is comparable to the other Protege's that are already in FP, and it is believed it would gain too much when built to Prep 2 Prod rules, to fit into HP at a reasonable weight for the class. It could be considered for FP, if requested.

Prod General

1. #31542 (Mike Ogren) 100 Tread Wear Weight Allowance.

Thank you for your letter, but this is not recommended. Trying to balance the potential of different tires through weight breaks would be a difficult and unrealistic exercise, with constantly moving targets. It would also create an even bigger disparity in how different cars achieve their lap times. Competitors are free to use whatever tires they'd like, but their competitiveness cannot be guaranteed.

SM

1. #31258 (Ralph Provitz) Front Hubs

Thank you for your letter. Opening up front hubs could create an arms race of hub designs and materials choices driving up the cost of racing. At this time there only appears to be one hub that would meet the requirements of your request and that hub would cost the racers roughly \$1,400.00 which we do not feel is good for the overall community.

ST General

1. #31712 (Oscar Jackson) Remove Engine Manufacturer Match Requirement Thank you for your letter. Your request is not consistent with class philosophy.

2. #31713 (Oscar Jackson) Additional to #31712

Thank you for your letter. Your request is not consistent with class philosophy.

STL

1. #31157 (PABLO GASTALDI) Dry Sump in STL

Thank you for your letter. Dry Sumps are legal in STU. The STAC and CRB does not feel Dry Sumps should be included in STL at this time.

2. #31188 (Paul McNamara) Sr20DE Reclassification Request

Thank you for your letter. Please see 9.1.4.G.2. which provides a very specific list of information (VTS, shop manual etc) which must be provided to request a non USDM engine for consideration.

3. #31541 (Austin Hilliard) Wheel Width Allowance

Thank you for your letter. In the interest of class stability, your request is not recommended.

4. #31648 (Eric Heinrich) Approve BMW N45B20 2.0L 11:1 Non-USDM Engine for STL

Thank you for your letter. Please see 9.1.4.G.2. which provides a very specific list of information (VTS, shop manual etc) which must be provided to request a non USDM engine for consideration.

STU

1. #31470 (Scott Peterson) Request for Elimination of 9.1.4.E.6. for STU Thank you for your letter. Your request is against class philosophy.



2. #31650 (Eric Heinrich) Request to Remove 9 Inch Wheels Thank you for your letter. In the interest of class stability, your request is not recommended.

3. #31704 (John Weisberg) Throttle Body Inlet Equality Thank you for your letter. Not recommended at this time.

T1

1. #31304 (Eric Rockwell) AUDI TCR in T1 or T2 Classes Thank you for your letter. TCR car have been classed in GT3. See info in the 12/2021 GCR on page 360.

Т2

1. #31492 (OSCAR HERNANDEZ) Porsche 996 weight reduction request for 3.4I and 3.6I in T2 Thank you for your letter. The performance adjustments published are the result thoughtful consideration, data collection and analysis from all of the touring races throughout the 2021 season. Decisions are not based solely on a single event but all touring races throughout every region. No BOP decision is made quickly or without careful consideration. We ask that you bring out your cars and race. Without data on the adjusted cars further corrections can't be made. Please participate. The more data

2. #31494 (OSCAR HERNANDEZ) Porsche 996 Weight Reduction Request for 3.4l and 3.6l in T2

Thank you for your change. The performance adjustments published are the result thoughtful consideration, data collection and analysis from all of the touring races throughout the 2021 season. Decisions are not based solely on a single event but all touring races throughout every region. No BOP decision is made quickly or without careful consideration. We ask that you bring out your cars and race. Without data on the adjusted cars further corrections can't be made. Please participate. The more data we get, the better our corrections will be.

3. #31511 (Ryan Upham) Request older chassis aero BOP

we get, the better our corrections will be.

Thank you for your letter. The TAC does not support adding a wing or aero allowances to any T2 cars. The allowance on the 996 is grandfathered, since it has been on the car in T2 for a very long time to allow this car to continue to compete. The E46 doesn't need an aero allowance to be competitive.

T2-T4

1. #31506 (Jason Ott) Request to remove camber maximum requirement

Thank you for your letter. The current BOP is very close. This change will throw that off. Some cars can achieve camber and others are very limited. 3.5 degrees is attainable by most cars under the current bushing and top hat rules.

2. #31701 (Roldan de Guzman) T4 Rule Change Proposals

Thank you for your letter. The performance adjustments published are the result of thoughtful consideration, data collection, and analysis from all of the touring races throughout the 2021 season. Decisions are not based solely on a single event but all touring races throughout every region. No BOP decision is made quickly or without careful consideration. We ask that you bring out your cars and race. Without data on the adjusted cars further corrections can't be made. Please participate. The more data we get, the better our corrections will be. Please see some recent changes in the GCR that include some of your requests.

Т3

1. #31532 (Griffin Gamcsik-Uly) Please Adjust Max Tire Size for BMW 330i/Ci (01-06)

Thank you for your letter. The 330 and Spec E46 have been closely monitored and their current configuration is the basis for the BOP of the cars.



2. #31533 (Griffin Gamcsik-Uly) Request VRSF 5

Thank you for your letter. The Committee has not seen either of these cars on the track. Please bring one of them out so we can collect data prior to making a change.

3. #31534 (Griffin Gamcsik-Uly) Request Aftermarket Cold Air Intake Allowance for 96-00 E36 M3 Thank you for your letter. Recent data shows that the E36 M3 is competitive as classed.

4. #31625 (Richard Kulach) Spring Update Request for 370Z Nissan Thank you for your letter. This change isn't recommended at this time.

5. #31634 (Derek Chan) 350z DE / HR - Front Camber Arm Thank you for your letter. Recent changes were made to allow the SPC front adjustable arms, which are available.

6. #31714 (Skylar McKnight) 1995 E36 M3 Classification Request

Thank you for your letter. The 1995 has a smaller displacement than the 1996. The spec line that you're referring to actually exists to allow a BMWCCA class in our T3 class. It isn't a spec line that we can alter. That said, the 1995 is too old to be added to the Touring category. Many of these cars find a home in STU or one of the IT classes.

7. #31778 (Luis Goncalves) BRZ/FRS/86 Down on Power

Thank you for your letter. Although your suggestion would help the platform make power, it is not within the scope of the Touring classes. Additionally, such a change would create a situation where every driver using that spec line would need to convert to E85 to be competitive. Recent changes were made to the class that should slow down leaders.

Т4

1. #30979 (CHRISTOPHER WINDSOR) Request for Durability suggestion Thank you for your letter. Recent changes have been made to the class and we will continue to monitor the results.

2. #31566 (Tony Roma) Allow Chevrolet Cobalt SS caliper like in T2 and T3 for Solstices Thank you for your letter. We do not suggest allowing Brembo calipers in T4, especially if they were not OE to the car.

3. #31675 (Luis Goncalves) BRZ/FRS/86 Suspension

Thank you for your letter. The BRZ/FRS/86 has been closely monitored and it's current configuration is the basis for the BOP of the car.

4. #31689 (Colin Koehler) BOP request for the 13-16 FRS/BRZ

Thank you for your letter. The performance adjustments published are the result of thoughtful consideration, data collection, and analysis from all of the touring races throughout the 2021 season. Decisions are not based solely on a single event but all touring races throughout every region. No BOP decision is made quickly or without careful consideration. We ask that you bring out your cars and race. Without data on the adjusted cars further corrections can't be made. Please participate. The more data we get, the better our corrections will be. Wider wheels would save on tire wear, but it would increase the speed of the car, throwing off the well established BOP.



5. #31690 (Colin Koehler) T4 Rules Change Proposal

Thank you for your letter. Camber- The current BOP is very close. This change will throw that off. Some cars can achieve camber and others are very limited. 3.5 degrees is attainable by most cars under the current bushing and top hat rules. Adjustable shocks- It is true that some people will arrive at the track with 3 sets of non-adjustable shocks and they'll choose the best option. If single adjustable shocks were allowed, you'd move the problem upward. The same guy would arrive with 3 options with different rebound valving. The TAC feels that single adjustable shocks wouldn't help. Oil pans- Recent changes were made to allow alternate oil pans, or modifications.

6. #31691 (Colin Koehler) BOP for 2013-2016 FRS BRZ

Thank you for your letter. The performance adjustments published are the result of thoughtful consideration, data collection, and analysis from all of the touring races throughout the 2021 season. Decisions are not based solely on a single event but all touring races throughout every region. No BOP decision is made quickly or without careful consideration. We ask that you bring out your cars and race. Without data on the adjusted cars further corrections can't be made. Please participate. The more data we get, the better our corrections will be. Wider wheels would save on tire wear, but it would increase the speed of the car, throwing off the well established BOP.

7. #31692 (JJ Servis) Reconsider B14 Allowance Thank you for your letter. The BRZ/FRS/86 has been closely monitored and its current configuration is the basis for the BOP of the car.

8. #31700 (Richard Delamare) BOP Request for FRS/BRZ in T4

Thank you for your letter. The current camber limit exists because it can be achieved by most of the cars in the class using the allowances in the category rules.

9. #31716 (Marc Cefalo) Reduce Weight of T4 06-15 Model Year MX5 Back to 2650

Thank you for your letter. The performance adjustments published are the result of thoughtful consideration, data collection, and analysis from all of the touring races throughout the 2021 season. Decisions are not based solely on a single event but all touring races throughout every region. No BOP decision is made quickly or without careful consideration. We ask that you bring out your cars and race. Without data on the adjusted cars further corrections can't be made. Please participate. The more data we get, the better our corrections will be.

10. #31801 (David Mead) RX8 Suspension Upgrade

Thank you for your letter. The change to the spring allowance was made at the request of Mazda Motorsports because of availability issues. The sway bar allowance does not favor the Mazda Motorsports parts, but allows them to supply them.

11. #31808 (Chris Windsor) Please reanalyze MX-5 Weight

Thank you for your letter. The performance adjustments published are the result thoughtful consideration, data collection and analysis from all of the touring races throughout the 2021 season. Decisions are not based solely on a single event but all touring races throughout every region. No BOP decision is made quickly or without careful consideration. We ask that you bring out your cars and race. Without data on the adjusted cars further corrections can't be made. Please participate. The more data we get, the better our corrections will be.



12. #31810 (Eddie Keturakis) Reconsider weight penalties for MX-5 typical upgrades

Thank you for your letter. The performance adjustments published are the result thoughtful consideration, data collection and analysis from all of the touring races throughout the 2021 season. Decisions are not based solely on a single event but all touring races throughout every region. No BOP decision is made quickly or without careful consideration. We ask that you bring out your cars and race. Without data on the adjusted cars further corrections can't be made. Please participate. The more data we get, the better our corrections will be.

13. #31811 (Jeffrey Liller) Opposes MX-5 Weight

Thank you for your letter. The performance adjustments published are the result thoughtful consideration, data collection and analysis from all of the touring races throughout the 2021 season. Decisions are not based solely on a single event but all touring races throughout every region. No BOP decision is made quickly or without careful consideration. We ask that you bring out your cars and race. Without data on the adjusted cars further corrections can't be made. Please participate. The more data we get, the better our corrections will be.

14. #31815 (Eddie Keturakis) Tire Expense

Thank you for your letter. It is not the position of the Touring Committee to tell you which DOT tires to use.

15. #31817 (Eddie Keturakis) Reconsider Weight Penalties for MX-5 mods

Thank you for your letter. The performance adjustments published are the result thoughtful consideration, data collection and analysis from all of the touring races throughout the 2021 season. Decisions are not based solely on a single event but all touring races throughout every region. No BOP decision is made quickly or without careful consideration. We ask that you bring out your cars and race. Without data on the adjusted cars further corrections can't be made. Please participate. The more data we get, the better our corrections will be.

16. #31819 (Tom Fowler) T4 Penalized

Thank you for your letter. The performance adjustments published are the result thoughtful consideration, data collection and analysis from all of the touring races throughout the 2021 season. Decisions are not based solely on a single event but all touring races throughout every region. No BOP decision is made quickly or without careful consideration. We ask that you bring out your cars and race. Without data on the adjusted cars further corrections can't be made. Please participate. The more data we get, the better our corrections will be.

17. #31838 (Steve Bertok) MX-5 Weight Penalty

NR: Thank you for your letter. The performance adjustments published are the result of thoughtful consideration, data collection, and analysis from all of the touring races throughout the 2021 season. Decisions are not based solely on a single event but all touring races throughout every region. No BOP decision is made quickly or without careful consideration. We ask that you bring out your cars and race. Without data on the adjusted cars further corrections can't be made. Please participate. The more data we get, the better our corrections will be. Please see some recent changes in the GCR that include some of your requests. The car that did claim the pole position was also adjusted with weight.

Recommended Items

The following subjects will be referred to the Board of Directors for approval. Address all comments, both for and against, to the Club Racing Board. It is the BoD's policy to withhold voting on a rules change until there has been input from the membership on the presented rules. Member input is suggested and encouraged. Please send your comments via the form at www.clubracingboard.com.



AS

1. #30294 (ROGER EAGLETON) Proposed Revisions to SCCA GCR 2021 Appendix M, Part 2 Effective 03/01/2022 In SMG, Appendix M.2.j.1. Stock transmissions, make changes as follows: "5 speed to run with 3.73 *3.90* ratio rear end. *Manufacture Motive Gear, PN F888390.*"

2. #31848 (American Sedan Committee) Rear coil over option for all vehicles

Effective 03/01/2022 In GCR, Section 9.1.6.D.4.b.1., change as follows:

"Springs of any origin may be used, provided they are of the same number and type as originally fitted and they must be installed in the original location. *Front suspension C*coil over springs and shocks are prohibited, unless fitted as original equipment. *Rear spring relocation to the shock is permitted.*"

Effective 03/01/2022 In AS Spec Lines, Ford Mustang GT 5.0I (15-17) Restricted Preparation, change Notes as follows: "Rear spring relocation to the shock is permitted."

3. #31849 (American Sedan Committee) Wheel rim width increase and commonality Effective 03/01/2022 In GCR, Section 9.1.6.D.6.a.2., change as follows:
"Maximum wheel width is 8 inches, Maximum wheel width is restricted based on the following: Vehicles with max tire size of 275mm, max rim width is 10 inches Vehicles with max tire size of 295mm, max rim width is 11 inches Vehicles with max tire size of 315mm, max rim width is 12 inches Vehicles with max tire size of 335mm, max rim width is 13 inches #Unless indicated within the vehicle specification line.

Effective 03/01/2022 In AS Spec Lines, change Notes as follows: Cadillac CTS-V (04-07) Restricted Prep. 5.7L V8 (Aluminum block, Aluminum heads), LS6, 2 valves/cylinder Restricted Prep. 6.0L V8 (Aluminum block, Aluminum heads), LS2, 2 valves/cylinder: "Max. Wheel Size: 18 x 9.5Dia. 18.0 inches"

Chevrolet/Pontiac Camaro & Firebird (93-02) Restricted Prep. 5.7L V-8 LT1 (Iron Block, Aluminum Heads) 2 valves per cylinder 5.7L V-8 LS1 (Aluminum Block, Aluminum Heads) 2 valves per cylinder: "Max. Wheel Size: 17 x 9."

Chevrolet Camaro (10-15): "Max wheel size 20 X 10.Dia, 20.0 inches"

Dodge Challenger (08-20) Restricted Preparation 5.7L, 6.1L, or 6.4L V8 (Iron block, Aluminum heads), 2 valves/cylinder: "Max. Wheel Size 18 X 12. Dia. 20.0 inches"

Ford Mustang Cobra and GT 94-95 (Restricted Prep) 5.0 and 5.8 motor: "Max. Wheel Size: 17 x 9."

Ford Mustang including Cobra 96-04 (Restricted Prep) 4.6L two and four valve motor: "Max. Wheel Size: 17 x 9."

Ford Mustang Coupe GT (05-14) Restricted Prep. (Aluminum Block, Aluminum Heads) 4.6L/5spd 3 valves per cylinder 5.0L/6spd 4 valves per cylinder: "Max. Wheel Size: 18 X 10.Dia. 18.0 inches"

Ford Mustang GT 5.0l (15-17) Restricted Preparation: "Max. Wheel Size: 18 X 10.Dia. 18.0 inches" Pontiac GTO (04-06) Restricted Prep. 2004, 5.7L V8(Aluminum Block, Aluminum heads), LS1, 2 valves per cylinder 05-06, 6.0L V8 (Aluminum Block, Aluminum heads), LS2, 2 valves per cylinder: "Max. Wheel Size: 17 x 9.5."



4. #31850 (American Sedan Committee) Move from tire exclusion list to tire inclusion list

Effective 04/01/2022 In GCR, Section 9.1.6.D.6.b.4., change as follows:

"American Sedans may not compete or qualify on Hoosier A7 compound tires effective 06/15/2021. American Sedans must compete on DOT "R-type" road race tires. Permitted tires are listed below. Soft "A type" autocross tires are prohibited: BFGoodrich R1 & R1S Goodyear DOT radial DOT R or W compound Hankook Ventus Z214 C51/Medium Hoosier R7 or R6 or HWET

Kumho Ecsta V700 Nitto NT101 Toyo R888, Toyo Proxes RA1, or Proxes RR Yokohama A048

Rain tires must continue to have DOT rating, except that softer compound dry tires, such as the Hoosier A7 (but not limited to), are not permitted for use as rain tires.

The objective of this rule is to require the use of a more durable and economical tire. Performance of approved tires will be monitored by the ASAC and those which are found to deviate from this objective may be subject to exclusion by means of a Tech Bulletin or other appropriate communications.

Additional tires may be requested for consideration by the ASAC and may be introduced within rule change timing cadence."

B-Spec

1. #31359 (Stephen Blethen) Request stock OEM parts

Effective 03/01/2022 In GCR, Section 9.1.10.E.27., change as follows:

"OEM or exact replacement catalysts are permitted. Any part of the exhaust system beyond the primary catalytic converter(s) may be replaced provided: Only OE catalyst are permitted. The exhaust system downstream of the primary catalyst may be replaced provided:"

GCR

1. #30855 (James Devenport) Request use of tire warmers Effective 03/01/2022 In GCR 9.3.46., TIRE WARMERS, change as follows: "Pre-heating of tires prior to competition by electrically heated covers or similar means is prohibited-on the grid."

3. #31166 (Robey Clark) 7.4.1.D Penalties (FE, SRF) Effective 03/01/2022 In GCR section 7.4.D, make changes as follows: "FE/FE2: see 9.1.1.I.192.T. SRF/SRF3: see 9.1.8.E.T."

General

1. #31697 (SCCA Staff) Clarify the definition of OEM and it's derivatives Effective 03/01/2022 In Appendix F., add definitions as follows: "Throughout the GCR a part may be described as OE, OEM, After Market, or Performance Alternative rather than being described by its specific dimensions, capacities, or other by other technical criteria. The definition for these standards, OE, OEM, After Market, or Performance Alternative, are included in the GCR Technical Glossary. These definitions will control unless the subject part is more particularly described within the class or car specific rules or is specifically accepted in the GCR. The protocol for determining whether a part meets the required standard will be as follows:



OE – The described part is that which came on the vehicle or that which would be purchased from the original vehicle manufacturer or an authorized dealer for replacement. OE parts may be manufactured by different suppliers. An OE part may bear the original vehicle manufacturer's name, logo, part number or other identifier that can be used for purposes of verification. Verification may also be achieved by means of the vehicle manufacturer's repair manufacturer's repair manufacturer's negative.

OEM- The described part is manufactured by the same company that produced the part for the original vehicle manufacturer. The OEM part will be identical to the OE part other than in its markings. To be labeled or considered as an OEM part it must be of the same design as the OE part regardless of its origin. It may be compared against a known OE part (keeping in mind that there may be more than one OE supplier to a vehicle manufacturer) or other documentation from the original vehicle manufacturer.

After Market – These parts are usually copied from an OE part but are likely not produced by the same manufacturer. The part may not be identical, but it should offer no distinct advantage over the OE or OEM part other than perhaps a lower price point. Documentation from the part manufacturer or other commercial publications may be considered in making a determination as to whether a part qualifies as "After Market".

Performance Alternative-These parts are marketed or described by the manufacturer as offering an "upgrade" or performance advantage over the OE, OEM, and After Market parts that they replace. The advantage may be in any area including, but not limited to, increased power, mileage, and durability. Documentation from the part manufacturer or other commercial publications may be considered in making a determination as to whether a part qualifies as "Performance Alternative".

If during inspection the technical steward cannot readily determine whether a part meets the required definition (OE/OEM/After Market or Performance Alternative) the matter shall be referred to the CRB for a determination.

Competitors are encouraged to utilize the Compliance Review Process described in GCR Rule 8.1.4 to resolve ambiguities in advance of competition."

GTX

1. #31948 (Club Racing Board) Prototypes added to GTX In GTX, Section 9.1.2.H., add Prototypes as follows: 9.1.2.H. GTX CATEGORY SPECIFICATIONS

"A. Purpose and Philosophy

The intent of the GTX category is to allow competition of production-based vehicles that compete in professional road racing series in the United States.

The GTX class will have annual balance of performance (BOP) changes. Weights may be adjusted, or cars may be subject to changes in intake restrictors to meet periodic professional series changes. Cars may be required to carry data acquisition equipment for review of performance.

B. Eligibility

Vehicles meeting one of the following criteria may compete in the GTX category:

1. FIA GT3:

- Cars will be approved on a case-by-case basis with supporting documentation.
- Competitors must have the FIA GT3 sheet, as approved, available for scrutineers when requested.



- Cars approved to run in accordance with their FIA GT3 specifications must adhere to those specifications.
- See GTX spec line for eligible FIA GT3 cars.

2. SRO GT4:

- Cars will be approved on a case-by-case basis with supporting documentation.
- Competitors must have the SRO GT4 sheet, as approved, available for scrutineers when requested.
- Cars approved to run in accordance with their SRO GT4 specifications must adhere to those specifications.
- See GTX spec line for eligible SRO GT4 cars.

3. TCR:

- Cars will be approved on a case-by-case basis with supporting documentation.
- Competitors must have the TCR sheet, as approved, available for scrutineers when requested.
- Cars approved to run in accordance with their TCR specifications must adhere to those specifications.
- SSee GTX spec line for eligible TCR cars.

4. GTX Tube Frame:

- GTX tube frame cars will consist of currently classified GT1 cars with improved aerodynamics, wheels, brakes and limited fuel injection systems. Stock car bodies permitted. GTX tube frame cars must weigh 2780 pounds.

5. GTX Grand Am Tube Frame:

- GTX Grand Am tube frame cars will consist of fuel injected tube frame cars classified in the Grand Am Road Racing series from 2007-2013. GTX Grand Am tube frame cars must provide their Grand Am rule set and specifications.

- 6. Daytona Prototype Gen # 1 (2003-2007):
- 7. Daytona Prototype Gen # 2 (2008-2011):
- 8. Daytona Prototype Gen # 3 (2012-2016):
- 9. Daytona Prototype International (2017-):

10. IMSA GTP (1994-1998):

- IMSA Camel Light (1985-1993)

11. Le Mans Prototype

- Le Mans Prototype 1 (1999-2013)
- Le Mans Prototype 2 (1999-Present)
- Le Mans Prototype 3 (2017-Present)
- Le Mans Prototype Challenge (2009-2018)

12. World Sports Car (1994-1998)

13. Vehicles listed in Table 4 below

C. Bodywork

- 1. FIA or TCR standard bodywork must comply with their associated specifications.
- 2. GTX tube frame cars shall refer to 9.1.2 GT1 category specifications.
- 3. Grand Am tube frame cars must comply with the 2007-13 GA specifications.
- 4. Prototype standard bodywork must comply with their associated specifications.

D. Aerodynamic Devices

- 1. FIA or TCR aerodynamic devices must comply with their associated specifications.
- 2. GTX tube frame cars shall refer to 9.1.2 GT1 category specifications. Trans Am splitter tunnels and rear wing rules are permitted. Under panning may be installed under the engine bay and rear end housing.



- 3. Grand Am tube frame cars must comply with the 2007-13 GA specifications.
- 4. Prototype aerodynamic devices must comply with their associated specifications.

E. Interiors

- 1. FIA or TCR interiors must comply with their associated specifications.
- 2. GTX tube frame cars shall refer to 9.1.2 GT1 category specifications.
- 3. Grand Am tube frame cars must comply with the 2007-13 GA specifications.
- 4. Prototype interiors must comply with their associated specifications.

F. Chassis

- 1. FIA or TCR chassis must comply with their associated specifications.
- 2. FIA or TCR chassis weight must meet the vehicle weight listed on the associated specification line.
- 3. GTX tube frame cars shall refer to 9.1.2 GT1 category specifications.
- 4. Grand Am tube frame cars must comply with the 2007-13 GA specifications.
- 5. Prototype chassis must comply with their associated specifications.

G. Engine

- 1. FIA or TCR engines must comply with their associated specifications.
- 2. FIA GT3 cars must compete with the listed restriction in the specification lines.
- 3. SRO GT4 cars are permitted to compete without restriction.
- 4. TCR cars are permitted to compete with 100% engine management.
- 5. GTX tube frame cars shall refer to 9.1.2 GT1 category specifications. Additionally, the following engines are permitted. Engine Management is unrestricted.
- 362 cubic inch engines include:
 - Chevrolet R07
 - Ford FR9
 - Dodge R6
 - Toyota Phase 11
- 6. Grand Am tube frame cars must comply with the 2007-13 GA specifications.

7. Prototype engines specifications are open.

H. Cooling System

- 1. FIA or TCR cooling systems must comply with their associated specifications.
- 2. GTX tube frame cars shall refer to 9.1.2 GT1 category specifications.
- 3. Grand Am tube frame cars must comply with the 2007-13 GA specifications.

I. Fueling, Piping and Fuel Tanks

- 1. FIA or TCR fueling, piping and fuel tanks must comply with their associated specifications.
- 2. GTX tube frame cars shall refer to 9.1.2 GT1 category specifications.
- 3. GTX tube frame cars may install fuel injection system, maximum throttle body size 90mm.
- 4. Grand Am tube frame cars must comply with the 2007-13 GA specifications.
- 5. Prototype fueling, piping and fuel tanks must comply with their associated specifications.



J. Oil System

- 1. FIA or TCR oil systems must comply with their associated specifications.
- 2. GTX tube frame cars shall refer to 9.1.2 GT1 category specifications.
- 3. Grand Am tube frame cars must comply with the 2007-13 GA specifications.

K. Exhaust System

- 1. FIA or TCR exhaust systems must comply with their associated specifications.
- 2. GTX tube frame cars shall refer to 9.1.2 GT1 category specifications.
- 3. Grand Am tube frame cars must comply with the 2007-13 GA specifications.
- 4. Prototype exhaust systems must comply with their associated specifications.

L. Electrical

- 1. FIA or TCR electrical systems must comply with their associated specifications.
- 2. GTX tube frame cars shall refer to 9.1.2 GT1 category specifications.
- 3. Grand Am tube frame cars must comply with the 2007-13 GA specifications.
- 4. Prototype electrical systems specifications are open.

M. Drivetrain

- 1. FIA or TCR drivetrains must comply with their associated specifications.
- 2. GTX tube frame cars shall refer to 9.1.2 GT1 category specifications.
- 3. Grand Am tube frame cars must comply with the 2007-13 GA specifications.
- 4. Prototype electrical systems specifications are open.

N. Suspension and Steering

- 1. FIA or TCR suspension and steering must comply with their associated specifications.
- 2. GTX tube frame cars shall refer to 9.1.2 GT1 category specifications.
- 3. Grand Am tube frame cars must comply with the 2007-13 GA specifications.
- 7. Prototype suspension and steering must comply with their associated specifications.

O. Brakes

1. FIA or TCR brakes must comply with their associated specifications.

2. GTX tube frame cars shall refer to 9.1.2 GT1 category specifications, except brake calipers and rotors do not have a size limit.

- 3. Grand Am tube frame cars must comply with the 2007-13 GA specifications.
- 4. Prototype brakes specifications are open.

P. Tires and Wheels

- 1. Tires must conform to 9.3. Tires.
- 2. FIA or TCR wheels must comply with their associated specifications.
- 3. GTX tube frame cars shall refer to 9.1.2 GT1 category specifications, wheels may be increased to 12.5" front and 13" rear.
- 4. Grand Am tube frame cars must comply with the 2007-13 GA specifications.



5. Prototype wheels must comply with their associated specifications.

	Table 4									
Marque	Model	Engine	Restrictor	Min Weight (lbs)	Notes					
Radical	SR8	RPE 2.7L V8	NA	1775						
Radical	SR10	Ford Ecoboost 2.3LHigh Output 4 cyl. Turbo	NA	1825						
Radical	RXC Spyder	Ford Ecoboost 3.5LV6 Turbo / RPE 2.7L V8	NA	2400						
Radical	RXC 600R	Ford Ecoboost 3.5LV6 Turbo	NA	2675						
Revolution	A-One	Ford 3.7L V6	NA	1925						
Superlite	Aero	Sealed Katech GMLS3 6.2L V8	NA	2180						
Superlite	SL-C	GM LS7 7.2L V8	NA	2625	Must comply with specifications foundhere: <u>https://www.</u> scca.com/pages/ technical- forms-and-downloads					

STU

"

1. #31397 (Mark Liller) Traction Control Resubmission Effective 03/01/2022 In GCR, Section 9.1.4.G.10. change as follows: "Engine calibration (spark and fuel)including Traction Control is free."

2. #31441 (John Weisberg) Electric Assist Steering

Effective 03/01/2022 In GCR, Section 9.1.4.16.e, add as follows: "*An OEM hydraulic-assisted steering system may be used*."

T2

1. #31028 (Gary Rose) Rules Change Request - T2 Ford Mustang 5.0l '11-'14

Effective 03/01/2022 In T2-T4, GCR section 9.1.9.2.D.1.e. Block, make changes as follows:

"2. The production engine block/crankcase may be substituted with another OE engine block regardless of generation and/or date of manufacture. The replacement engine block must be of the same material, and have the same, bore, stroke, and deck height as the block supplied in the car of the specific spec line. Aftermarket blocks are prohibited."

T2-T4

1. #31564 (Touring Committee) 2-piece rotors

Effective 03/01/2022 In T2-T4 Spec Lines, Section 9.1.9.2.D.6.a.6, add the following:

"In T3 only - 2-piece front rotors with ferrous metal rotor disks and aluminum hats are allowed, must be within 2% of OEM diameter."



2. #31654 (Touring Committee) Refine Intercooler wording

Effective 03/01/2022 In GCR, Section 9.1.9.2.D.1.i., add the following:

"10. Intercoolers- If an alternative intercooler is allowed on a vehicle's spec line, it must conform to the following: It must fit in the original location. It must require no body or structural modifications to install. No new openings may be created to direct air to the intercooler.

If an intercooler is allowed, the appropriate hoses to attach it are also permitted provided that they serve no other purpose than the OE hoses."

3. #31836 (Touring Committee) relocate oil filter Effective 03/01/2022 In GCR, Section 9.1.9.2.D.1.f., add the following: "6. Relocating the oil filter within the engine bay is permitted."

Т3

1. #30528 (Allen Briere) 06-10 Volkswagen GTI, Rear Spring Relocation to Shock Effective 03/01/2022 In GCR section 9.1.9.2.D.5.b.2., Springs, Anti-Roll bar(s), and Shock Absorbers, add section as follows" "e. Cars with inboard rear springs are permitted to relocate the spring to the shock."

Taken Care Of

B-Spec

1. #30943 (James Rogerson) Request to Add Alternate Automatic to 07-08 Fit Thank you for your letter. Please see letter # 30853 in current Fastrack.

FV

1. #31709 (Mark Richardson) Letter 31522: Follow Up for Rule Change Request 9.1.1.(FV) 5.C.6 Thank you for your letter. The Club Racing Board appreciates your comments. Please see the response to letter #31448 in the December 2021 Fastrack Technical Bulletin.

2. #31864 (Stevan Davis) FV & FC (or ANY other winged formula class) Thank you for your letter. Topic has been forwarded to the Executive Stewarts committee.

General

1. #31332 (Jesse Prather) Runoffs Tech Thank you for your letter and sharing your experience.

EP

1. #31740 (Rich Walke) Alternate Carburetion for Austin-Healey 3000 Thank you for your letter. Please see response to letter #31739 in current Fastrack.

HP

1. #31398 (Bobby Beyer) Slow Down the Spitfires Thank you for your letter. Please see response to letter #31182 in current Fastrack.

2. #31603 (Daniel Snow) LPHP Fiat X19 Competition Adjustment



Thank you for your letter. Please see response to letter #31653 in current Fastrack. No other changes to these classifications will be made at this time.

3. #31604 (Daniel Snow) Fiat X19 HP L1 Competition Adjustments

Thank you for your letter. Please see response to letter #31653 in current Fastrack. No other changes to this classification will be made at this time.

4. #31655 (Larry Svaton) Support for 31653

Thank you for your letter. Please see response to letter #31653 in current Fastrack.

5. #31666 (Lee Fleming) 1500 Midget LP Engine acceptance Thank you for your letter. Please see response to letter #31665.

6. #31797 (Mike Ogren) Request for 4% weight reduction with 100TW tires in HP Thank you for your letter. Please see response to letter #31542 in current Fastrack.

Prod General

1. #27693 (Brett Whisenant) Correcting/Standardizing the Prod Measurement Charts Thank you for your letter. In late 2020 the PAC requested that SCCA's Technical Services go through all of the Production spec lines and standardize how the specs are presented. They should be uniform to what is shown in the column headers, so that where applicable, they are presented in both units, with metric being shown first and English being shown second in parenthesis.

This process has now been completed, and the updated formatting will be present in the 2021 December GCR. As this was a lengthy process of manually inputting these values by hand, it is requested that each competitor verify that the content of their spec line still appears to be accurate, and provide feedback if any discrepancies are found.

Т3

1. #30857 (Derek Chan) Request Scion FR-S/ Toyota 86/ Subaru BRZ (13-21) - BOP Thank you for your letter. Please see letter # 30818 in current Fastrack.

2. #31110 (Ryan Szyjakowski) BMW 330i Rear Spring on Shock Thank you for your letter. Please see letter # 30528 in current Fastrack.

3. #31457 (Ryan Szyjakowski) BMW e46 330i Spring Allowance Thank you for your letter. Please see letter #31481 in current Fastrack.

4. #31483 (Darryl Pritchett) Request to help BoP of Ford Mustang V6 (11-14) Thank you for your letter. Please see letter # 31481 in current Fastrack.

5. #31487 (James Leithauser) T3 Ford Mustang Ecoboost Thank you for your letter. Please see letter #31481 in current Fastrack.

6. #31488 (Jason Ott) BMW Z4m Spring Request Thank you for your letter. Please see letter #31481 in current Fastrack.



7. #31503 (Jason Ott) 370z Weight Thank you for your letter. Please see letter #31481 in current Fastrack.

8. #31555 (Ben Slechta) Nissan 350Z HR Weight/Restrictor Plate Change Thank you for your letter. Please see letter #31481 in current Fastrack.

9. #31633 (Derek Chan) 350z BOP for 2022 Season Thank you for your letter. Please see letter #31481 in current Fastrack.

10. #31636 (James Berlin) Parity and Issues 350Z Thank you for your letter. Please see letter #31481 in current Fastrack.

11. #31652 (Nicolas Hammann) Honda S2000 T3 - Car Classification Thank you for your letter. Please see letter #31481 in current Fastrack.

12. #31705 (Ben Slechta) Nissan 350Z BoP Thank you for your letter. Please see letter #31481 in current Fastrack.

13. #31730 (Breton Williams) Turbo Mustang Thank you for your letter. Please see letter # 31481 in current Fastrack.

14. #31789 (Griffin Gamcsik-Uly) Request to Classify 2006 - 2008 BMW Z4M Coupe Thank you for your letter. Please see letter # 31371 in December 2021 Fastrack.

Т4

1. #30561 (Scotty B White) Request relocation of springs T4 mustang Thank you for your letter. See letter #30528 in current Fastrack.

What Do You Think

None.

<u>RESUMES</u>

GCR

1. #31043 (Lauri Burkons) Resume in Application for GCR Committee Lauri Burkons has been added to the GCR Committee.

2. #31185 (Richard Muise) GCR Committee Resume: Richard Muise Thank you for your resume; it will be retained by the GCR Advisory Committee. We encourage you to continue your involvement with SCCA Club Racing events.



DATE: December 20, 2021 NUMBER: TB 22-01 FROM: Club Racing Board TO: Competitors, Stewards, and Scrutineers SUBJECT: Errors and Omissions, Competition Adjustments, Clarifications, and Classifications All changes are effective 1/1/2022. If any day of a race event falls on the first day of the month, the previous month's rules will be in effect for that event only. The new rules will become effective at the conclusion of the race event, unless otherwise noted.

American Sedan

AS

1. #30295 (ROGER EAGLETON) Proposed Revisions to SCCA GCR 2021 Appendix M, Part 3 In SMG, Appendix M. 2. k. 7., make changes as follows: "Long Tube Headers: Borla PN 17237 with x-pipe (*discontinued*). Approved alternative American Racing Header PN: MT3-05134300LSNC with x-pipe OR Kooks Header PN: 11312000 with Off-raod x-pipe."

2. #31846 (American Sedan Committee) specification line consolidation and correction In AS Spec Lines, remove Mercury Capri (79-86) individual spec line.

In AS Spec Lines, Ford Mustang Incl. Cobra & Cobra R (79-93), change Model as follows: "Ford Mustang Incl. Cobra & Cobra R (79-93) *and Mercury Capri (79-86)*"

3. #31847 (American Sedan Committee) correction of SMG specification line In AS Spec Lines, Spec Mustang (SMG) Restricted Prep., change as follows: Gear Ratios: 3.73 Brakes: (F) 355 (R) 300

4. #31851 (American Sedan Committee) Alternate cylinder heads for full prep engine builds - Evaluation In AS Spec Lines, change Notes as follows:

Chevrolet/Pontiac Camaro & Firebird (82-92): "Modify the following full preparation specification lines: "Edelbrock Cylinder Head Part #s 608979, 608879 are permitted. *For regional competition only*, unmodified GM Performance cylinder head part #s 19300955, 19300956 may be used with Allstar restrictor plate part# ALL26180 and 1.250 inserts part# ALL26186 installed between intake manifold and insulator. Gaskets may be used (each gasket can be no thicker than .125 inches), one on each side of the restrictor. All intake air must pass through the inserts of the restrictor plate."

Chevrolet/Pontiac Camaro & Firebird (93-02): "Modify the following full preparation specification lines: "Edelbrock Cylinder Head Part #s 608979, 608879 are permitted. *For regional competition only*, unmodified GM Performance cylinder head part #s 19300955, 19300956 may be used with Allstar restrictor plate part# ALL26180 and 1.250 inserts part# ALL26186 installed between intake manifold and insulator. Gaskets may be used (each gasket can be no thicker than .125 inches), one on each side of the restrictor. All intake air must pass through the inserts of the restrictor plate."

Chevrolet Camaro (10-15): "Modify the following full preparation specification lines: "Edelbrock Cylinder Head Part #s 608979, 608879 are permitted. *For regional competition only*, unmodified GM Performance cylinder head part #s 19300955, 19300956 may be used with Allstar restrictor plate part# ALL26180 and 1.250 inserts part# ALL26186 installed between intake manifold and insulator. Gaskets may be used (each gasket can be no thicker than .125 inches), one on each side of the restrictor. All intake air must pass through the inserts of the restrictor plate."



Ford Mustang Incl. Cobra & Cobra R (79-93): "Edelbrock Cylinder Head Part #s 602579, 602479 are permitted. *For regional competition only*, unmodified Ford Performance cylinder head part #s M-6049-Z304DA7, M-6049-Z304D may be used with Allstar restrictor plate part# ALL26180 and 1.250 inserts part# ALL26186 installed between intake manifold and insulator. Gaskets may be used (each gasket can be no thicker than .125 inches), one on each side of the restrictor. All intake air must pass through the inserts of the restrictor plate."

Ford Mustang Including Cobra 94-04: "Edelbrock Cylinder Head Part #s 602579, 602479 are permitted. *For regional competition only*, unmodified Ford Performance cylinder head part #s M-6049-Z304DA7, M-6049-Z304D may be used with Allstar restrictor plate part# ALL26180 and 1.250 inserts part# ALL26186 installed between intake manifold and insulator. Gaskets may be used (each gasket can be no thicker than .125 inches), one on each side of the restrictor. All intake air must pass through the inserts of the restrictor plate."

Ford Mustang GT (05- 14): "Edelbrock Cylinder Head Part #s 602579, 602479 are permitted. *For regional competition only*, unmodified Ford Performance cylinder head part #s M-6049-Z304DA7, M-6049-Z304D may be used with Allstar restrictor plate part# ALL26180 and 1.250 inserts part# ALL26186 installed between intake manifold and insulator. Gaskets may be used (each gasket can be no thicker than .125 inches), one on each side of the restrictor. All intake air must pass through the inserts of the restrictor plate."

B-Spec

1. #30853 (James Rogerson) Request to add 2007-2008 Honda Fit

B-SPEC	Bore x Stroke(mm) Displacement (cc)	Wheelbase (mm)	Gear Ratios	Final Drive	Brakes (inches)	Weight (lbs)	Notes:
2007-08 Honda Fit (automatic)	73.0 x 89.4 1499	2450	2.99, 1.68, 1.07, 0.76, 0.55	4.56	Fr: 10.3 disk, rear 7.9 drum	2525	Allow damper and spring set 51600F23SA100, Damper FR LH 51605F23SA100, Damper FR RH 51606F23SA100, Damper RR 52610F23SA100, Spring adjust asy RR 52691F23SA010. Seat upper FR spring 51688F23SA200, 51402FC4YA00 front helper spring and 51403FC4YA00 front spacer permitted. Front Damper Mount P/N 51920-F23S-A30 is allowed. Allow rear sway bar Progress # 62.1061.

In B-Spec Spec Lines, classify Honda Fit (2007-2008) as follows:

Electric Vehicle None.



Formula/Sports Racing

F

1. #31763 (Formula/Sports Racing Committee) E&O Appendix G In Appendix G.1, make changes as follows: "3.1416 x bore x bore x stroke

4

Engine displacement = Cylinder volume times number of cylinders

<u>Compression ratio = V1 + V2</u>

V2

Where V1 is total volume of one cylinder:

sum of swept plus unswept volumes.

V2 is enclosed volume existing in a cylinder/cylinder head

with the piston at its closest approach to the cylinder head.

Engine displacement = Cylinder volume times number of cylinders

<u>Compression ratio = V1 + V2</u>

<u>₩2</u>

Where V1 is total volume of one cylinder

V2 is volume of space above piston at top of stroke"

F5

1. #31638 (Glen Thielke) Data Box Mounting Plate

In F5, GCR section 9.1.1.D, add a new section as follows:

"19. All F5 cars competing in Majors Races and the Runoffs must have the AIM part #X47KPFSOLO2R0 data box mount installed on the vehicle to provide the necessary mounting of the AIM Solo or Solo 2 data box. The mounting surface is to be approximately oriented either horizontally or vertically either parallel or perpendicular to the longitudinal axis of the car and must be accessible from the exterior of the car with the driver on board -- it should have a view of the sky and not be located under carbon fiber or metallic bodywork. Sufficient space should be left between the mounting plate and the surface to which it is attached to permit the use of zip ties/tie straps to restrain the data box to the mounting plate. The purpose of this requirement is to allow the random placement of data boxes on cars on pre-grid by SCCA assigned personal and the collection of the box when the car exits the race track. Contact AIM and their distributors for direct purchase."

FC

1. #31867 (Formula/Sports Racing Committee) Clean up Chassis/Frame section

In FC, GCR section 9.1.1.B.3.e, add the following:

"The area between the upper and lower main frame tubes from the front instrument/dash roll hoop bulkhead to the rear roll hoop bulkhead shall be protected by at least one of the following methods to prevent the intrusion of objects into the cockpit. Panels may extend to the forward most bulkhead, but must otherwise comply with these regulations. *No other exterior panels (except for bodywork) shall be permitted in the area between the upper and lower main frame tubes from the forward most bulkhead to the rear roll hoop bulkhead. These panels may also serve as body in the described area."*



In FC, GCR section 9.1.1.B.3, change as follows and re-letter the following sections accordingly:

"f. No other exterior panels (excepting body work) shall be permitted in the area between the upper and lower main frame tubes from the forward most bulkhead to the rear roll hoop bulkhead. Suspension components shall not be mounted directly to any frame exterior panel (including, but not limited to, body and anti-intrusion panels). The chassis must be capable of rolling without any such frame-exterior panels installed. The engine, bell housing/oil tank, and gearbox are exempt from this limitation.

g. No panels or other components other than the required and optional load bearing panels may be attached to the chassis for structural purposes, except that the engine, bell housing/oil tank, and gearbox are permitted to be stressed and/or load bearing.

g.-h. A firewall(s) that seals the drivers' compartment (cockpit) and the engine compartment is required. Forward facing ducts may be installed to delivering air directly to the engine compartment. Air duct openings may be located within the cockpit provided the firewall is extended to prevent the passage of flame and debris from reaching the driver."

FV

1. #31843 (Formula/Sports Racing Committee) Update direct replacement connecting rod information In FV, GCR section 9.1.1.C.5.C.6, change as follows:

"Crower part #SP93280B and Brian Crower Racing RodsBrianCrower, Inc. part #TBDBC6417 are allowed as direct replacement connecting rods but must meet the same minimum weight requirement as the OEM part."

Ρ1

1. #31609 (Jason Miller) Displacement & Weight Change Request for 2-Cycle 6 Cylinder In P1 Engine Table, Spec Line A, change as follows:

	P1 Engine Table									
Spec Line	Engine Series	Max. Displ (cc)	Max. Valves / Cyl.	Req'd Restrictor	Min Weight (Ibs)	Notes				
А	2 cycle	1470 1725	NA	43 40 <mark>mm</mark> Restricted Venturi Size	1300 1275	Carburetor induction only. One carburetor per cylinder. Balance tubes not allowed.				

P2

1. #31783 (Formula/Sports Racing Committee) E&O letter #31539 – Control Area definition

In P2, GCR section 9.1.8.D.E, change as follows:

"This "Control Area" is located within the plan view rectangular area defined by the rear edge of the front tires, the front edge of the rear tires, and the entire width of the car's lower surface facing the ground, which includes but is not limited to the floor and any extensions of the floor or aerodynamic attachments to the floor, whether fastened to the bottom or top side of the floor. Vertical structures such as "turning vanes" or "fins" that are attached to the car anywhere within the "Control Area" to enhance aerodynamics are prohibited."



GCR GCR

1. #31852 (Club Racing Board) Letter for Discussion 9.3.45. TIRES

In GCR, Section 9.3.45., change as follows:

"Tires shall be 124 ("U") mph rated or better unless otherwise specified or controlled. In the Improved Touring, Super Touring, American Sedan, Spec Miata, B-Spec and Touring categories, any U rated, or better, *DOT* approved tire is required. Re-grooving of DOT tires by any method once the tire has left the manufacturer is not permitted. Grooving or re-grooving of non-DOT tires is permitted. Recapped tires are not allowed in any class. Tire size is unrestricted unless otherwise stated in class specific rules. The only modifications allowed to DOT tires are having treads "shaved" or "trued.""

General

General

1. #31708 (SCCA Road Racing) Major/Super Tour/Runoffs License Eligibility Change In GCR section 3.1.1.B Driver Eligibility, make changes as follows: "Only drivers who hold an SCCA Full Competition License or an SCCA Pro License are eligible to enter."

In GCR section 3.7.4.A.4 Additional Requirements, make changes as follows: "The driver must hold a current SCCA Full Competition License-or an SCCA Pro License."

2. #31891 (Club Racing Board) Add to Appendix F. Technical Glossary

In GCR, Section Appendix F. Technical Glossary, add the following:

"TBR - Throttle Body Restrictor - All throttle body (TBR) restrictor plates must be made of aluminum, and must be a minimum of 0.375 inch thick and a maximum of 0.500 inch thick. The maximum inlet radius must be 0.375 inch. The remainder of the restrictor bore must maintain the required diameter. No other radiusing, tapering or chamfering is allowed. It must be mounted directly in front of the inlet (primary) side of the throttle body."

Grand Touring

GT2

1. #31451 (Marvin Epps) Restrictor Clarification for 2015 Cayman

In GT2-ST Spec Lines, Porsche Cayman (05-15), change Notes as follows:

"4.0L 70mm Flat Plate Restrictor Throttle Body Restrictor (TBR) @ 2700lbs. No variable valve timing and no direct injection. 4.2 70mm flat plat restrictor Throttle Body Restrictor (TBR) @ 2700 lbs."

Improved Touring

None.

Legends Car None.

Production

1. #31478 (Hayes Flynn) Porsche 968 Engine Questions In EP Spec Lines, Porsche 968 (92-95), change Intake Valve size as follows: "(I) 3739.0/(1.4654)"



2. #31724 (William Etherington) BMW Z3 2.5L Spec Line

In EP Spec Lines, BMW Z3 2.5L, change Notes as follows:

"Comp. Ratio Limited to 12.0:1, Valve lift limited to .500". To replace stock drive-by-wire throttle body, a Alternate throttle body from BMW 92-95 325i (part #13541748105) *is permitted only* with Turner Motorsports adapter plate (part #TEN9990850)-*is* permitted. Cylinder head casting number 1738400 permitted with use of the allowed iron block (casting number 1748933 or 1738566)."

3. #31858 (Production Committee) EP Adjustments

Effective 3/1/2022 In EP, make changes to BMW spec lines as follows: BMW Z3 2.5L - 5958mm Flat Plate Intake Restrictor is required with both stock or alternate throttle body. BMW 328i/is E36 (96-99) - 62mm Flat Plate Intake Restrictor is required. BMW 328i/ci E46 (01-06) - 62mm Flat Plate Intake Restrictor is required. BMW 325i/is E46 (01-06) - 60mm Flat Plate Intake Restrictor is required. BMW 325i/is E36 (92-95) - 60mm Flat Plate Intake Restrictor is required. BMW 325i/is E36 (92-95) - 60mm Flat Plate Intake Restrictor is required. BMW 325i/is M-Technic (1994) - 60mm Flat Plate Intake Restrictor is required.

FP

1. #31859 (Production Committee) FP Del Sol VTEC

In FP Spec Line, Honda Civic Del Sol VTEC (94-97), change Notes as follows:

"Comp. Ratio limited to 11.0:1. Valve lift *limited to* .425".-max. Level 1 dry sump, connecting rods, intake manifold porting, crankshaft, rocker arms and cam followers. May be prepared as a coupe or "targa top", Petty-bar roll cage allowed in lieu of rearward roll cage braces."

2. #31868 (Production Committee) Standardize Level 2 Classifications in FP

In FP Spec Lines, change Notes as follows:

Honda Prelude (84-87): "Comp. Ratio limited to 12.0:1. Valve lift-(measured as raced – w/ lash): limited to .500"-max. Level 1 dry sump, connecting rods, intake manifold porting, crankshaft, rocker arms and cam followers."

Mazda GLC / 323 (86-88): "Comp. Ratio limited to 12.0:1. Valve lift (measured as raced - w/ lash): limited to .500" max. Level 1 dry sump, connecting rods, intake manifold porting, crankshaft, rocker arms and cam followers."

ΗP

 #31182 (Jason Stine) Weight Change for Competition Adjustment Effective 3/1/2022 In HP Spec Lines, Triumph Spitfire 1500, make changes to Weight as follows: "15601605 *15991645 **16381685"

2. #31653 (Matthew Brannon) Weight Adjustment To Fiat X1/9 Spec Lines, H-Production In HP Spec Lines, make the following changes to Weight: Fiat X-1/9 & Bertone 1500 (Level 2): "18401790 *18861835 **19321880" Fiat X-1/9 1300 (Level 2): "16951650 *17371691 **17801733" Fiat X-1/9 1300 (Level 1): "21152060"



Fiat X-1/9 1500 (Level 1/2): "20001950"

3. #31665 (Jerry Oleson) 1500 Midget

In HP, classify Austin-Healey Sprite Mk I, II, III, IV MG Midget (ALL) as follows:

HP	Prep. Level	Weight (lbs)	Engine Type	Bore x Stroke mm/(in.)	Displ. cc/ (ci) (nominal)	Block Mat'l	Head/PN & Mat'l	Valves IN & EX mm/ (in.)	Carb. No. & Type	Wheel- base mm/(in.)	Track (F/R) mm/(in.)
Austin- Healey Sprite Mk I, II, III, IV MG Midget (ALL))	2	1510 * 1548 ** 1586	4 cyl OHV	73.7 x 87.4 (2.90 x 3.44)	1493 (91.11)	Iron	Iron	(l) 36.6 (1.44) (E) 29.7 (1.17)	Carburetion	(80.0)	1275 / 1237 (50.2 / 48.7)

Wheels (max)	Trans. Speeds (max)	Brakes Std. (mm/(in.))	Brakes Alt.: mm/(in.)	Fuel Injected Equipped Throttle Body Inside Diameter (mm) +/25mm	Notes:
13x6	4	Factory Spec @ all 4 wheels	(F) 9.12 Disc #208715, calipers: #27H, 27H-4651	N/A	Comp. Ratio limited to 11.0:1. Valve lift limited to .450". Alternate intake manifold, Pierce #J15-1952 allowed. Mk.I Body modification: Behind driver's seat rear deck only, width of shoulder or seat, depth 6" max. Sprite Mk I only may replace exterior rear body work, aft of the cockpit and rearmost door opening, with stock appearing components of an alternate material.

4. #31802 (Louis Rainer) Request weight requirement for 1500 MG Midget

In HP, classify Austin-Healey Sprite Mk I, II, III, IV MG Midget (ALL) as follows:

HP	Prep. Level	Weight (lbs)	Engine Type	Bore x Stroke mm/(in.)	Displ. cc/ (ci) (nominal)	Block Mat'l	Head/PN & Mat'l	Valves IN & EX mm/ (in.)	Carb. No. & Type	Wheel- base mm/(in.)	Track (F/R) mm/(in.)
Austin- Healey Sprite Mk I, II, III, IV MG Midget (ALL))	1/2 See Notes	1655	4 cyl OHV	73.7 x 87.4 (2.90 x 3.44)	1493 (91.11)	Iron	Iron	(1) 36.6 (1.44) (E) 29.7 (1.17)	Carburetion	(80.0)	1275 / 1237 (50.2 / 48.7)



Wheels (max)	Trans. Speeds (max)	Brakes Std. (mm/(in.))	Brakes Alt.: mm/(in.)	Fuel Injected Equipped Throttle Body Inside Diameter	Notes:
13x6	4	Factory Spec @ all 4 wheels	(F) 9.12 Disc #208715, calipers: #27H, 27H-4651	(mm) +/- .25mm <i>N/A</i>	Comp. Ratio limited to 11.0:1. Valve lift limited to .450". Drivetrain Level 2 preparation only. Alternate intake manifold, Pierce #J15-1952 allowed. Listed spec line weight does not change with alternate or stock transmission. Battery tray may be removed. Mk.I Body modification: Behind driver's seat rear deck only, width of shoulder or seat, depth 6" max. Sprite Mk I only may replace exterior rear body work, aft of the cockpit and rearmost door opening, with stock appearing components of an alternate material.

Prod General

1. #31592 (Chris Schaafsma) PCS E. 2. n. 4. Add Axle Shaft to Allow FWD the Same Freedom

In Production, GCR sections 9.1.5.E.1.n.4. and 9.1.5.E.2.n.4. change as follows:

"For rear wheel drive cars, the transmission tunnel and tunnel cover can be altered to allow the installation of an alternate transmission and/or driveshaft. For front wheel drive cars, the body, unibody, frame, suspension crossmembers/subframes and their components may be altered to the extent required to allow the installation of an alternate transmission, transaxle and/or driveshaft axle shaft."

Spec Miata

None.

Super Production None.

Super Touring

ST General

1. #31323 (Jose de Miguel) Throttling Device Clarification

In GCR, Section 9.1.4.1.B.4., change as follows:

"The intake and exhaust porting on piston engines is free.Porting of intake manifolds and cylinder heads is free on piston engines."

STL

1. #31467 (Christopher Childs) Mazda Renesis Restriction In STL Spec Lines, Mazda Renesis, change Notes as follows: "5560mm flat plate restrictor required."

2. #31621 (Daniel Sheppard) Clarification of 79-85 RX7 Spec line In STL, Mazda RX-7 12A (79-85), change notes as follows:



"Stock Nikki 4 bbl carburetor on a stock manifold only. *Allow the standard removal of emissions related components, and allow air and fuel jets to be corrected.* Modification of the water jacket in the area of the spark plug for cooling purposes is permitted."

Touring

T2

#31480 (Touring Committee) Touring 2 BOP adjustments for 2022
 In T2 Spec Lines, Dodge Viper SRT-10 incl. coupe (03-06), change as follows:
 Weight (lbs): "36003550"
 Notes: "Throttle restrictor between each throttle body and plenum is mandatory: .060" flat steel plate with one 4341mm hole."

2. #31837 (Touring Committee) SMG In T2 Spec Lines, Spec Mustang, change Model as follows: "Ford Spec Mustang"

T2-T4

1. #31486 (Andrew Aquilante) Reply to letter 29879 T2-T4 Grill Openings

In T2-T4, GCR section 9.1.9.2.D.8.a.8, clarify as follows:

"Exclusively for For the sole purpose of engine radiator cooling purposes, it is permitted to remove the outermost non-metallic webbed false grill openings that are closed in mesh style factory grill openings. Maximum allowable increase in grill opening area is 16 square inches. The modified grill opening mesh shape and contour must be retained as delivered from the manufacturer. This allowance does not permit modification to *dedicated* brake-only or intercooler-only grill openings. (Note - It is the competitor's responsibility to be able to verify that 16 or fewer square inches have been removed.)"

2. #31682 (Touring Committee) Request to clarify radiator hoses

In GCR, Section 9.1.9.2.D.3.a., add the following:

"3. Radiator and coolant hoses may be replaced with aftermarket options. Modification for coolant temp sensors is permitted."

3. #31743 (Touring Committee) Clarify Permitted/Allowed

In GCR, Section 9.1.9.2.C.4., add the following"

"b. Spec lines may include modifications that are "permitted" or "allowed". This means that they are a permitted as alternatives to the allowances written into the category rules. For example "Koni shock #xxxxxxx allowed" implies that you could use the Koni option or any option that complies with the category rules."

Т3

1. #30818 (Matthew Fess) Request FRS/BRZ/86 T3 Weight Reduction In T3 Spec Lines, Scion FR-S/Toyota 86 GT (13-21), change as follows:

Weight: "27502675"

Notes: "Commercial aftermarket rear wing permitted no higher than the roofline or wider than the max body width, max end plates 72.0 square inches. Front splitter/spoiler permitted but may not exceed the max body width or extend more than 3.0 inches past the original bodywork as viewed from above. BRZ TS Rear wing and body work allowed."

In T3 Spec Lines, Subaru BRZ (13-21), change as follows: Model: Subaru BRZ TS (13-21) Weight: "27502675"



Notes: "Commercial aftermarket rear wing permitted no higher than the roofline or wider than the max body width, max end plates 72.0 square inches. Front splitter/spoiler permitted but may not exceed the max body width or extend more than 3.0 inches past the original bodywork as viewed from above."

2. #30931 (Rob Hines) Request to Classify 2022 Toyota 86 / Subaru in T3 & T4 In T3 Spec Lines, classify the Subaru BRZ (2022+) and Toyota 86 (2022+) as follows:

то	Bore x	Wheel-	Wheel	Tire	Gear	Final	Brakes	Weight	Notes:
T3	Stroke(mm)/	base(mm)	Size	Size	Ratios	Drive	(mm)	(Lbs)	
	Displ. (cc)		(in.)	(max)					
Subaru	94 x 86	2575	18 x 9	245	3.54,	3.91	295 (f)	2750	Any spring up to 750 F/R
BRZ	2400				2.06,		290 (r)		permitted. Front strut tower
2022+					1.41,				brace permitted. SPC rear lower
					1.00,				control arms permitted. Cold air
					0.71,				intake allowed.
					0.58				
Toyota	94 x 86	2575	18 x 9	245	3.54,	3.91	295 (f)	2750	Any spring up to 750 F/R
86	2400				2.06,		290 (r)		permitted. Front strut tower
2022+					1.41,				brace permitted. SPC rear lower
					1.00,				control arms permitted. Cold air
					0.71,				intake allowed.
					0.58				

3. #31481 (Touring Committee) Touring 3 BOP adjustments for 2022

In T3 Spec Lines, Ford Mustang EcoBoost (2015-), change as follows:

Model: "Ford Mustang EcoBoost (2015-) Changes effective 3/1/2021"

Weight: "34503525"

Notes: "35mm34mm TIR required. Rear spring relocated to shock allowed. 800lbs springs (F/R) allowed. EcoBoost Performance Package allowed in part or complete. Optional: 6 speed automatic transmission (with paddle shifters). Speed Factory Intercooler, part # SF-55-002 permitted. BMR rear upper control arm camber links part #UTCA064 permitted. Non-EcoBoost Performance Pack base model 320mm front brakes, 2 piston front calipers allowed (-50lbs). Ford Motorsports 6-piston M2300V 380mm brake kit allowed with + 175lb100lb penalty, or optional 2-piece rotor 355mm max Brembo brake kit #M-2300-S allowed with + 100lb50lb penalty. Sway bars allowed up to 35mm (F) 25mm (R).

In T3 Spec Lines, Subaru WRX STI (03-07), change Weight as follows: "34003300"

In T3 Spec Lines, Ford Mustang Coupe GT & Shelby GT 4.6L & Cal. Special (05-10), change Weight as follows: "34253350"

In T3 Spec Lines, Ford Mustang V6 (11-14), change Weight as follows: "34253400"

In T3 Spec Lines, BMW 330i/Ci (01-06), change Notes as follows: "Max spring rate 600800 #/in front and rear."



In T3 Spec Lines, Honda S2000 (all) (00-09), change as follows: Weight: "2.0: 27752675" Notes: "2.2L engine 60mm flat plate restrictor required."

Effective 3/1/2022 In T3 Spec Lines, BMW Z4 M Coupe (06-08), change Notes as follows:

"Euro manifold part #11 62 7 833 500 and 62 7 833 501 allowed. Ground control # MZ4Swaybar set permitted. 50mm48mm flat plate restrictor required. Restrictor must be placed in the front of the factory engine air intake manifold opening. The plate must seal the opening so that all air entering passes through the restrictor. Allowance of 600 lb800 lb max front, 650 lb850 lb max rear. M3 front lower control arms 31122229453 left, 31122229454 right. E46 M3 front lower control arms allowed: 31122229453 left, 31122229454 right for installation of larger joint. Alternate rear lower control arm part #TSU9940B77 allowed."

4. #31530 (Griffin Gamcsik-Uly) Please Adjust Years Allowed for BMW 335i to 07-10, not 08-13 In T3 Spec Lines, BMW 335i (08-13), change Model Year as follows: "BMW 335i (08-1307-10)"

5. #31531 (Griffin Gamcsik-Uly) Please Adjust Years Allowed for BMW 135i to 08-10, not 08-13
In T3 Spec Lines, BMW 135i (08-13), change Model Year as follows:
"BMW 135i (08-1310)"

6. #31606 (Ryan Szyjakowski) BMW 330i Minimum Comp Weight Effective 3/1/2022 In T3 Spec Lines, BMW 330i/Ci (01-06), change as follows: Tire Size: "275245" Weight: "31853125"

7. #31728 (Breton Williams) T3 Nissan Z Suspension Update In T3 Spec Lines, Nissan 350Z Track/ Touring/ Standard/ Nismo (03-08), change Notes as follows: "SPC Control Arms 72130, 72125 andor 72123 are allowed."

In T3 Spec Lines, Nissan 370Z (09-16) / 370Z NISMO Edition (09-13), change Notes as follows: "SPC Control Arms 72130, 72125 and or 72123 are allowed."

8. #31748 (Touring Committee) Adjust T3 370Z Effective 3/1/2022 In T3 Spec Lines, Nissan 370Z (09-16) / 370Z NISMO Edition (09-13), change Weight as follows: "3325-3375"

9. #31825 (Touring Committee) TIR changes for FWD T3 models Effective 03/01/2022 In T3 Spec Lines, change as follows: Chevrolet Cobalt SS (08-10): Notes: "35mm36mm"

Dodge SRT-4 (03-05): Notes: "35mm36mm"

Ford Focus ST (14-18):

SCCA Fastrack News



Final Drive: "3.xx4.06 (1-4) 2.95 (5-6)" Brakes (mm): "(F) 315 Vented Disc (R) 292 Solid Disc(F) 320 vented disc (R) 271 solid disc" Notes: "35mm36mm"

Ford Focus RS (16-18): Notes: "35mm36mm"

Honda Civic Si (2017-): Wheelbase (mm): "2700" Notes: "35mm36mm"

Mazda, Mazdaspeed3 (07-09):

Notes: "35mm36mm Turbo Inlet restrictor required. Rear sway bar max 42mm (body and suspension mounting same as OEM. Any spring up to a maximum spring rate of 800 pounds may be used. Damond Motorsports Mazdaspeed3 caliper bushing kit allowed F/R. CorkSport part# Gen-6-999-10 or Autotech 10-127-100K allowed."

Mazda, Mazdaspeed3 (10-13):

Notes: "35mm36mm Turbo Inlet restrictor required. Rear sway bar max 42mm (body and suspension mounting same as OEM. Any spring up to a maximum spring rate of 800 pounds may be used. Damond Motorsports Mazdaspeed3 caliper bushing kit allowed F/R. CorkSport part# Gen-6-999-10 or Autotech 10-127-100K allowed."

Mini Cooper S (2016-): Notes: "32mm36mm"

Volkswagen Golf R (15-16): Notes: "35mm36mm"

Volkswagen GTI, Jetta GLI (06-10): Notes: "35mm36mm"

Volkswagen GTI (2013): Wheelbase (mm): "2578" Notes: "35mm36mm"

Volkswagen GTI (14.5-17): Gear Ratios: "DSG: 2.92, 1.79, 1.14, 0.78, 0.80, 0.64 STD: 3.76, 2.08, 1.46, 1.08, 1.09, 0.97DSG: 4.77/3.44 STD: 3.24/2.62" Notes: "35mm36mm"

Т4

 #31595 (Griffin Gamcsik-Uly) Please Adjust 98-00 BMW 323 Min Weight to Reflect Current Class In T4 Spec Lines, BMW 323 (98-00), change as follows: Weight: "34503250" Notes: "Up to 850lb. springs F/R permitted, 27mm front sway bar, 24mm rear sway bar permitted. 50mm flat plate restrictor required.-M52TUB25 engine required."



2. #31596 (Griffin Gamcsik-Uly) Consolidate 12-13 and 14-15 Honda Civic Si spec lines for T4 In T4 Spec Lines, Honda Civic Si (12-13), delete Spec Line in its entirety.

In T4 Spec Lines, Honda Civic Si (14-15), change as follows:

Model Year: "Honda Civic Si (1412-15)"

Notes: "Transmission and Differential must be stock. Honda Sport Suspension Kit, part number 08W60- TS9-100 permitted. H&R Sport Springs P/N 51891 and HPD part number (P/N51410F23SA00) allowed. 47mm flat plate restrictor required. Camber plates permitted. SPC Rear Adjustable Control Arm – P/N 67467 or 67466 permitted. Sway bars up to 32mm front and rear permitted. Springs allowed up to 700 pounds."

3. #31746 (Touring Committee) Correct RSX wording In T4 Spec Lines, Acura RSX/ RSX Type-S (02-06), change Notes as follows: "The following items must remain stock: original wheels."

4. #31751 (Touring Committee) Camaro

In T4 Spec Lines, Chevrolet Camaro V-6 (96-02), change Notes as follows:

"The following items must remain stock: shock/struts (including mounts), and transmission differential unless specified below."



COURT OF APPEALS

JUDGEMENT OF THE COURT OF APPEALS Mike Tabernero vs. SOM COA Ref. No. 21-10-SE December 20, 2021

FACTS IN BRIEF

Following the Sunday, November 14, 2021, Group 5 SARRC Regional race at Palm Beach International Raceway, Jordan Segrini, driver of Spec Miata T (SMT) #13, filed a Protest against Mike Tabernero, driver of Spec Miata Southeast (SMSE) #4, for alleged violations of General Competition Rules (GCR) 6.11.1. (On Course Driver Conduct.)

The Stewards of the Meeting (SOM) Stu Cowitt and Mike Finn (Chairman) met to hear and rule on the Protest. The SOM determined Mr. Tabernero violated GCR 6.11.1.A. (Avoid physical contact), 6.11.1.B. (Allow racing room), and 6.11.1.D. (Passing responsibilities), and moved his finishing position to last place overall. The penalty incurred two points on Mr. Tabernero's competition license. Mr. Tabernero appealed the ruling of the SOM.

DATES OF THE COURT

The SCCA Court of Appeals (COA) James Foyle, Jack Kish, and Laurie Sheppard (Chairman) met on December 9, 2021, to review, hear, and render a decision on the appeal.

DOCUMENTS AND OTHER EVIDENCE RECEIVED AND REVIEWED

- 1. Appeal letter from Mike Tabernero, received November 17, 2021.
- 2. Official Observer's Report with related documents and evidence, received November 29, 2021.
- 3. In-car video from Car #4 and Car #75, received November 29, 2021.
- 4. Email statement with additional photos and videos from Jordan Segrini, received December 8, 2021.

FINDINGS

In his appeal, Mr. Tabernero asserted Mr. Segrini had committed to the outside position adjacent to the edge of the track. Mr. Tabernero denied any moves to block Mr. Segrini and stated Mr. Segrini lost control resulting in contact with Mr. Tabernero and the wall.

The COA reviewed the SOM's Hearing and Decision report and attachments, as well as Mr. Tabernero's appeal documents and all available videos. The COA agrees Mr. Tabernero and Mr. Segrini were racing side-by-side on the right side of the racing surface. The in-car video from Car #4 shows Mr. Tabernero steadily moving slightly to



the right, forcing Mr. Segrini beyond the extreme edge of the track prior to the initial contact.

The COA finds Mr. Tabernero violated GCR 6.11.1.A. (Avoid contact between cars), 6.11.1.B. (Allow racing room), and 6.11.1.D. (Passing responsibilities). Mr. Tabernero did not provide compelling evidence to the contrary. The penalties assessed by the SOM were within their authority per GCR 7.2.

DECISION

The COA upholds the SOM decision in its entirety. Mr. Tabernero's appeal is well founded and his appeal fee, less the administrative portion retained by the SCCA, will be returned.



CLUB RACING BOARD MINUTES | January 4, 2022

The Club Racing Board met by teleconference on January 4, 2022. Participating were John LaRue, Chairman; Jim Goughary, Paula Hawthorne, Peter Keane, Sam Henry, Tony Ave and Shelly Pritchett, secretary. Also participating were: Bob Dowie, Chris Albin, Clay Turner and Dayle Frame, BoD liaisons; Eric Prill, Chief Operations Officer, Deanna Flanagan, Director of Road Racing, Rick Harris, Club Racing Technical Manager and Scott Schmidt, Series Tech Chief. The following decisions were made:

Member Advisory

EΡ

1. #32004 (Maximilian Opalski) Dual Classify ND2 Global Cup Car in EP and T3 In EP, Mazda MX-5 Global Cup (16-19) change Spec Line with Race Memo 22-01.



	RA	RACING MEMO					
ISSUED:	January 07, 2022	NUMBER: RM 22-01					
FROM:	Board of Directors						
TO:	All Participants						
SUBJECT	Mazda Mx-5 ND2 Global Cup Car	Classification EP/T3					
In EP, Mazda	MX-5 Global Cup (16-19), change as fo	lows:					
(16- 19 22)							
In T3, Mazda	MX-5 Global Cup Miata (2016-2021) N	D1, ND2, change as follows:					
(2016-20212	2)						

Thank you,

CRB

SPORTS CAR CLUB OF AMERICA, INC 6620 SE Dwight St., Topeka, KS 66619



Т3

1. #32038 (Club Racing Board) Dual Classify ND2 Global Cup Car in EP and T3



RACING MEMO

ISSUED:	January 07, 2022	NUMBER: RM 22-01
FROM:	Board of Directors	
TO:	All Participants	
SUBJECT:	Mazda Mx-5 ND2 Global Cup Car Classification EP/T3	
D. Manda MAV	E Clobal Cup (15, 10), shange as follows:	

In EP, Mazda MX-5 Global Cup (16-19), change as follows:

(16-1922)

In T3, Mazda MX-5 Global Cup Miata (2016-2021) ND1, ND2, change as follows:

(2016-202122)

Thank you,

CRB

SPORTS CAR CLUB OF AMERICA, INC

6620 SE Dwight St., Topeka, KS 66619



No Action Required

B-Spec

1. #31370 (Matt Downing) Provide data reports given to the B-Spec committee to the members Thank you for your letter. Please see the response to letter # 31368 in current Fastrack.

F5

1. #31920 (Keith Joslyn) Class Name Change Thank you for your letter. Please see the response to letter # 31896 in current Fastrack.

FX

1. #32005 (Cody Towns) Propose Pirelli Tire for Formula Renault 2.0 Thank you for your letter. Please see the response to letter #32058 in this Fastrack's Technical Bulletin.

GCR

1. #31429 (Andrew Benagh) Allocation of Additional Rain Lights Per FIA Technical List Thank you for your letter. Please see letter # 31318 in current Fastrack.

General

1. #31918 (Jared Lendrum) Benefits Package

Thank you for your letter and on behalf of your fellow SCCA members, thank you for your volunteer service! Your letter is very much on point with respect to the amount of time and effort that is expended as an SCCA volunteer. It also is unfortunately correct, to a degree, with regard to the fact that sometimes we as volunteers make decisions that not all of the members can champion. Despite these factors (*no one said it was easy*) we believe that almost without exception SCCA volunteers find the experience highly rewarding. With respect to your suggestions, the CRB will certainly consider your ideas and work together with Staff on other ideas to increase our volunteer service and further improve the experience.

GTX

1. #31694 (SCCA Staff) Reclass original PX cars into GTX Thank you for your letter. Please see letter # 31948 in January 2022 Fastrack.

ITC

1. #31741 (Frank Schwartz) Reclassify Mazda 2 from ITC to ITB

Thank you for your letter. The car has been classed according to the Improved Touring Process and is listed in both ITB and ITC, although with different minimum weights. The IT Operations Manual that describes the classification of cars can be found on the SCCA.COM website.

2. #31752 (John McFarland) Mazda 2 in ITC-Not in favor

Thank you for your letter. The car has been classed according to the Improved Touring Process, which means that the car must be heavier if run in ITC than it is in ITB. The IT Operations Manual that describes the classification of cars can be found on the SCCA.COM website.

3. #31753 (Carl Biondo) Adding B-Spec cars to ITC

We are giving line items to makes and models of cars that are eligible in B-SPEC. However, when classified in ITC, minimum weights are calculated according to the Improved Touring Process. Thank you for your interest in the Class. The IT Operations Manual that describes the classification of cars can be found on the SCCA.COM website.



ST General

1. #31876 (Greg Amy) 9.1.4.H Revisions Thank you for your letter.

STU

1. #31824 (Eric Thompson) AWD TIR Change Concerns Thank you for your letter. There are currently no changes planned for AWD.

2. #31826 (Eric Thompson) Follow up to Letter 31824 AWD TIR Change Concerns Thank you for your letter. There are currently no changes planned for AWD.

Τ1

1. #30653 (Randall Smart) re: letter 29192 Thank you for your letter. This car is outside of the scope of Touring. We suggest looking at the STU rules.

Т2

1. #31027 (George Biskup) Follow up to Letter 30965

Thank you for your letter. The 2021 Mustang Mach 1 is not classified in Touring 1 or Touring 2 at this point. We will consider classing it, but we need the letter writer to complete the appropriate VTS sheets and request classification.

T2-T4

1. #31036 (Dom Golia) Car Classification

Thank you for your letter. We suggest choosing the smaller engine option, without the supercharger. The car would fit nicely in T3 with some performance allowances. If you're interested in that path, please provide a letter with the proper VTS sheets so we can create a spec line.

2. #31329 (Harley Kaplan) ECU's in Touring

Thank you for your letter. Please see letter # 31067 in current Fastrack.

3. #31873 (Michael LaMaina) Adding 75lbs to the NC Miata in T4

Thank you for your letter. The performance adjustments published are the result thoughtful consideration, data collection and analysis from all of the touring races throughout the 2021 season. Decisions are not based solely on a single event but all touring races throughout every region. No BOP decision is made quickly or without careful consideration. We ask that you bring out your cars and race. Without data on the adjusted cars further corrections can't be made. Please participate. The more data we get, the better our corrections will be.

4. #31922 (Tom Fowler) Touring Parity

Thank you for your letter. We will continue to monitor the class.

Т4

1. #31357 (Derrick Ambrose) Request Motec M1 ECU Request Thank you for your letter. Please see letter # 31067 in current Fastrack.



Not Recommended

B-Spec

1. #31355 (Robert Selck) Request to make BSAC meetings public

Thank you for your letter. The BSAC does not recommend that our meetings become public. Steps to improve transparency are being discussed at the CRB level and will be rolled out for all classes.

2. #31366 (Michael Fox) Request to sunset manufacturer kit shocks

Thank you for your letter. As a rule parts do not get "sunset" from our spec lines after they are not available. If replacement parts need to be added to spec lines to keep cars running please submit P/N and spec lines affected.

3. #31368 (Michael Fox) Request to make data publicly available

Thank you, Michael, for your letter. During the B-Spec Town Hall meeting at the 2021 Runoffs the community spoke strongly in favor of making public the data which is gathered by SCCA's Data Team. Accordingly, that data will be disclosed and discussed during the Data Seminar at this year's SCCA Convention. Sign up for the Convention can be found at https://www.scca.com/articles/2015683-registration-now-open-for-22-national-convention.

4. #31415 (Kent Carter) Obsolete Parts

Thank you, Kent, for your letter. Generally speaking, SCCA does not "sunset" parts which are designated in a spec line. If replacement parts are needed please submit the part number(s) and spec lines that would be impacted for consideration of the Advisory Committee.

5. #31812 (Charles Davis) Cold Air Intake Request for 09-13 Honda Fit Thank you for your letter. BOP changes are being studied based on data from the 2021 Season and the runoffs. More information to follow.

6. #31828 (James Rogerson) Modify method of weighing for minimum weights Thank you for your letter. The BSAC has discussed placement of ballast before and do not recommend changing anything at this time. We agree that it puts heavier drivers at a slight disadvantage but that would always be true even if we mandated placement and amount of ballast or weigh cars w/o driver.

7. #31829 (James Rogerson) HP to Weight

Thank you for your letter. There are very limited new vehicles that are B-Spec eligible and even fewer coming in the future.

8. #31840 (Steven Kaster) Restrictor Change Request for Ford Fiesta Thank you for your letter. BOP changes are being studied based on data from the 2021 Season and the runoffs. More information to follow.

9. #31919 (Andy Doyle) Ford Fiesta Restrictor Change Request

Thank you for your letter. BOP changes are being studied based on data from the 2021 Season and the runoffs. More information to follow.

10. #31921 (Andy Doyle) Place Mini Models in T4

Thank you for your letter. BOP changes are being studied based on data from the 2021 Season and the runoffs. More information to follow.



F5

1. #31744 (Steve Jondal) F5 Weight Adjustment Request

Thank you for your letter. These changes are not recommended. The Club Racing Board will continue to monitor class performance and will make adjustments if warranted by the data.

2. #31880 (Rick Eskola) Weight Reduction Request

Thank you for your letter. These changes are not recommended. The Club Racing Board will continue to monitor class performance and will make adjustments if warranted by the data.

3. #31895 (Darrel Greening) Weight Reduction for all Rotax Powered F500 Cars

Thank you for your letter. These changes are not recommended. The Club Racing Board will continue to monitor class performance and will make adjustments if warranted by the data.

4. #31997 (Jeff Jorgenson) 2022 Rule Change Request

Thank you for your letter. These changes are not recommended. The Club Racing Board will continue to monitor class performance and will make adjustments if warranted by the data.

FA

1. #31870 (Keith Roberts) Tatuus USF-17 should be classed in FX (USF2000) Thank you for your letter. The Club Racing Board does not recommend this change. The Tatuus USF-17 is outside the FX performance envelope.

FC

1. #31909 (Charles Yesnick) FC Quartermaster Flywheel

Thank you for your letter. The Club Racing Board does not recommend this change. The flywheel rule has been in place for many years, and no problems with supply or cost currently exist.

P2

1. #31861 (JOHN MACINTYRE) GCR Prototype 2 - Restrictions Section #A

Thank you for your letter. The Club Racing Board does not recommend these changes. P2 is intended to be a relatively low-cost sports racing class that avoids the use of expensive technology, while P1 is considered to be the premier sports racing class that promotes advanced technology in design and innovation. One of the purposes of the differing class philosophies is to maintain a performance gap sufficient to justify having two classes. Carbon fiber chassis springs and composite polymer shock absorbers are outside the P2 class philosophy.

GCR

1. #31725 (Don Walsh) Request change in fuel testing

Thank you for your letter. Current rule is appropriate as written. There are other two-stroke fuel additives on the market that do not impact the fuel dielectric reading as significantly as the product you are using does.

2. #31926 (John Masse) Competition License Application

Thank you for your letter. This proposal would require registrars to have access to state DMV information for each driver to determine potential suspension status. Additionally, some minor Full Competition Licensed drivers are too young to have state DMV licenses.



3. #31927 (John Masse) Competition License Application and Renewal Thank you for your letter. Please see letter # 31926 in current Fastrack.

GT3

1. #31707 (Greg Amy) K24 Alternate Weight Allowance Thank you for your letter. This request is not within the GT3 philosophy.

2. #31805 (Daniel Snow) Fiat Spider 2000 turbo engine Thank you for your letter. This engine is not recommended at this time.

3. #31806 (Daniel Snow) Fiat weight reduction Thank you for your letter. This weight reduction is not felt to be justified.

4. #31820 (Daniel Snow) Fiat X/19 1.5 Weight Thank you for your letter. This weight request is not believed to be appropriate.

5. #31821 (Daniel Snow) Fiat 124 Spider Engines Thank you for your letter. Engines under 2.0L are no longer being classified into GT3.

GTL

1. #31421 (Peter Zekert) Request help for small (ex-GT5) engines in GTLite Thank you for your letter. This request is not recommended. Upon reviewing RUNOFF'S collected data, not all small bore GTLite cars are at the disadvantage that you refer to.

2. #31546 (Rusty Bell) SIR Update for Toyota 2TC & 3TC Engines Thank you for your letter. The engines listed in your request are classified correctly within their parameters of displacement and number of valves within the GTLite class.

3. #31878 (Peter Zekert) Simplifying Wheelbase Requests in GTL Thank you for your letter. Not Recommended as the CRB will review any request for wheel base change when requested.

GTX

1. #31643 (Chris Taylor) Allow SRO TC cars as-is Chris, thank you for your letter. The CRB believes that such change is unnecessary at this time. The classes will continue to be monitored.

IT General

1. #31765 (Anthony Biondo) Request to Reconsider Classing Mazda 2 in ITC #2 Thank you for your letter. The car has been classed according to the Improved Touring Process. The IT Operations Manual that describes the classification of cars can be found on the SCCA.COM website.

ITB

1. #31510 (Andrew Benagh) Request hub modification on the VW Rabbit Spec Lines Thank you for your letter. The Improved Touring philosophy doesn't provide for parts allowances on an individual vehicle basis. The parts for this specific vehicle are still available.



ITC

1. #31764 (Anthony Biondo) Request to Reconsider Classing Mazda 2 in ITC

Thank you for your letter. The car has been classed according to the Improved Touring Process.

The IT Operations Manual that describes the classification of cars can be found on the SCCA.COM website.

HP

1. #31925 (Mike Ogren) Toyota 1.6 Twin Carb Spec Line Change

Thank you for your letter. This change is not recommended. Building to the currently specified compression ratio is the responsibility of the engine builder, and it is believed that the car will be competitive as classified, once that is accomplished.

2. #31936 (Jose Fabian) Request to reclassify Suzuki Swift GTI 1.3 Twin Cam

Thank you for your letter. Moving this Level 1 FP classification down to HP is not recommended. Creating a new Level 2 HP classification for this vehicle could be considered, if requested.

SM

1. #29563 (Gordon Kuhnley) Miata Hubs or Similar Solve a lot of Issues, Lets Make Them Legal Thank you for your letter. SMAC does not recommend this change. There are extremely limited options in the market for steel aftermarket roller bearing style hubs and come with a cost of over \$1200.00. SMAC does not feel opening up an expensive part like that is good for the average racer as they may feel they need to move to a more expensive option just to be competitive. Mazda has re-released their competition hub with extensive testing and updates to address past concerns which should give the community a more cost effective solution for those who wish to use an upgraded front hub.

2. #30633 (Nick Leverone) Minimum Weight

Thank you for your letter. A comprehensive BOP evaluation is currently taking place that will take into account vehicle weights. We will not be recommending making any weight changes to the class until the BOP evaluation has been completed.

3. #30868 (Jason Crouse) Request restrictor plate sizing or weight adjustment

Thank you for your letter. A comprehensive BOP evaluation is currently taking place that will take into account vehicle weights and plates. We will not be recommending making any weight changes or plate changes until the BOP evaluation has been completed. Upon completion of the BOP evaluation SMAC will be revisiting if a weight or plate change to any model year SM would be beneficial for the class.

4. #30978 (Jason Crouse) Request for NB1 and NB2 Parity Adjustment

Thank you for your letter. A comprehensive BOP evaluation is currently taking place that will take into account vehicle weights and plates. We will not be recommending making any weight changes or plate changes until the BOP evaluation has been completed. Upon completion of the BOP evaluation SMAC will be revisiting if a weight or plate change to any model year SM would be beneficial for the class.

5. #31517 (Nick Leverone) Minimum Weight

Thank you for your letter. A comprehensive BOP evaluation is currently taking place that will take into account vehicle weights and plates. We will not be recommending making any weight changes or plate changes until the BOP evaluation has been completed. Upon completion of the BOP evaluation SMAC will be revisiting if a weight or plate change to any model year SM would be beneficial for the class.



6. #31518 (Nick Leverone) Restrictor Plate for 99-00

Thank you for your letter. A comprehensive BOP evaluation is currently taking place that will take into account vehicle weights and plates. We will not be recommending making any weight changes or plate changes until the BOP evaluation has been completed. Upon completion of the BOP evaluation SMAC will be revisiting if a weight or plate change to any model year SM would be beneficial for the class.

STL

1. #31758 (Denny Stripling) FRS/BRZ/86 Competitive Disadvantage in STL

Thank you for your letter. Your request is not consistent with class rules, however, the committee believes there are other changes that could be made to make the car more competitive that are within class rules.

2. #31792 (Louis Boustani) Alternate Dash in STL Thank you for your letter. Not recommended at this time.

STU

1. #31644 (Chris Taylor) Remove Restrictor from TCA Cars Thank you for your letter. Not consistent with class philosophy.

2. #31647 (Eric Heinrich) Request to Remove BMW S54B32 OEM from STU Table B Thank you for your letter. At this time it is not recommended.

3. #31872 (Jeronimo Esteve) ABS Clarification Request

Thank you for your letter. Power assisted brake systems and ABS systems are not the same. Currently there are no provisions for changing systems, even within same manufacturer.

Τ1

1. #30432 (Tim Myers) Request to Classify Ferrari 458 Challenge Car in T-1 Thank you for your letter. We don't wish to class this car in T1.

2. #30445 (Andrew Aquilante) 911 997 GT3 Classed in T1 -FP Thank you for your letter. This car hasn't proven to be an over dog in T1. We will continue to monitor the class

3. #30618 (Thomas DeWitt) Fender Flares

Thank you for your letter. A weight penalty for fender flares is not recommended at this time

Т2

1. #31661 (Andrew Aquilante) Help Camaro SS (6th Gen) 2016+ Thank you for your letter. This change is not recommended at this time

2. #31662 (Andrew Aquilante) Tire/Wheel size on Mustang S550 (2015 +) Thank you for your letter. This change is not recommended at this time

3. #31663 (Andrew Aquilante) Tire/Wheel size on Mustang S550 (2015 +) Thank you for your letter. This change is not recommended at this time



т2-т4

1. #29428 (Touring Committee) Consider changes to sway bar rules for touring T2-T4 Based on responses from the WDYT, the TAC has opted not to change the sway bar rules at this time.

2. #30980 (Glen Morris) Request for T3/SPB Reclassification

Thank you for your letter. When comparing race results, it looks like the Spec Boxster is faster than T4. There are also some allowances that don't fit with our definition of T4: Flywheels, lighter batteries, accusump, adjustable shocks, no ride height limit, 8.5" wide wheels, etc. Because of this, the TAC has favored leaving it in T3 and allowing items like better tires to speed it up.

Т3

1. #31886 (Patrick Womack) BMW Z4M Adjustment

Thank you for your letter. The performance adjustments published are the result thoughtful consideration, data collection and analysis from all of the touring races throughout the 2021 season. Decisions are not based solely on a single event but all touring races throughout every region. No BOP decision is made quickly or without careful consideration. We ask that you bring out your cars and race. Without data on the adjusted cars further corrections can't be made. Please participate. The more data we get, the better our corrections will be.

2. #31887 (Patrick Womack) BMW Z4M Wheels

Thank you for your letter. The performance adjustments published are the result thoughtful consideration, data collection and analysis from all of the touring races throughout the 2021 season. Decisions are not based solely on a single event but all touring races throughout every region. No BOP decision is made quickly or without careful consideration. We ask that you bring out your cars and race. Without data on the adjusted cars further corrections can't be made. Please participate. The more data we get, the better our corrections will be.

3. #31888 (Patrick Womack) BMW Z4M Wheels

Thank you for your letter. The performance adjustments published are the result thoughtful consideration, data collection and analysis from all of the touring races throughout the 2021 season. Decisions are not based solely on a single event but all touring races throughout every region. No BOP decision is made quickly or without careful consideration. We ask that you bring out your cars and race. Without data on the adjusted cars further corrections can't be made. Please participate. The more data we get, the better our corrections will be.

Т4

1. #31892 (Richard Mooney) Mx5 Suspension Weight Penalty Thank you for your letter. We have made changes recently and will continue to monitor the class.

Recommended Items

The following subjects will be referred to the Board of Directors for approval. Address all comments, both for and against, to the Club Racing Board. It is the BoD's policy to withhold voting on a rules change until there has been input from the membership on the presented rules. Member input is suggested and encouraged. Please send your comments via the form at www.clubracingboard.com.

B-Spec

1. #31351 (Frank Schwartz) Request spring attachment

In GCR, Section 9.1.10.E.36., change as follows:

"Suspension: competitors may use the OEM suspension, any part of the manufacturer upgraded suspension kit or any B14 Bilstein shock or strut with no modifications except as required for mounting. Any part required to adapt the B14's to the car



must be submitted for approval by the CRB and added to the individual spec line. Any spring up to a maximum spring rate of 500 pounds may be used. Spring are allowed to be strapped or zip tied to the body. The purpose of the strap should be to keep the spring in place when the axle goes into rebound. The strap can serve no other function. Competitors must use the OEM bump stops or the bump stops provided in the manufactures kit. Adjustable sway bar end links may be used on all cars. Front sway bars may be disconnected and removed."

IT General

1. #31162 (Kirk Knestis) Request to Mandate 200TW Tires for Improved Touring

Effective 07/01/2022 In GCR section 9.1.3.D.8.a.7, change as follows:

"Original equipment wheels supplied by the manufacturer for the year(s), make, model andtrim level(s) of the car as listed on the spec line may be used regardless of size unless notedotherwise on the vehicle's spec line. Note that this allowance does NOT permit the use oftires of a greater section width or aftermarket wheels of the stock size when larger than listedin D.7.1.a.6. Tires may not have a UTQG rating of less than 200."

Taken Care Of

B-Spec

1. #31626 (Jonathan Wickert) Request to omit Bump Stops Thank you for your letter. Please see letter # 31351 in current Fastrack.

2. #31827 (James Rogerson) Spring Retainers

Thank you for your letter. Please see letter # 31351 in current Fastrack.

EV General

1. #31774 (Clifford Rassweiler) Proposed Rules for a Prototype Electric class Thank you for your letter and support of the class. We appreciate your support and assistance.

GCR

1. #31695 (Kevin Coulter) Support for Letter 30990 Thank you for your letter. Please see letter # 30990 in current Fastrack.

2. #31908 (Jonathan Spiegel) Tire Warmers Thank you for your letter. Please see letter #30855 in January 2022 Fastrack.

3. #31930 (Steven Pounds) Comment on Recommended Item #31697 Thank you for your letter. Please see letter # 31928 in current Fastrack.

HP

1. #31910 (Steve Sargis) HP Adjustments

Thank you for your letter. The concerns you bring up are absolutely warranted, but in relation to two new HP classifications that were incorrectly initially published with the wrong carburation specs in the January Preliminary Fastrack (Letter #31665 & #31802). This error was corrected before the final version of the January Fastrack was posted, so the issue has been taken care of, and no further action is needed at this time.

2. #31912 (Christopher Crisenbery) 1500 Carburetors Thank you for your letter. Please see response to letter #31910 in current Fastrack.



Prod General

1. #31830 (Ian Green) Request for Clarification to Allow Factory Idle Air Control Thank you for your letter. Please see response to letter #31800.

T1

1. #30450 (David Mead) OEM Engine Designation is Ambiguous

Thank you for your letter. Recent changes were made. Reference letter #31697 in January 2022 Fastrack, in Appendix F where "OE", "OEM", "Aftermarket" and "Performance alternative" were defined. Touring rules will be updated to correct the use of these words soon.

Т2-Т4

1. #30654 (Rob Hines) #29428 (Touring Committee) Consider Changes to Sway Bar Rules Thank you for your letter. Please see letter # 29428 in current Fastrack.

2. #30668 (Colin Koehler) Feedback to May Fastrack item: 29428 (T2-T4 Swaybars) Opposes Thank you for your letter. Please see letter # 29428 in current Fastrack.

3. #31485 (Andrew Aquilante) Response to letter #29428 - Swaybar Input Thank you for your letter. Please see letter # 29428 in current Fastrack.**T3**

Т3

1. #31965 (Jim Weidenbaum) Honda S2000 2-piece Rotor Option

Thank you for your letter. Please see recent rules change- letter #31564, in January 2022 Fastrack. "In T3 only - 2-piece front rotors with ferrous metal rotor disks and aluminum hats are allowed, must be within 2% of OEM diameter."

What Do You Think

F5

1. #31896 (Keith Joslyn) Class Name Change

Should the class name be changed to F600 (F6)? Please reply via the letter log system.

GCR

1. #32040 (Club Racing Board) Forward Facing Camera

What Do You Think: Future use of Forward Facing Cameras?

GCR section 9.3.11. CAMERA AND CAMERA MOUNTS currently requires Forward Facing Cameras in "All cars competing at Super Tour events and the SCCA Runoffs".

The CRB is considering the extension of Camera use to additional levels of SCCA Club Racing, with that in mind please respond to the following WDYT questions.

1. Require Forward Facing Cameras in the following SCCA Club Racing Events; Regionals, Conference Majors, Super Tours and Runoffs.

- 2. Require Forward Facing Cameras in Majors, Super Tours and Runoffs
- 3. Require Forward Facing Cameras in Super Tours and Runoffs

Please submit your response through the SCCA Letter Log system at CRBSCCA.com using the following field instructions:

- SEND LETTER TO: Club Racing Board
- CATEGORY: General
- TITLE: Forward Facing Camera



• RESPONSE: Provide your preferred option, either #1, #2, or #3 and indicate the areas of participation that you are involved in (Driver, Race Official, Car/Team Owner, Sponsor).

T2-T4

1. #31067 (Harley Kaplan) Request to Allow the Use of Aftermarket ECU's in Touring

The use of Performance Alternative ECUs is being considered in Touring. As time goes on, it is becoming harder and harder to overcome or modify the programming that comes in modern cars. To combat this, the TAC is considering allowing the use of aftermarket ECUs in one of 2 ways:

1-On a case-by-case basis- Problematic cars could be given an ECU allowance on the spec line. This would give us the ability to adjust parity by adjusting the spec line.

2-As a category rule with a penalty- We could allow aftermarket ECUs on all Touring cars with an appropriate penalty for choosing to use it.

RESUMES

1. #30225 (Michael Saia) Request to join Touring Advisory Committee Thank you for your interest in joining the TAC. Your resume will be retained for possible future openings.

2. #31150 (Club Racing Board) Frank Schwartz added to BSAC Frank Schwartz has been added to the B-Spec Advisory Committee.

3. #31178 (Anthony (Coyote) Black) Production Advisory Committee Resume and Application. Thank you for your interest in joining the PAC. Your resume will be retained for possible future openings.

4. #31204 (DANIEL SNOW) General Resume

Thank you for your interest in joining the PAC. Your resume will be retained for possible future openings.

5. #31994 (Aaron Johnson) PAC interest

Aaron Johnson has been added to the Production Advisory Committee.



DATE: January 20, 2021

NUMBER: TB 22-02

FROM: Club Racing Board

TO: Competitors, Stewards, and Scrutineers

SUBJECT: Errors and Omissions, Competition Adjustments, Clarifications, and Classifications

All changes are effective 2/1/2022. If any day of a race event falls on the first day of the month, the previous month's rules will be in effect for that event only. The new rules will become effective at the conclusion of the race event, unless otherwise noted.

American Sedan

None.

B-Spec

1. #30759 (David Daughtery) Request to Classify 2020-21 Versa S In B-Spec Spec Lines, classify Nissan Versa S (2020-) as follows:

BSpec	Bore x Stroke(mm)/ Displ. (cc)	Wheelbase (mm)	Gear Ratios	Final Drive	Brakes (Inches)	Weight (Lbs)	Notes:
Nissan Versa S (2020-)	78.0 x 83.6 1598cc	2618	3.73, 2.05, 1.39, 1.03, 0.82	4.07	(F) 10.2 (R) 8.0 drum	2700	38mm FPR

2. #31045 (Alex Ratcliffe) Request to Classify the Toyota IA sedan & Scion IA Sedan for 2022 In B-Spec Spec Lines, classify Toyota/Scion IA Sedan (2016-2020) as follows:

BSpec	Bore x Stroke(mm)/ Displ. (cc)	Wheelbase (mm)	Gear Ratios	Final Drive	Brakes (Inches)	Weight (Lbs)	Notes:
Toyota/Scion IA Sedan (2016-2020)	74.5 x 85.8 1496cc	2570	3.58, 1.90, 1.29, 0.97, 0.80, 0.65	4.11	(F) 10.2 (R) 7.9 drum	2700	38mm FPR

3. #31442 (Kent Carter) Mazda 2 Undertray

In B-Spec Spec Lines, Mazda2 (10-14), change Notes as follows:

"Allow Bilstein B14 suspension kit 47-167490. Powerflex PFR19-1511BX2 rear suspension bushings allowed. Allow Mazda part number - 0000-01-2501-CR Radiator. Allow Exhaust Header Kit (cat delete) HB.EM 60-404-S-SS or HP-MZD001.

Allow Mazda Motorsports Exhaust Header Kit (cat delete) PT#-0000-06-2401. Allow Mazda undertray part number 277344."

Electric Vehicle

None.

Formula/Sports Racing

FA

1. #31985 (Formula/Sports Racing Committee) Reorganize Tables 1 and 2 In FA, GCR section 9.1.1.A.2.b, make changes as follows:



"The following modifications are permitted unless restricted in the *sections or* tables below that follow." In FA, GCR section 9.1.1.A.2, add a new section as follows:

"c. 2.0 liter Honda K20Z3

1. Block must be OEM Honda Civic K20Z3 2.0 liter PN 11000-RRB-810, maximum bore 86.070mm (3.3886").

2. Crankshaft must be OEM Honda Civic PN 13310-PRB-A00, maximum stroke 86.1mm (3.390"), unmodified main and rod journals, minimum weight 37.5 lbs.

3. Connecting rods must be OEM Honda Civic PN 13320-PRBA01, maximum center-to-center rod length 138.95mm (5.470"), minimum weight with fasteners 580g.

4. Maximum compression ratio 12.7:1 +/- 0.2.

5. Pistons, rings, pins, and circlips must be HPD-supplied kit PN 13100-FC4Y-A000, piston minimum weight 325g, wrist pin minimum weight 101g.

6. Head must be OEM Honda Civic K20Z3 2.0 liter PN 12100-RBC-000, ports must be as cast beginning 1.00" into ports.

7. Valves must be OEM Honda Civic K20Z3 2.0 liter PN 14711-PRB-A01 with minimum stem diameter 5.445mm and maximum head diameter 35.15mm (intake), PN 14721-PRB-A00 with minimum stem diameter 5.420mm and maximum head diameter 30.15mm (exhaust).

8. Valve springs must be HPD-supplied kit PN 14700-FC4YA000.

9. Camshafts must be OEM Honda PN 14100-FC4Y-A000 (intake and exhaust set). Maximum intake valve lift measured at retainer PRI (front) 8.50mm, MID 13.50mm, SEC (rear) 9.50mm, maximum exhaust valve lift measured at retainer PRI (front) 8.00mm, MID 12.20mm, SEC (rear) 8.00mm. Maximum intake valve duration above 1mm measured at retainer PRI (front) 202 degrees, MID 262 degrees, SEC (rear) 210 degrees, maximum exhaust valve duration above 1mm measured at retainer PRI (front) 202 degrees, MID 250 degrees, SEC (rear) 202 degrees.

10. Intake manifold and throttle body assembly may be either the original, unmodified HPD parts or unmodified AT Power Direct-To-Head (DTH) 45mm individual throttle bodies, PN 102-104-00020.

11. Exhaust header must be used as delivered from HPD. Collector must be 4-into-1 design.

The CRB reserves the right to implement a requirement that engines be submitted for dyno testing and sealing at any time. If implemented, engine performance will be compared to known specimens. Engines will be denied a seal if they test above 102% of the standard power and torque curve and will be ineligible for competition until power is corrected and the engine is sealed. The participant will be responsible for all costs of dyno testing and delivery. This provision is included to dissuade the competitors from exploiting the rules and expending funds to maximize performance of a budget-minded engine option."

In FA, GCR section 9.1.1.A.2, add a new section as follows:

"d. 2.0 liter Mazda MZR

1. Block must be OEM Mazda MZR 2.0 liter casting #LF95, maximum bore 3.455".

2. Crankshaft must be forged OEM Mazda 2 liter marked "fomoco" DBE8Z31E, maximum stroke 3.270", minimum rod journal diameter 1.830", minimum main journal diameter 2.026", minimum weight 31.5 lbs.

3. Connecting rods must be magnetic steel; maximum rod length 5.760", minimum weight with fasteners 530g.

4. Maximum compression ratio 13.1:1.

5. Piston minimum weight 280g. Wrist pin minimum diameter .825", minimum weight 83g.

6. Head must be OEM Mazda 2.0 liter MZR, part #LF9G-10-090A, casting #6M8G, with minimum chamber volume 40.5cc; ports must be as cast beginning 1.2" from valve seat insert.

7. Valves must be steel; minimum stem diameter 5.45mm, maximum head diameter 1.402" (intake) and 1.21" (exhaust).

8. Camshafts must be Kent DTEC 80 or Mazda Speed PN 1410001I (intake) and PN 141001E (exhaust), maximum lift .478"

(intake) and .446" (exhaust), maximum duration 260 degrees at 1mm lift (intake) and 256 degrees at 1mm lift (exhaust).

9. Intake manifold must be unmodified Elan DP02-60-003 or Mazda Speed equivalent Elite USF2015AT, 1.882" maximum bore diameter at throttle plates.



10. Aluminum spacer must be used between intake manifold and cylinder head castings; minimum spacer length 2.200". 11. Exhaust header may be Pro Fab PN P97819 or Pro Fab PN 100002-01 and must use Pro Fab PN H0503 flange. Collector must be 4-into-1 design. Maximum primary pipe OD 1.75", maximum tail pipe OD 2.5".

The CRB reserves the right to implement a requirement that engines be submitted for dyno testing and sealing at any time. If implemented, engine performance will be compared to known specimens. Engines will be denied a seal if they test above 102% of the standard power and torque curve and will be ineligible for competition until power is corrected and the engine is sealed. The participant will be responsible for all costs of dyno testing and delivery. This provision is included to dissuade the competitors from exploiting the rules and expending funds to maximize performance of a budget-minded engine option."

Table 1 Max. Max. FA Min. Engine Req'd Spec Displ. Valves / Notes Weight Series Restrictor (lbs) Line (cc) Cyl. Any BD series iron or alloy cylinder block Ford BD 1175 A. 1615 4 n/a and alternate crankshaft permitted. Series 1250 1175 Β. Honda B16 1615 4 n/a 1250 Mazda MZR/ 1175 C. 1615 4 2.0L engine destroked to 1615cc. n/a Ford Duratec 1250 Toyota 1175 1615 4 n/a D. 4A-GE 1250 Toyota 1800 4 1280 Ε. n/a 4A-GE Honda 2000 4 See section 2.c n/a 1350 *F*. K20Z3 Mazda MZR/ 2000 4 See section 2.d 1300 G. n/a Ford Duratec Mazda MZR/ 2300 1450 4 Maximum compression permitted 14.0:1 30mm SIR Н. Ford Duratec Mazda MZR/ 2500 1. 4 29mm SIR 1475 Ford Duratec **Engine Notes** (Notes apply only to purpose-built and ex-pro Formula Atlantic cars

In FA Table 1, make changes as follows:

 Engine Notes

 (Notes apply only to purpose-built and ex-pro Formula Atlantic cars and not to spec line cars in Table 2)

 Note 1: AddSubtract 25 lbs for non-sequential transmission.

 Note 2: AddSubtract 25 lbs for fuel injectioncarbureted engine.

Note 3: AddSubtract 25 lbs for non-metallic chassis.

In FA Table 2, delete the 1.8 liter Toyota 4A-GE spec line in its entirety.

In FA Table 2, delete the 2.0 liter Mazda MZR spec line in its entirety.



In FA Table 2, delete the 2.0 liter Honda K20Z3 spec line in its entirety.

In FA Table 2, delete the 2.3 liter Mazda MZR/Ford Duratec (Ralt RT40/RT41, Swift 008/014) spec line in its entirety.

In FA Table 2, delete the 2.5 liter Mazda MZR/Ford Duratec (Ralt RT40/RT41, Swift 008/014) spec line in its entirety.

FX

1. #31881 (Moses Smith) FM Rule Set Clarification

In FX, GCR section 9.1.1.J.B.1, change as follows:

"Formula Mazda – Shall comply with GCR 9.1.1.E (2019)notes in Table 1."

In FX Table 1, Formula Mazda spec line, change the notes as follows:

"Marking tires is no longer required. Car must comply with all December2019 GCR Formula Mazda preparation

rulesspecifications found here: https://www.scca.com/downloads/48184-gcr-december-2019/downloadFormulaMazda-FM-Rules."

Attach new document to site link.

2. #31940 (Formula/Sports Racing Committee) E&O F4 Tires

In FX, GCR section 9.1.1.J.B.2, add the following:

"Formula 4 – Shall comply with FIA Formula 4 Technical Regulations (2015) and all subsequent safety requirements as issued by the FIA and/or SCCA, *except that tire choice is unrestricted*."

In FX Table 1, FIA Certified F4 spec line, change the notes as follows:

"Upon request, competitors must provide a copy of the rules in effect when the car was certified by the FIA. *Tire choice is unrestricted*."

3. #31951 (Formula/Sports Racing Committee) E&O USF2000 Tube Frame In FX Table 1, USF2000 Tube Frame spec line, change the notes as follows: "Any Hoosier radial-tire measuring 20.5 x 7.0 x 13 (front) and 22.5 x 8.0 x 13 or 22.0 x 8.0 x 13 (rear) may be used."

4. #32058 (Cody Towns) URGENT - FX- Formula Renault Tire

In FX Table 1, Formula Renault 2.0 (10-17) spec line, add the following:

"*The following exceptions apply: Tire choice is unrestricted.* No part of the car may be altered from original Formula Renault 2.0 components, except for necessary repairs that do not affect performance."

In FX Table 1, Formula Renault 2.0 (00-09)/Fran-Am 2000 spec line, add the following:

"*The following exceptions apply: Tire choice is unrestricted.* No part of the car may be altered from original Formula Renault 2.0 components, except for necessary repairs that do not affect performance."

P2

1. #31969 (Formula/Sports Racing Committee) E&O Engine section

In P2, GCR section 9.1.8.D.L.c.1, change as follows:

"SCCA approved production based motorcycle engines with a maximum of 4 cylinders and with a maximum displacement of 15001505cc."

In P2, GCR section 9.1.8.D.L.d, change as follows: "Two Stroke Engine: 2 stroke engines with a maximum displacement of 12001205cc and a maximum of 4 cylinders."

In P2, GCR section 9.1.8.D.L.h.1, change as follows:



"Automotive engine based cars use a minimum weight of 13001350 lbs. unless otherwise stated in the tables."

GCR

GCR

1. #30990 (Karen Crider) Video Standards for HST/Runoffs

In GCR, Section 9.3.11.A. change as follows:

"9.3.11. CAMERA & CAMERA MOUNTS (effective 01 July 2022)

A. All cars competing at Super Tour events and the SCCA Runoffs must have a forward-facing camera that is recording at all times while on track and provides a clear horizontal field of view of the cars and track ahead. The cameras may be mounted either inside the car, or on the body. If video is needed as part of an investigation of an incident, a competitor's video of the full unedited session may be requested by race officials regardless of whether or not said competitor was involved in the incident. Failure to provide such video may result in penalties. Forward-facing cameras are recommended at all other SCCA-sanctioned events. *The video format must be a digital file so it can be viewed in an MS Windows compatible viewer.*"

2. #31318 (Austin Hilliard) Rain Lights

In GCR, Section 9.3.32.B., change as follows:

"All cars shall be equipped with rain light(s) clearly visible from the rear. *The rain light(s) shall be turned on when directed to by the Race Director or Chief Steward.*"

In GCR, Section 9.3.32.B.2., change as follows:

"All Formula (open wheel) and Sports Racing cars shall be equipped with a red taillight of at least the equivalent illumination power of a 15-watt bulb. This light shall be mounted on the centerline of the car. Light assemblies shall be considered one light for the purposes of this rule, irrespective of the number of individual lamps the assembly may contain. *FIA Technical List N 19 rain lights are recommended.*"

3. #31790 (Bob Gardner) Error & Omission in Rule 9.3.29 Identification Markings

In GCR, Section 9.2.29, change as follows:

"Each car shall carry identification numbers and class lettersmarkings per A and B, below, SCCA logos per C, the sections listed below; and any markings required by the Supplemental Regulations."

4. #31794 (SCCA Staff) Tow Hooks For One Piece Front Ends

Effective 03/01/2022 In GCR, Section 9.3.48, change as follows:

"All cars without an exposed roll bar shall have a towing eye or strap, front and rear, that does not dangerously protrude from the bodywork when the car is racing, to be used for flat towing or hauling the vehicle. A removable towing eye carried inside the car is not acceptable, except in formula cars and Sports Racing cars. These towing eyes or straps shall be easily accessible without removal or manipulation of bodywork or other panels. Towing eyeThe minimum ID of the tow eye is 2 inches. The required tow eyes must be strong enough to tow the car from a hazard such as a gravel trap.

The Ffront tow eye may be mounted in the driver/passenger side window openings, or at any location forward of the windshield-, and a hole may be cut in the bodywork for the sole purpose of clearing a protruding tow eye. If mounted in the driver/passenger side window openings, it must be attached to the forward roll cage down tube as close to the base of the windshield as possible. If the front tow eye is located in the side window openings there shall be one on each side of the car.

Open top cars may use their exposed roll bar for towing purposes. Closed top cars may mount the front tow eye in the driver/passenger side window openings, but it must be attached to the forward roll cage down tube as close to the base of the



windshield as possible, and there shall be one on each side of the car. A removable towing eye carried inside the car is not acceptable, except in Formula and Sports Racing cars. In addition, for Formula and Sports Racing cars, if the main hoop is faired in, the fairing shall have access holes to allow the insertion of a bar or strap to allow the car to be lifted by a wrecker.

Rear tow eyes must be accessible rearward of the rear axle centerline. In addition, for Formula and Sports Racing cars, if the main hoop is faired in, the fairing shall have access holes to allow the insertion of a bar or strap to allow the car to be lifted by a wrecker."

5. #31937 (SCCA Staff) E&O expired helmet certifications
In GCR section 9.3.19.C.2, correct helmet certifications as follows:
"Crash helmets approved by the Snell Foundation with Snell sticker 20102015 or later Special Application
SA20102015/SAH20102015, or by the SFI with a SFI Sticker SFI 31.1/20102015 or newer, or by the FIA standard 8859-20182015 or FIA 886020042010 or newer."

General

General

1. #31968 (SCCA Staff) Remove Radical Cup from Pro Path In GCR, Section 3.7.4.A.1.a., remove as follows: "P2 - Radical Cup North America"

Grand Touring

GT1

1. #31844 (Richard Grant) Wheel Widths

In GCR, Section 9.1.2.D.7.a., change as follows:

"2. Wheels may be thirteen (13), fourteen (14), fifteen (15), or sixteen (16), seventeen (17) or eighteen (18) inches in diameter, but all four (4) wheels shall be the same diameter. Use of eighteen (18) inches wheels must add 50 lb. weight penalty.
3. Wheels shall have a maximum width of twelve (12) inches in the front and thirteen (13) inches in the rear. 18" tires shall have thirteen (13) in the front and fourteen (14) inches in the rear ."
SP - Tony A to consolidate response.

GT2

1. #31991 (Grand Touring Committee) GT2/ST Porsche Cayman #31451 correct TBR size error In GT2-ST Spec Lines, Porsche Cayman (05-15), change Notes as follows: "4.0L 7075mm"

GTX

1. #32039 (Club Racing Board) Remove restrictions from GTX-FIA GT3 In GTX-FIA GT3 Spec Lines, remove all Restrictor (mm) as follows: Acura: "(2) 35 TIR" Aston Martin: "(2) 41.5" Audi GT3-038: "(2) 39" Audi GT3-017: "(2) 40 TIR" Bentley: "(2) 38" BMW GT3-043: "(2) 34 TIR" BMW GT3-023: "70" Chevrolet: "52"

SCCA Fastrack News



Dodge: "(2) 39" Ferrari GT3-029: "(2) 40 TIR" Ferrari GT3-044: "(2) 35 TIR" Lamborghini: "(2) 39" Mclaren: "(2) 36 TIR" Mercedes: "(2) 41.5" Porsche: "(2) 41.5" Nissan: "(2) 40 TIR"

In GTX-FIA GT3 Spec Lines, correct name as follows: "Mclaren"

GT3

1. #31803 (Daniel Snow) Request to add Fiat to GT3 CARS In GT3 Spec Lines, classify *Fiat Spider 2000, Years 79-81, as follows:*

GT3 Cars - FIAT

Model	Years	Body Style	Drive-line	Wheel-base (in)	Notes
Fiat Spider 2000	79-81		RWD	89.76″	

2. #31804 (Daniel Snow) Request to add Fiat to GT3 CARS In GT3 Spec Lines, classify Fiat X-19, Years 72-89, as follows:

GT3 Cars -

Model	Years	Body Style	Drive-line	Wheel-base (in)	Notes
Fiat X-19	72-89	2 Dr.	Rear Engine	86.7	

Improved Touring

ITC

1. #31842 (John McFarland) Volkswagen New Beetle In ITC Spec Lines, Volkswagen Beetle (98-99), change year as follows: "(98-9905)"

Legends Car

None.

Production

EP

1. #31831 (Hayes Flynn) Porsche 968 Engine Questions In EP spec line "Porsche 968 (92-95)", add to Notes: "*Dry sump is allowed.*"

2. #31833 (RON OLSEN) Request weight reduction for 1979-1985 Mazda RX-7 In EP Spec Lines, Mazda RX-7 (12A/13B) (79-85), change Weight as follows: "12A:



```
<del>20001950</del>
*<del>20501999</del>
**<del>21002048</del>
```

```
13B:
<del>20752025</del>
*<del>21272076</del>
**<del>21792126</del>"
```

ΗP

 #31990 (Matthew Brannon) Incorrect Valve Size Changes in Jan 2022 GCR for FIAT X1/9 In HP Spec Lines, change Valve Specs as follows: Fiat X-1/9 & Bertone 1500 - Level 2: "(I) 35.5/(1.40)36.3/(1.43) (E) 33.0/(1.30)33.3/(1.31)"

Fiat X-1/9 1300 - Level 2: "(I) 35.5/(1.40)36.3/(1.43) (E) 31.2/(1.23)"

Fiat X-1/9 1300 - Level 1: "(I) 35.5/(1.40)36.3/(1.43) (E) 31.2/(1.23) (E) 1.21"

Fiat X-1/9 1500 - Level 1/2: "(I) 35.5/(1.40)36.3/(1.43) (E) 33.0/(1.30)33.3/(1.31)"

Prod General

1. #31800 (David Boles) Throttle Body and Idle Air In GCR, Section 9.1.5.E.1.b.1., change as follows: "All inducted air must pass through the venturi(s) of the car's carburetor(s), except that which passes through a stock/original idle control device."

In GCR, Section 9.1.5.E.1.b.4., change as follows:

"Fuel injection: All inducted air must pass through the throttle body and be subject to control by the throttle butterfly), except that which passes through a stock/original idle control device."

In GCR, Section 9.1.5.E.1.b., add the following:

"9. Stock/original idle control devices can be utilized in their original, unmodified location and condition, or completely removed and any resulting openings blocked off. "

In GCR, Section 9.1.5.E.2.b.1., change as follows:

"All inducted air must pass through the venturi(s) of the cars carburetor(s), except that which passes through a stock/original idle control device. "



In GCR, Section 9.1.5.E.2.b.4., change as follows:

"Fuel Injection: All inducted air must pass through the throttle body and be subject to control by the throttle butterfly), except that which passes through a stock/original idle control device."

In GCR, Section 9.1.5.E.2.b., add the following:

"9. Stock/original idle control devices can be utilized in their original, unmodified location and condition, or completely removed and any resulting openings blocked off."

Spec Miata

None.

Super Production None.

Super Touring

STU

1. #31434 (David Fiorelli) Request Allowance for Balance Shaft Delete in STU

In GCR, Section 9.1.4.G., add as follows"

"29. Any engine balance shafts and associated gears or pulleys may be removed and the resulting openings plugged (including those in oil passages). Alternate pulleys or gears, of the same number as stock, may be installed in the location of the balance shaft pulleys or gears if required for timing belt or chain operation; they must serve no other purpose. Any engine balance shafts and associated gears or pulleys may be removed and the resulting openings plugged (including those in oil passages). Alternate pulleys or gears, of the same number as stock, may be be plugged (including those in oil passages). Alternate pulleys or gears, of the same number as stock, may be installed in the location of the balance shaft pulleys or gears if required for timing belt or chain operation; they must serve no other purpose."

2. #31916 (David Fiorelli) Request Louvers in hood vents In GCR, Section 9.1.4.1 A.2., add as follows:

"Louvers within the 200 sq. inch are allowed."

Touring

Т2

1. #31885 (Patrick Womack) BMW Z4M Adjustment In T2 Spec Lines, BMW Z4M (06-08), change Weight as follows: "31503100"

Т4

1. #31102 (CHRISTOPHER WINDSOR) MX-5 Durability Detailed

In T4 Spec Lines, Mazda MX-5 / Club Model (06-15), change Notes as follows:

"The following items must remain stock OEM unmodified, unless alternate part numbers are permitted below: transmission, differential, and LSD. Factory bolt-in roll bar/cross member may be removed to facilitate roll cage installation. MSR option permitted. Suspension package permitted with a 100 lbs. weight increase that includes the following parts: front spring mount PT#-0000-04-5259, front springs #0000-04-9700-08, rear spring mount PT#-0000-04-5258, rear springs #0000-04-9400-07, helper springs #0000-04-HLPR-EB (optional), Swaybar kit – PT#-0000-04-5306-EB that includes (front sway bar kit PT#0000-04-



5306-FT, rear sway bar kit PT#-0000-04-5306-RR), offset front camber bushing PT#-0000-04-5407-NC. Mazda Motorsports cold air intake part #0000-06- 5150-KT allowed. Mazda Motorsport RX8 rear Hub Conversion kit part number 0000-04-5811-KT allowed, RX8 front hubs PT# F189-33-04X allowed. The SM5 suspension (only) is allowed with a 100 lbs. weight increase. Non-OEM limited slip differential allowed with +50 lbs. weight penalty. Allow Mazda header part numbers 0000-06-5407 or 0000-06-5407-NC. Any OEM or aftermarket hardtop is permitted that retains the OEM roof silhouette, including Mazda hardtop and part #0000-07-5901-CC. Aftermarket power steering reservoir is allowed. Mazda Transmission kit part # 0000-02-5700. Non-OEM limited slip differential allowed with +50 lbs. weight penalty."

2. #31624 (Rich Grunenwald) Request Allowances for 2005 - 2010 Mustang In T4 Spec Lines, Ford Mustang V6 (05-10), add to Notes as follows: "Koni part numbers 8741.1494 (front) and 8741.1240 (rear)."



CLUB RACING BOARD MINUTES | February 1, 2022

The Club Racing Board met by teleconference on February 1, 2022. Participating were John LaRue, Chairman; David Arken, David Locke, Jim Goughary, Peter Keane, Sam Henry, Tom Start, Tony Ave and Shelly Pritchett, secretary. Also participating were: Chris Albin, Clay Turner and Dayle Frame, BoD liaisons; Eric Prill, Chief Operations Officer, Deanna Flanagan, Director of Road Racing, Rick Harris, Club Racing Technical Manager and Scott Schmidt, Series Tech Chief. The following decisions were made:

Member Advisory

B-Spec

1. #32321 (Club Racing Board) BoP Rationale

All Mini's were required to run a restrictor when the BOP change was made 2 years ago. The BSAC reluctantly allowed the 07-10 Mini's which did not utilize the header to run without a restrictor. The BSAC was advised that these cars would be "completely uncompetitive" without the header. Shortly after this change was implemented the ECU was hacked which permitted improved tuning. Current evidence suggests that a non-header car with no restrictor would still have an advantage over a header car with a 40mm restrictor. Past experience suggests that header availability is a temporary issue. Also, favorable changes take effect sooner than unfavorable ones allowing competitors time to acquire a header (*if that is their choice*) in advance of the rule taking effect.

F

1. #32256 (Club Racing Board) Formula/Sports Racing Advisory Committee (FSRAC) changes David Locke has stepped down as chairman of the FSRAC and moved to the Club Racing Board, and John Petillo has taken over as chairman of the FSRAC. Dave Weitzenhof has concluded his term on the FSRAC. The Club Racing Board thanks Dave for his service on the committee.

Τ1

1. #32023 (Touring Committee) T1 Rules Evolution

Thank you for your letter. The Touring committee has been working hard to try to build the touring classes. Touring 1 has been a class with a very complicated and confusing rules set. We are working to create a new rules set that is easier to manage and easier to compete in. While we are doing this work, we find it hard to answer some of the T1 letters in the system. We are trying to evaluate how these letters fit into the future of the class. We expect to have a draft of the 2023 rules published in June.

No Action Required

F5

1. #32052 (Scott Mackela) Response to WDYT re: letter number 31896 (Class name change) Thank you for your letter. The Club Racing Board appreciates your comments.

2. #32082 (Jim Murphy) #31896 (Keith Joslyn) Should the class name be changed to F600 Thank you for your letter. The Club Racing Board appreciates your comments.

General

1. #31703 (John Weisberg) Gauging Public Opinion on Letters to Committees

John, Thank you for your suggestion. As we are all aware the various boards and committees that are integral to the successful operation of the SCCA Road Racing Program are comprised of volunteers. Without their time and dedication SCCA would not exist as we know it today. While your suggestions certainly have merit, SCCA does not have the manpower to implement them at this point in time. Fastrack is the official publication of SCCA containing all information relevant to matters of competition and we do not see it as being unreasonable for our members to monitor it and the SCCA website for particulars relevant to their



racing programs. The CRB attempts to post notices on the major social media sites when Fastrack is published. Your efforts in

communicating this message and the monthly publication of Fastrack to media sites that you visit will be appreciated.

GT2

1. #32044 (Alex McBain) Re: request #31898 Thank you for your letter. Please see the response to your letter #31898 in current Fastrack.

GTL

1. #29699 (Erik Madsen) Request to Allow Volkswagen Direct Injected 1.4/1.6 Liter Engines Thank you for your letter. Several attempts have been made at contacting letter writer for more information with no response.

IT General

1. #31782 (Steve Elicati) Opposed to 200tw Tires Thank you for your letter. And we mean that sincerely!

This issue has generated more member feedback than anything in recent memory. Some excellent points have been made both for and against the change, and they have been noted. At the moment there really is no clear answer on which path is best. The Committee has agreed that some of the issues that have been raised require additional research and discussion before we can move forward. That work has already begun.

Possibly for that reason, although likely there were other considerations as well, the Competition Board has decided NOT to move forward with the 200TW tire rule for Improved Touring at this time.

We certainly believe everyone involved, particularly all of you that felt strongly enough to reach out about this, ultimately have the best interests of Improved Touring in mind. We are coming up on a very significant IT anniversary, and hopefully we can celebrate it with larger car counts at events across the country.

Please don't hesitate to continue to tell us what's on your mind. We really are all in this together. Your ideas, support and even thoughtful disagreement will help to keep us pointed in the right direction.

2. #32053 (Robert Zatz) Opposes recommended 200TW minimum Thank you for your letter. Please see letter # 31782 in current Fastrack.

3. #32056 (Ben Slechta) Opposes Mandate 200TW Tires for Improved Touring Thank you for your letter. Please see letter # 31782 in current Fastrack.

4. #32062 (Carl Biondo) 200 treadwear tire rule Thank you for your letter. Please see letter # 31782 in current Fastrack.

5. #32065 (Scott Mackela) 200TW Tire Rule Thank you for your letter. Please see letter # 31782 in current Fastrack.

6. #32066 (Scott Mackela) 200TW Tire Rule Thank you for your letter. Please see letter # 31782 in current Fastrack.



7. #32067 (Jeff Giordano) IT - Proposed 200TW Tires Thank you for your letter. Please see letter # 31782 in current Fastrack.

8. #32069 (Matt Downing) Oppose the 200tw Tire Requirement for IT Classes Thank you for your letter. Please see letter # 31782 in current Fastrack.

9. #32073 (Anthony Biondo) Deny 200TW Tire Request for IT
Thank you for your letter. Please see letter # 31782 in current Fastrack.
10. #32081 (John McFarland) Opposition to 200TW tire in Improved Touring
Thank you for your letter. Please see letter # 31782 in current Fastrack.

11. #32089 (Steffen Clark) Do Not Change to 200 Treadwear Thank you for your letter. Please see letter # 31782 in current Fastrack.

12. #32092 (Ron Earp) Support for 200TW in Improved Touring Thank you for your letter. Please see letter # 31782 in current Fastrack.

13. #32095 (Chris Dilluvio) Opposition of Tread Wear Rating Rule Thank you for your letter. Please see letter # 31782 in current Fastrack.

14. #32096 (Charles Tanck) Fastrack #31162

Thank you for your letter. Yes, if we were to implement this there would be language elsewhere in the GCR that would need to be cleaned up. As it turns out, that is not necessary at this point. Please see letter # 31782 in current Fastrack.

15. #32108 (Thomas Ciccone) 200TW Tire Proposal Thank you for your letter. Please see letter # 31782 in current Fastrack.

16. #32109 (Rick Benazic) Against 200tw Tires Thank you for your letter. Please see letter # 31782 in current Fastrack.

17. #32134 (Willie Phee) Proposed 200TW Tire Rule Thank you for your letter. Please see letter # 31782 in current Fastrack.

18. #32141 (Hayes Lewis) Opposition to 200TW Rule-Many Non Voters Thank you for your letter. Please see letter # 31782 in current Fastrack.

19. #32142 (Hayes Lewis) 200 TW tires-What is 200TW? Thank you for your letter. Please see letter # 31782 in current Fastrack.

20. #32143 (Hayes Lewis) 200TW tires-How Many Heat Cycles? Shaving? Thank you for your letter. Please see letter # 31782 in current Fastrack.

21. #32159 (Eric Moye) 200 TW Tire Change Proposal. Thank you for your letter. Please see letter # 31782 in current Fastrack.



22. #32166 (Michael Paramore) Opposes 200TW Thank you for your letter. Please see letter # 31782 in current Fastrack.

ITA

1. #31615 (Brendan Granitski) Proposed 200tw Tires Thank you for your letter. Please see letter # 31782 in current Fastrack.

2. #32070 (Christopher Deen) Do Not Change to 200tw Tires
 Thank you for your letter. Please see letter # 31782 in current Fastrack.
 3. #32072 (George Washburn) 200tw Opposition
 Thank you for your letter. Please see letter # 31782 in current Fastrack.

ITC

1. #31760 (John McFarland) Request to Classify Fiat 500 Thank you for your letter. The Fiat 500 is correctly classified in ITB.

2. #32075 (Ron Copeland) Opposes IT Tire Rule Change Thank you for your letter. Please see letter # 31782 in current Fastrack.

3. #32076 (Jason Jacko) 200 TW Rule Change Not Good for the Club Thank you for your letter. Please see letter # 31782 in current Fastrack.

4. #32077 (Aaron Quine) 200 TW Rule Change Thank you for your letter. Please see letter # 31782 in current Fastrack.

5. #32085 (Elliott Bavely) Improved Touring Proposed Tire Change Thank you for your letter. Please see letter # 31782 in current Fastrack.

ITR

1. #32164 (Ian Anderson) Opposed to 200 TW Tire change Thank you for your letter. Please see letter # 31782 in current Fastrack.

2. #32168 (Matthew Fritz) Info regarding tire switch in improved touring Thank you for your letter. Please see letter # 31782 in current Fastrack.

ITS

1. #32061 (Justin Deffenbaugh) 200TW Change Thank you for your letter. Please see letter # 31782 in current Fastrack.

2. #32071 (Randy Shaw) Opposes 200tw Tire Change Thank you for your letter. Please see letter # 31782 in current Fastrack.

3. #32088 (Justin Deffenbaugh) 200TW Change Concerns Thank you for your letter. Please see letter # 31782 in current Fastrack.



Prod General

1. #31726 (Eric Prill) Aggregated Runoffs Time Card Data Thank you for your letter, and the compiled Time Card data.

2. #32000 (Production Committee) Consider Disable/Remove Stock Variable Lift/Timing Systems Thank you for your letter. After inspection of the GCR, it was determined that there's sufficient ability in the current rules for cam shafts, cam gears, rockers, sensors, wiring, and ECU's for stock Variable Lift & Timing systems (VANOS, VTEC, VVT-i, etc.) to be legally disabled or removed within them. This determination is being published as an "FYI".

T1

1. #30108 (Touring Committee) Change Category Rule for Axle/drive shafts Thank you for your letter. Your request will be addressed in T1 rules package proposed for 2023.

2. #30453 (David Mead) Miller Challenge Spec Line Still Not Right Thank you for your letter. Your request will be addressed in T1 rules package proposed for 2023.

3. #30471 (Andrew Aquilante) Non-Production Displacement and Forced Induction Engines Thank you for your letter. Your request will be addressed in T1 rules package proposed for 2023.

4. #30476 (Andrew Aquilante) Publish the Results of the T1 Surveys From Earlier This Year NAR- The surveys were used to help influence the new T1 rules package for 2023. It is the club's policy to not share the raw data.

5. #30609 (Andrew Aquilante) Reply to Response to Letter 29842 Thank you for your letter. This letter was in response to T1 changes that are now a year old. Your request will be addressed in

T1 rules package proposed for 2023.

6. #30619 (Thomas DeWitt) Request for Fender Flare Clarification in T1 Specifications Thank you for your letter. Your request will be addressed in T1 rules package proposed for 2023.

7. #30620 (Thomas DeWitt) Request for Clarification of DCT transmission Thank you for your letter. Your request will be addressed in T1 rules package proposed for 2023.

8. #30761 (Michael Pettiford) Remove the restrictor on the C6 Z06 and take out another 100 lbs Thank you for your letter. Your request will be addressed in T1 rules package proposed for 2023.

9. #30783 (Don Van Nortwick) Request to address inequities in T1 vs T1-LP Thank you for your letter. Your request will be addressed in T1 rules package proposed for 2023.

10. #30790 (Mark Pfeffer) Request BMW E46 M3 Transmission Alternative Thank you for your letter. The requested transmission can already be used in the T1 Full Prep spec lines. Will also be addressed in T1 rules package proposed for 2023.

11. #30878 (Nathan McBride) Request aftermarket ECU and wiring in Touring classes Thank you for your letter. Please see WDYT, Letter # 31067 in current Fastrack.



12. #30894 (Ian Barberi) Feedback on 29970 Opposes REC Thank you for your letter. Your request will be addressed in T1 rules package proposed for 2023.

13. #30916 (Ian Barberi) Feedback on 29970 (#2)

Thank you for your letter. Your request will be addressed in T1 rules package proposed for 2023.

14. #31512 (Ryan Upham) Request addition of BMW factory DCT trans for E46 M3 with 4.0 v8. Thank you for your letter. NON OEM or alternative DCT transmissions are already permitted in T1 Full Prep. Please see 9.1.9.1.M.4.

15. #31679 (Tim Myers) Request help for Dodge Viper ACR-X Thank you for your letter. Your request will be addressed in T1 rules package proposed for 2023.

16. #32016 (Ryan Upham) Allowance of OEM E92 V8 and DCT Trans in E46 M3

Thank you for your letter. Under the current rules, the E46 is allowed a 4000cc engine. OEM transmissions are allowed without penalty as long as they're limited to 6 forward speeds.

17. #32099 (Carl Fung) Ferrari 550

Thank you for your letter. Under the current rules, the car is not listed (allowed) to run in Full Prep. It can only run as a limited prep car. Please keep an eye out for a T1 rules revision prior to the 2023 season.

T2-T4

1. #32074 (Mike Ogren) Toe Link Oversite

Thank you for your letter. Camber can be adjusted by using offset bushings. The toe links are allowed solely for toe adjustment. If you want a specific camber arm, they are considered on a case-by-case basis. Please provide a part number.

Т4

1. #31993 (Tom Fowler) MX5 Omission Thank you for your letter. Please see 9.1.9.2.D.3.a.1- "Cooling" where "Any expansion tank permitted as long as it serves no other purpose."

Not Recommended

FA

1. #31952 (Dudley Fleck) Swift 016 SIR

Thank you for your letter. The Club Racing Board does not recommend these changes. The data obtained at the 2021 CAT U.S. Majors event does not support increasing the Swift 016's SIR size or reducing its minimum weight. Please see the response to letter #30969 in the September 2021 Fastrack.

2. #32002 (Keith Grant) Increase 31mm SIR to 33 mm SIR on Swift 016

Thank you for your letter. The Club Racing Board does not recommend these changes. The data obtained at the 2021 CAT U.S. Majors event does not support increasing the Swift 016's SIR size or reducing its minimum weight. Please see the response to letter #30969 in the September 2021 Fastrack.



3. #32093 (Larry Howard) Swift 016 weight and SIR

Thank you for your letter. The Club Racing Board does not recommend these changes. The data obtained at the 2021 CAT U.S. Majors event does not support increasing the Swift 016's SIR size or reducing its minimum weight. Please see the response to letter #30969 in the September 2021 Fastrack.

Ρ1

1. #32078 (Guilbert Twiss) Adding the Mazda 12a rotary to P1 eligible motors (again)

Thank you for your letter. The Club Racing Board does not recommend this change. The P1 class is intended to be the premier sports racing category promoting advanced technology in design and innovation, and the class philosophy is not to classify cars that could not be competitive in P1. The Mazda 12A is outside the P1 performance envelope, but the engine is approved for use in the P2 class, and the Beasley B2 is also in line with P2 performance expectations. Please see the response to letter #32147 in this Fastrack's Technical Bulletin.

GCR

1. #32042 (James Bell) Request addition to 6.10.3.A Race Finisher

Thank you for your letter. Drivers are responsible for determining how long they should compete in a race to be declared a finisher.

General

1. #32001 (Graham Loughead) Remove FC from Small Bore OW Group

Graham, thank you for your letter. The Advisory Committees and CRB appreciate the concerns expressed in your letter and the suggested changes. The issue of run groups and their composition is under constant review.

2. #32051 (Joe Camilleri) 2022 Runoffs qualifying changes

Thank you for your letter. When the Majors Conference Championships were established in 2013, they were done to include only specific races but offer the opportunity for drivers to score points and compete for multiple championships. Counting outside events would extend each Conference Championship to the final Majors race weekend in the country, which can be months after the last scheduled race within a Conference.

GT2

1. #31898 (Alex McBain) Proposed GCR rule change - 9.1.2.F.7.e.13.c Thank you for your letter. This request is to far outside the realm of the GT philosophy.

GT3

1. #31953 (Scott Twomey) Allow Toyota 4AC - Unrestricted Thank you for your letter. Engines under 2.0L are no longer being classified in GT3.

IT General

1. #32014 (Emmitt Staley) Please classify the 2006 Chevrolet Cobalt SS in Improved Touring Thank you for your letter. The Chevrolet Cobalt SS is correctly classified in ITS.

ITA

1. #32028 (Emmitt Staley) Amended letter request- #32014

Thank you for your letter. The Chevrolet Cobalt SS is correctly classified in ITS. We cannot base spec line classifications on single builds. We prefer not to classify a specific model in multiple classes, the classification process we use indicates that this car fits best in ITS.



ITC

1. #31757 (Antonio Amendola) Request for 2012-2016 Fiat 500 non turbo at 2300 lbs in ITC Thank you for your letter. The Fiat 500 is correctly classified in ITB.

ΗP

1. #32020 (Edward Werry) Weight Reduction Request for MR2

Thank you for your letter. An adjustment of this spec line is not recommended at this time. Please continue to develop the car, and an effort will be made to try and get additional data on it.

STU

1. #31529 (John Weisberg) Request to Adjust Honda b20 Vtech and k20 Weight to Create Parity Thank you for your letter. Request is not recommended at this time.

T1

1. #30563 (Scotty B White) Request Viper CC T1 classification Thank you for your letter. The Comp Coupe doesn't fit in the intent of T1.

Т2

1. #30877 (Nathan McBride) Request Corvette BOP Thank you for your letter. The TAC and CRB does not believe this Corvette needs an adjustment at this time.

2. #31660 (Andrew Aquilante) Help the Corvette C5

Thank you for your letter. The performance adjustments published are the result thoughtful consideration, data collection and analysis from all of the touring races throughout the 2021 season. Decisions are not based solely on a single event but all touring races throughout every region. No BOP decision is made quickly or without careful consideration. We ask that you bring out your cars and race. Without data on the adjusted cars further corrections can't be made. Please participate. The more data we get, the better our corrections will be.

3. #31734 (Joe Aquilante) Reconsider Adding Weight to the C5 Corvette in T2

Thank you for your letter. The performance adjustments published are the result of thoughtful consideration, data collection, and analysis from all of the touring races throughout the 2021 season. Decisions are not based solely on a single event but all touring races throughout every region. No BOP decision is made quickly or without careful consideration. We ask that you bring out your cars and race. Without data on the adjusted cars further corrections can't be made. Please participate. The more data we get, the better our corrections will be.

T2-T4

1. #31958 (Eddie Keturakis) Consider a Spec Tire for Balance of Durability, Speed and Expense Thank you for your letter. Touring has always allowed DOT tires that are approved for the speed rating of the class. There are other brands that are available for you to try. The majority of Touring competitors are not interested in limiting their tire choices.

Т3

1. #32100 (Jim Weidenbaum) Honda S2000 2.2L Weight reduction

Thank you for your letter. The 2.2 liter S2000 was allowed to remove its restrictor plate. To help the 2 liter, we removed the weight.



Т4

1. #31008 (Derrick Ambrose) Request for Urethane Control Arm Bushings 2014-2018 Mazda 3 Thank you for your letter. These parts aren't recommended at this time.

2. #32008 (Mike Ogren) Please list the 2004-2009 Mazda 3 , 2.0 Thank you for your letter. The committee strongly suggests either running the 2.3 liter engine or maybe consider one of the IT.

Recommended Items

The following subjects will be referred to the Board of Directors for approval. Address all comments, both for and against, to the Club Racing Board. It is the BoD's policy to withhold voting on a rules change until there has been input from the membership on the presented rules. Member input is suggested and encouraged. Please send your comments via the form at www.clubracingboard.com.

AS

1. #31850 (American Sedan Committee) Move from tire exclusion list to tire inclusion list

Effective 04/01/2022 In GCR, Section 9.1.6.D.6.b.4., change as follows:

"4. American Sedans may not compete or qualify on Hoosier A7 compound tires effective 06/15/2021. American Sedans must compete on DOT "R-type" road race tires. Permitted tires are listed below. Soft "A type" autocross tires are prohibited: BFGoodrich R1 & R1S

Goodyear DOT radial DOT R compound

Hankook Ventus Z214 C51/Medium

Hoosier R7 or R6 or WET/H20

Kumho Ecsta V700 series

Nitto NT01

Toyo R888, Toyo Proxes RA1, or Proxes RR

Yokohama A048 or A052

Rain tires must continue to have DOT rating, except that softer compound dry tires, such as the Hoosier A7 (but not limited to), are not permitted for use as rain tires.

The objective of this rule is to require the use of a more durable and economical tire. Performance of approved tires will be monitored by the ASAC and those which are found to deviate from this objective may be subject to exclusion by means of a Tech Bulletin or other appropriate communications.

Additional tires may be requested for consideration by the ASAC and may be introduced within rule change timing cadence.

B-Spec

#31379 (Michael Fox) Request to Increase Allowed Camber
 In B-Spec, GCR Section 9.1.10.E.35., change as follows:
 "Maximum 3.54.0 degrees negative camber is allowed on front and <u>2.0 degrees on</u> rear suspensions."



Taken Care Of

B-Spec

1. #31417 (Brandon Vivian) Clarify Spec Line 9.1.10.E.35 for Strut Tower Modification Thank you for your letter. Please see response to letter # 31393 in current Fastrack.

2. #31427 (Frank Schwartz) Caster and Camber Thank you for your letter. Please see response to letter # 31393 in current Fastrack.

3. #31428 (Frank Schwartz) Camber Adjustment Philosophy Thank you for your letter. Please see response to letter # 31393 in current Fastrack.

4. #31917 (Brian Duddy) 31359 Needs to be Changed Thank you for your letter. This issue was addressed between preliminary and final fast track publication.

5. #31929 (Steven Pounds) Comment on Recommended Item #31359 Thank you for your letter. This issue was addressed between preliminary and final fast track publication.

EP

1. #32102 (Doug Piner) MX5 Global Cup cars NOT Production cars Thank you for your letter. Please see response to Letter #32218 in the current Fastrack.

2. #32140 (James Pettinato) Remove MX5 Global Cup cars from EP Thank you for your letter. Please see response to Letter #32218 in the current Fastrack.

3. #32152 (Paul Lopez) Car Classification

Thank you for your letter. Please see response to Letter #32218 in the current Fastrack.

4. #32186 (Michael Cooke) Remove Mazda MX5 Global Cup ABS Brakes Thank you for your letter. Please see response to Letter #32218 in the current Fastrack.

5. #32187 (Michael Cooke) Remove Mazda MX5 Global Cup ND2 Thank you for your letter. Please see response to Letter #32218 in the current Fastrack.

6. #32188 (Michael Cooke) Remove Mazda MX5 global Cup ND2 Sequential Transmission Thank you for your letter. Please see response to Letter #32218 in the current Fastrack.

HP

1. #32150 (Daniel Snow) Fiat X19 LP HP Intake Manifold

Thank you for your letter. The consideration of manifold porting or the use of an alternate non-USDM stock intake manifold for the limited-prep Fiat X1/9's in HP was already considered and responded to via Letter #31602 in the January Fastrack. These cars also received a weight reduction via Letter #31653 in the January Fastrack, and the results of that need to be seen.

Prod General

1. #32009 (Mike Ogren) Please Measure Valve Lift as Raced.

Thank you for your letter. A response was made to this consideration in the October 2021 Fastrack, via #31071, and there has been no additional reasoning to reconsider.



2. #32068 (David Gran) Allow Hoosier DOT Tires for IT Cars Thank you for your letter. Please see response to Letter #32064 in the current Fastrack.

3. #32119 (Andrew Benagh) Request to Change the IT Car Rules Thank you for your letter. Please see response to Letter #32064 in the current Fastrack.

4. #32204 (Bill Lamkin) Global MX5 Cup Car Ignores Production Class Philosophy. Thank you for your letter. Please see response to Letter #32218 in the current Fastrack.

STU

1. #31649 (Eric Heinrich) Request to Adjust Weight Adders for Large Displacement NA Engines Thank you for your letter. Please see letter # 31449 in current Fastrack.

2. #31664 (Eric Heinrich) Letter #31449 NA Engine Weight Breaks Thank you for your letter. Please see letter # 31449 in current Fastrack.

3. #31670 (James Slechta) Weight Reduction for NA Cars Thank you for your letter. Please see letter # 31449 in current Fastrack.

4. #31671 (Jeronimo Esteve) Reconsider Weight Break for Single Throttle Body Cars. Thank you for your letter. Please see letter # 31449 in current Fastrack.

5. #31673 (Jose Osiris Pena) 10% Weight Reduction Letter Thank you for your letter. Please see letter # 31449 in current Fastrack.

6. #31696 (Ron Olsen) 31449 single TB weight modifiers Thank you for your letter. Please see letter # 31449 in current Fastrack.

7. #31699 (James Slechta) Weight Reduction Request for Dual Throttle Body Cars Thank you for your letter. Please see letter # 31449 in current Fastrack.

8. #31976 (Christopher Childs) STU 9.1.4.H Chart Weights Adjustments Thank you for your letter. Please see letter # 31449 in current Fastrack.

What Do You Think

None.

<u>RESUMES</u>

1. #28506 (Kent Carter) Request to be on the Advisory Committee Kent Carter has been added to B-Spec Committee.

2. #31151 (Todd Parrott) Resume Submission to B- Spec Advisory Board Todd Parrott has been added to B-Spec Committee.

3. #31475 (Geoffrey Youngdahl) Tossing My Hat Into the Ring Geoffrey Youngdahl has been added to the IT Advisory Committee.



4. #31537 (David Gran) Submitting Resume David Gran has been added to the IT Advisory Committee.

5. #31932 (Matt Wolfe) Resume for B Spec Committee Matt Wolfe has been added to BSAC.

6. #32207 (Club Racing Board) David Locke added to CRB David Locke has been added to Club Racing Board.



DATE: February 20, 2021 NUMBER: TB 22-03 FROM: Club Racing Board TO: Competitors, Stewards, and Scrutineers SUBJECT: Errors and Omissions, Competition Adjustments, Clarifications, and Classifications All changes are effective 3/1/2022. If any day of a race event falls on the first day of the month, the previous month's rules will be in effect for that event only. The new rules will become effective at the conclusion of the race event, unless otherwise noted.

American Sedan

None.

B-Spec

1. #31351 (Frank Schwartz) Request spring attachment

In B-Spec, GCR Section 9.1.10.E.36., change as follows:

"Suspension: competitors may use the OEM suspension, any part of the manufacturer upgraded suspension kit or any B14 Bilstein shock or strut with no modifications except as required for mounting. Any part required to adapt the B14's to the car must be submitted for approval by the CRB and added to the individual spec line. Any spring up to a maximum spring rate of 500 pounds may be used. *Spring are allowed to be strapped or zip tied to the body. The purpose of the strap should be to keep the spring in place when the axle goes into rebound. The strap can serve no other function.* Competitors must use the OEM bump stops or the bump stops provided in the manufactures kit. Adjustable sway bar end links may be used on all cars. Front sway bars may be disconnected and removed."

2. #31393 (Brandon Vivian) Limit Rear Camber to 1.75 Degrees Section 9.1.10.E.35

In B-Spec, GCR Section 9.1.10.E.35., add the following:

"Modifications to the top of the strut tower may be made to allow for camber adjustment only. *Modifications to the existing holes must only be moved straight inboard even if the existing slots would translate the top of the strut rearward.* On other forms of suspension, camber adjustment may be achieved by the use of shims and/or eccentric bolts (crash bolts)."

5. #32060 (B-Spec Committee) Letter 31442 Part# Correction
In B-Spec Spec Lines, Mazda2 (10-14), change Notes as follows:
"Allow Mazda undertray part number 277344D08C-56-110A, D08C-56-311, D07A-56-321."

Electric Vehicle

None.

Formula/Sports Racing

F5

1. #32194 (Formula/Sports Racing Committee) E&O class name

In F500, GCR section 9.1.1.D.19, change as follows:

"All F500 cars competing in Majors Races and the Runoffs must have the AIM part #X47KPFSOLO2R0 data box mount installed on the vehicle to provide the necessary mounting of the AIM Solo or Solo 2 data box."

FA

1. #31934 (Matthew Gendron) Closing the Gap In FA Table 2, Pro Formula Mazda spec line, change the notes as follows: "Porting not permitted.Street port or bridge port allowed."



FV

1. #32160 (Mark Richardson) Connecting Rod Update Request for 9.1.1.C Formula Vee (FV) 5.C.6 In FV, GCR section 9.1.1.C.5.C.6, change as follows:

"Crower part #SP93280B-and, BrianCrower, Inc. part #BC6417, and Newland Group part #4M113077 are allowed as direct replacement connecting rods but must meet the same minimum weight requirement as the OEM part."

2. #32183 (Formula/Sports Racing Committee) E&O clarification of connecting rod center-to-center length In FV, GCR section 9.1.1.C.5.C.6, add the following:

"Connecting rods with bolts and small end bushing minimum weight = 425.0 grams, and center-to-center rod length = 130 + 0.10 millimeters or -0.25 millimeters. Crower part #SP93280B, BrianCrower, Inc. part #BC6417, and Newland Group part #4M113077 are allowed as direct replacement connecting rods but must meet the same minimum weight and center-to-center rod length requirements as the OEM part."

P2

1. #32147 (Formula/Sports Racing Committee) Add spec line for Beasley B2 In P2 Table 1, add a spec line as follows:

	P2 Table 1 (Spec Line Cars)									
Marque	Wheelbase inches max/ Track Max inches	Weight Displacement	Engine	Restrictor	Notes					
Beasley B2	TBD	1350	P2 Engine Table H Mazda 12A	40.5mm Venturi	Must meet all P2 requirements except the following: Wing up to 16.5in chord of single					
Deusicy D2		1550	P2 Engine Table I Mazda 12A	40.5mm Venturi	or dual element with unrestricted end plate.					

2. #32148 (Formula/Sports Racing Committee) E&O Table 1 spec line wing terminology
In P2 Table 1, AMAC, Asteck, Cheetah, Decker, Fox, LeGrand, Converted F5 spec line, change the notes as follows:
"Wings up to 16.5in cordchord of single or dual element;"

In P2 Table 1, AMAC-AM5, Fox-2-Seater, Zephyrus, Decker 1/2 spec line, change the notes as follows: "Wings up to 16.5in cord of single or dual element;"

In P2 Table 1, Bobsy spec line, change the notes as follows: "Wings up to 16.5in cordchord of single or dual element-only;"

In P2 Table 1, Jondal spec line, change the notes as follows: "Wings up to 16.5in cordchord of single or dual element-only;"

3. #32196 (Formula/Sports Racing Committee) E&O class name

In P2 Table 1, AMAC, Asteck, Cheetah, Decker, Fox, LeGrand, Converted F5 cars spec line, change the marque as follows: "AMAC, Asteck, Cheetah, Decker, Fox, LeGrand, Converted F500 cars see notes"



"Converted F500 cars must retain suspension compliant with F500 requirements and meet all P2 non-spec line requirements except minimum width is 55 inches."

GCR

GCR

1. #32050 (GCR Committee) Racing Room Guidelines Update In GCR, replace APPENDIX P. RACING ROOM & PASSING GUIDELINES in its entirety as follows: ***SEE ATTACHED PDF***

General

None.

Grand Touring

GT1

1. #31883 (THOMAS HERB) Mercedes Benz AMG GT3 in GT1 In GT1 Cars - Mercedes Benz, classify Mercedes Benz AMG GT3 as follows:

GT1 Cars – MERCEDES BENZ

Model	Years	Body Style	Drive- line	Wheel- base (in)	Notes
Mercedes Benz AMG GT3	2016-2019	2 Door Coupe	RWD	N/A	3050 lbs. 6208cc DOHC V8 40.mm (x2) restrictor(s) Car must be prepared per its FIA GT3 homologation except as specified differently within the GT1 class rules.

2. #32205 (Club Racing Board) Wheel Widths

In GT1, GCR section 9.1.2.D.7.a., change as follows and renumber:

"1. Wheels shall be made of steel, aluminum, magnesium, or a combination thereof. Multi-piece wheels shall utilize mechanical fasteners (bolts, rivets, etc.) for assembly.

2. Wheels may be thirteen (13), fourteen (14), fifteen (15), sixteen (16), seventeen (17), or eighteen (18) inches in diameter, but all four (4) wheels shall be of the same diameter. Use of eighteen (18) inches wheels must add 50 lb. weight penalty.

3.1. Wheels shall have a maximum width of twelve (12) inches in the front and thirteen (13) inches in the rear. 18" tires shall have thirteen (13) *MAX* inches in the front and fourteen (14) *MAX* inches in the rear."



1. #31597 (Richard Gray) Request to Classify Ginetta G40 in GT2

In GT2 Cars - Ginetta, classify Ginetta G40 as follows:

GT2 Cars - GINETTA

Model	Years	Body Style	Drive- line	Wheel- base (in)	Notes
Ginetta G40	2002- Present	2-Door Coupe	RWD	88.6″	Must comply all GT2 rules except as noted on spec line. May use FIA roll cage. Must have complete build specs in possession at all race events.

In GT2-Engines - Ginetta, classify Ginetta/Mazda MZR/L5-VE as follows:

GT2 Engines - **GINETTA**

• · = -··o····													
Engine Family	Bore x Stroke (mm)	Disp.	Head	Valves /	Fuel	Weight (lbs)	Notes						
		(CC)	Туре	Cyl.	Induction								
Ginetta/Mazda	89.0mm X 100.0mm	2488cc	Cross	4 ∨ 4	Unrestricted	1950	With or without						
MZR/L5-VE	Alternate Crank		Flow			+ 49 lbs for	alternate crank.						
	89mm X 94mm					IRS.	5 or 6 speed						
		2399сс				+ 25lbs. for							
						sequential.							

2. #31737 (Dominic Starkweather) 2021 Supra GR GT4

In GT2-ST, classify Toyota Supra GT4 as follows:

GT2-ST	Maximum Displacement	Minimum Weight	Restrictor	Notes
Toyota Supra GT4	3000L	3000	Per factory Spec.	Must have GT4 rules in possession at all race events.

3. #31900 (Alex McBain) Proposed Technical Bulletin

In GT2/ST Spec Lines, Porsche 944/924, change Notes as follows:

"May use Jayco super 50 ERC 76/70 Turbo."



1. #31598 (Richard Gray) Request to Classify Ginetta G40 in GT3

In GT3 Cars - Ginetta, classify Ginetta G40 as follows:

GT3 Cars - GINETTA

Model	Years	Body Style	Drive- line	Wheel- base (in)	Notes
Ginetta G40	2010- Present	2 Door Coupe	RWD	88.6	Must comply with all GT3 rules except as noted on spec line. May use FIA roll cage. Must have complete build specs in possession at all race events.

In GT3 Engines - Ginetta (Ford/Mazda), as follows:

GT3 Engines – GINETTA (Ford/Mazda)									
Engine Family	Bore x Stroke (mm)	Disp. (CC)	Head Type	Valves / Cyl.	Fuel Induction	Weight (lbs)	Notes		
Ginetta/Mazda MZR	87.38 x 83.06	1999cc	Crossflow	4V 4	32mm SIR	2060 + 52 lbs for IRS. + 26 lbs. for sequential.	May run unrestricted at 2195 lbs 5 Speed only		
Ginetta/Ford Duratec or Mazda MZR	87.5 x 94.0	2260cc	Crossflow	4V 4	32mm SIR	2195 = 55 lbs. for IRS. + 27 lbs. for Sequential	5 Speed only		

2. #31733 (Michael Heintzman) Normally Aspirated 2.0L DOHC MZR Motor In GT3 Engines, classify MAZDA MZR as follows:

GT3 Engines -

	0								
Engine Family	Engine Type	Bore (mm)	Stroke (mm)	Disp. (cc)	Head Type	Valves / Cyl.	Fuel Induction	Weight (Ibs)	Notes
MAZDA MZR	DOHC	87.38	83.06	1999сс	Crossflow	4	Unrestricted	2195	

3. #31970 (Sam Moore) Volvo S60 in GT3 In GT3 Cars - Volvo, classify Volvo S60 as follows:



GT3 Cars - VOLVO

Model	Years	Body Style	Drive-line	Wheel-base (in)	Notes
Volvo S60	2000-2009	4 Door Sports Coupe	FWD	106.9	

4. #32190 (Grand Touring Committee) GT3 2.0L 4V engines now unrestricted. In GT3 Engines Spec Lines, add to Notes the following: Acura F20C 1997cc: "*May run unrestricted at 2195 lbs.*"

Acura K20A 1998cc: "*May run unrestricted at 2195 lbs.*"

Audi 1984cc: "*May run unrestricted at 2195 lbs.*"

BMW 1895cc: "*May run unrestricted at 2195 lbs.*"

Chevrolet 1998cc: "May run unrestricted at 2195 lbs."

Chrysler/Dodge/Plymouth 1997cc: "May run unrestricted at 2195 lbs."

"Ginetta 1999cc: May run unrestricted at 2195 lbs."

Honda F20C 1997cc: "May run unrestricted at 2195 lbs."

Honda K20A 1998cc: "*May run unrestricted at 2195 lbs.*"

Mazda 1999cc: "May run unrestricted at 2195 lbs."

Mitsubishi/Eagle 1997cc: "May run unrestricted at 2195 lbs."

Nissan QR25DE/DD 1998cc: "May run unrestricted at 2195 lbs."

Nissan SR20-DE/VE: "May run unrestricted at 2195 lbs."

Saab 1985cc: "May run unrestricted at 2195 lbs."

Volkswagen1984cc: "May run unrestricted at 2195 lbs."

5. #32191 (Grand Touring Committee) TB c	correction to wing wording
In GCR, Section 9.1.2.F.7.b.12.E., change th	e following:
"A single element, single plane airfoil scale	d-up to a maximum chord length of 10.75 inches."
GTL	
1. #31599 (Richard Gray) Request to Classi	fy Ginetta G40 in GTL
	March 2022



In GT Cars - Ginetta G40 as follows:

GTL Cars - GINETTA

Model	Years	Body Style	Drive- line	Wheel- base (in)	Notes
Ginetta G40	2002- Present	2-Door Coupe	RWD	88.6″	Must comply with all GTL rules except as noted on spec line. May use FIA roll cage. Must have complete build specs in possession at all race events.

In GT Engines - Ginetta/Ford Zetec as follows:

GTL Engines - GINETTA

OIL LIIGH										
Engine Family		Bore x Stroke (mm)	Disp. (CC)	Head Type	Valves / Cyl.	Fuel Induction	Weight (lbs)	Notes		
Ginetta/Ford Zetec	81	0.6mm X 88.0mm	1796cc	Crossflow	4	22.5 SIR	2050 + 51 lbs for IRS. + 26lbs. for sequential.	5 Speed only		

GTX

1. #31955 (Demetrio Bilbatua) McLaren 720s GT3

In GTX - FIA GT3, classify McLaren as follows:

GTX – FIA GT3

Make	Homologation	Model	Restrictor (mm)	Weight (lbs)	Notes
McLaren	GT3-N/A	GT3	720s	3000 lbs.	

Improved Touring

ITR

1. #31727 (Sean Benson) Request to classify 93 Talon TSI AWD In ITR Spec Lines, classify Eagle Talon (90-94), as follows:

ITR	Engine Type	Bore x Stroke(mm)/ Displ. (cc)	Weight (lbs)	Notes:
Eagle Talon (90-94)	4Cyl 16V Turbo	85mmx88mm	2955	

Legends Car

None.



Production

1. #31635 (Chris Dercole) 1999 3.8L Ford Mustang to EP? In EP Spec Lines, Ford Mustang (94-98), change weight as follows: "27002550 *27682614

**28352678"

In EP Spec Lines, classify Ford Mustang (99-03) as follows:

EP	Pre p. Lev el	Weight (lbs)	Engi ne Type	Bore x Stroke mm/(in.)	Displ. cc/ (ci) (nominal)	Block Mat'l	Head/P N & Mat'l	Valves IN & EX mm/ (in.)	Carb. No. & Type	Wheel- base mm/(in.)	Track (F/R) mm/(in.)
Ford Mustang (99-03)	2	2700 * 2768 ** 2835	6 cyl. OHV	96.8 x 86.1 (3.81 x 3.39)	3797 (231.7)	Iron	Alum	(l) 47.3 / (1.86) (E) 37.1 / (1.46)	Fuel injection.	2573 / (101.3)	1689 / 1697 (66.5 / 66.8)

Wheels (max)	Trans. Speeds (max)	Brakes Std. (mm/(in.))	Brakes Alt.: mm/(in.)	Fuel Injected Equipped Throttle Body Inside Diameter (mm) +/- .25mm	Notes:
17x8	5	(F) 276 (10.8) Vented Disc (R) 267 (10.5) Solid Disc		56	Comp. Ratio limited to 11.0:1, Valve lift limited to .500".

2. #32218 (Production Committee) EP MX-5 Global Cup Car

Effective 05/01/2022 In EP Spec Lines, Mazda MX-5 Global Cup (16-22), change as follows:

Weight (lbs): "see notes2400"

Notes: "Car preparation is limited to what is permitted by the MX-5 Global Cup rules, and the car must meet all MX-5 Global Cup rules except as otherwise indicated within this spec line. Competitors must have the current MX-5 Global Cup rules in their possession and present them upon request. Sequential gearbox is allowed with +150lbs."

FP

 #32173 (Production Committee) VW Golf Jetta 2.0L intake and exhaust size correction. In FP Spec Lines, Volkswagen Golf III / Jetta III (93-98). change Values IN & EX as follows: "(I) 40.0/(1.57)39.5/(1.56) (E) 33.0/(1.30)32.9/(1.30)"

2. #32213 (Production Committee) Weight Adjustment of Lotus 7 Effective 05/01/2022 In FP Spec Lines, Lotus Super Seven, change Weight as follows (91.7 ci only): "15301580"



In Production, GCR Section 9.1.5.B.5, change as follows:

"Any Improved Touring car meeting all the requirements of ITCS 9.1.3 may compete in the Production class in which the same make, model and engine displacement car is classified. For Improved Touring cars competing in Production, the level of preparation and modifications will be as determined by ITCS 9.1.3 and not by PCS 9.1.5, *however any DOT approved tire as defined by 9.3.45 is allowed*."

Spec Miata None.

Super Production None. Super Touring ST General 1. #32063 (Greg Amy) Improved Touring Tires In STU Table B, Improved Touring Vehicles (1985-), change Notes as follows: "Must completely conform to ITCS requirements. *Tires must conform to 9.1.4, Tires & Wheels*"

In STL Table B, ITA-spec and ITS-spec RX7, change Notes as follows: "Must completely conform to ITCS requirements. *Tires must conform to 9.1.4, Tires & Wheels*"

In STL Table B, ITS, ITA, ITB, or ITC vehicles (1985-), change Notes as follows: "Must completely conform to ITCS requirements. *Tires must conform to 9.1.4, Tires & Wheels*"



Effective 5.1.2022 In STU, GCR Section 9.1.4.H.1., change as follows:

"1. Minimum weights for cars with normally aspirated piston engines will be determined by 1.1 lbs/cc displacement for the installed engine (see following table) the following table. Displacement is the stock displacement for the installed engine. For the purpose of weight assignment, engine displacement will be rounded to the nearest 50cc (e.g., 2176cc = 2200cc and 2175cc = 2150cc)."

Factory Engine Displacement (cc)	Minimum Weight (lbs)
1600	1760
1650	1815
1700	1870
1750	1925
1800	1980
1850	2035
1900	2090
1950	2145
2000	2200
2050	2255
2100	2310
2150	2365 2360
2200	24202400
2250	2475<mark>2440</mark>
2300	25302480
2350	2585 2520
2400	26402560
2640	2695 2595
2500	27502635
2550	2805 2675
2600	28602715
2650	2915 2750
2700	2970 2790
2750	3025<mark>2825</mark>
2800	30802860
2850	3135 2895
2900	31902930
2950	3245 2960
3000	33002990
3050	3355 3025
3100	34103070
3150	3465 3110
3200	35203150

Effective 5.1.2022 In STU, GCR Section 9.1.4.H.2., remove the following:

"3. Normally-aspirated engines with stock displacement of 2551cc-2975cc that breathe through a single throttle body may reduce base engine weight 5%."

Effective 5.1.2022 In STU, GCR Section 9.1.4.H.3., remove the following and renumber:



"4. Normally-aspirated engines with stock displacement 2976cc-3200cc that breathe through a single throttle body may reduce base engine weight 10%."

Effective 5.1.2022 In STU, GCR Section 9.1.4.H.10., change as follows:

"8. All weight adjustments for engines shall be applied first, then that total is to be used as the baseline for any chassis-related weight adjustments. The minimum weight is determined by the installed engine displacement. It is to be used as the base weight for any chassis related adjustments. Chassis related adjustment that are percentage based are performed by adding specified percent first and subtracting specified percentage second if necessary. Final step is addition or subtraction of specified weight in pounds."

Effective 5.1.2022 In STL, GCR Section 9.1.4.2.H.4., change as follows:

"All weight adjustments for engines shall be applied first, then that total is to be used as the baseline for any chassis-related weight adjustments. The minimum weight is determined by the installed engine displacement. It is to be used as the base weight for any chassis related adjustments. Chassis related adjustment that are percentage based are performed by adding specified percent first and subtracting specified percentage second if necessary. Final step is addition or subtraction of specified weight in pounds."

2. #31465 (Chip Herr) Request to Remove A4 1.8t from STU Spec Line Tables
In STU Spec Lines, Table B, Audi A4 Turbo, change as follows:
Model: "Audi-A4/VW 1.8 Turbo"
Minimum Weight: "Chart3050"
Notes: "K04 turbocharger permitted. IHI VF30 turbo with 35mm turbo inlet restrictor permittedrequired."

In STU Spec Lines, Table B, Porsche 944 Max Disp. 1800, change as follows: Minimum Weight: "Chart3050" Notes: "VW/Audi 1.8L 35mm turbo engine permitted inlet restrictor required."

Touring

T1

1. #30791 (Clark Nunes) Weight reduction E&O In T1 Spec Lines, Cadillac CTS/CTS-V Chevrolet Camaro Pontiac Firebird Pontiac GTO 6162 Displ. GM LS3, change Min. Weight as follows: "35003475"

2. #31521 (MITCHELL BENDER) Performance Adjustment Request for Camaro In T1 Spec Lines, Cadillac CTS/CTS-V Chevrolet Camaro Pontiac Firebird Pontiac GTO, 7011 Max. Displ., change weight as follows:

"3550**3500**"

3. #31954 (Andrew Aquilante) Remove 33m Brake rotor thickness rule

In GCR. Section 9.1.9.1.0.11, change as follows:

"Rotors- 1 or 2 piece ferrous rotors that do not exceed 355mm in diameter or 33mm in thickness-are permitted. Maximum brake rotor diameter of 380mm is permitted at a 100 pound penalty."



1. #31995 (Brian LaCroix) C6 Restrictor Help

In T2 Spec Lines, Chevrolet Corvette C6 Coupe / Grand Sport (05-13), change Notes as follows:

"LS2: 5658mm"

T2-T4

1. #31935 (Andrew Aquilante) Reply to letter #31486/29879 T2-T4 Grill openings

In T2-T4, GCR Section 9.1.9.2.D.8.a.8., change as follows:

"For the sole purpose of engine radiator cooling, it is permitted to remove the outermost non-metallic webbed false grill openings that are closed in mesh style factory grill openings. Maximum allowable increase in grill opening area is 16 square inches. The modified grill opening mesh shape and contour must be retained as delivered from the manufacturer. This allowance does not permit modification to dedicated brake-only or intercooler-only grill openings. Note - It is the competitor's responsibility to be able to verify that 16 or fewer square inches have been removed."

Т4

1. #32022 (Touring Committee) BRZ vs BRZ TS In T3 Spec Lines, Subaru BRZ TS (13-21), change car as follows: "Subaru BRZ, *BRZ* TS (13-21)"

Appendix P. Racing Room & Passing Guidelines

Revised January 2022

The Club Road Racing Program sincerely thanks Randy Pobst and Terry Earwood for developing these guidelines defining racing room and passing etiquette. Randy Pobst is a SCCA Hall of Fame member, a National Road Racing and Solo Champion, professional driver champion, and a very experienced driver's coach. Terry Earwood is a legendary Skip Barber driver instructor, professional driver champion, professional driver's coach, and is the current Driver Orientation Manager for the Trans Am Series.

The guidelines were created by Randy and Terry based on decades of racing experience and driver coaching. The guidelines represent what the Club Road Racing Program's intent is for General Competition Rules Section 6.11., Rules of the Road.

1. Racing Room & Passing Guidelines

Safe, successful passing is based on what drivers can see. An overtaking car bears the largest percentage of responsibly for passing safely.

2. Peripheral Vision

The overtaking car (the car attempting a pass) must get into the peripheral vision of the lead car (the car being passed) in the brake zone before the lead car turns for the corner. Once the lead car turns for the corner, it can no longer see the trailing car, because the lead car's mirrors now point outside, and the lead car is looking toward the apex.




Figure 1

Figure 1 shows that the overtaking car has gotten up to the A pillar and into the peripheral view of the lead car before turn in. The overtaking car now has taken the line away and earned the right to racing room on the inside.

To earn the corner, the overtaking car must have its front end up to at least the A pillar post, or windshield, with the car under control, *before* the lead car turns into the corner. The goal is for the overtaking car to present itself, to arrive in the peripheral vision of the lead car, *before* it turns in.

Open Wheel and Sports Racer Overlap

An overtaking open-wheel car or sports racer should have its leading edge of the front tire up to at least the lead car's trailing edge of the front tire (within the leading car peripheral vision) before the lead car begins its turn in (Figure 2). The bodywork configuration of many new formula and sports racer prototypes almost encapsulate the driver from view by other drivers. That is why it is important to get the overtaking car that far up into the lead car's peripheral vision.




Figure 2

3. The Blind Spot




Figure 3 shows at the lead car's turn in point the overtaking car has yet to get even with the A pillar and into the peripheral vision of the lead car. The overtaking car is in a blind spot. Do not pass unless the lead car is much slower and gives racing room.


4. Racing Room

Should the lead car decide to 'go with him', side-by-side, then both cars must allow each other *racing room*, at least a car width plus six inches or so, to the edges of the racing surface. In both cases, the trailing car must be in the lead car's peripheral vision to safely hold position. If not in vision, then the trailing car must back off and follow, because the lead car cannot see it.

The biggest mistake, and a common cause of contact, is the overtaking car taking a shortcut to the apex, from that blind spot (Turn One at Road Atlanta is classic). Pull parallel to the lead car, and as close as safely possible so that he KNOWS you are there. Sometimes, the lead car may turn in early; therefore, the overtaking car must be under enough control to avoid contact.

5. Passing on Straights

On straights, the lead car is allowed "one safe move" (Figure 4). It can choose a side, but cannot move back, and cannot move over in reaction to an overtaking car if late enough to invite contact. It must leave a car's width (plus 6 inches) of racing room if the overtaking car has already committed in that direction and has achieved an overlap next to the leader. No weaving to break the draft or to block; that is more than one move. On straights, as opposed to corner entry, it is possible for the lead car to look into its mirrors and see the overtaking car, so if the overtaking car gets even a small overlap next to the lead car must give the overtaking car room to race, and can no longer move across the track.




When being passed, hold your line. This means be predictable, and do not change your line to pull out of the way. 'Hold your line' does not mean take the line for the apex and turn in front when a much faster car is approaching. Be aware of faster traffic and leave a lane of racing room for them.

Figure 4


6. Overlap on Straights at Turn In

If there is continuous overlap (Figure 5) next to the lead car when the turn in point is reached, the lead car must give the trailing car room to race. The lead car can no longer move completely down to the apex. It is not ok to cut across to the apex and likely into the trailing car's nose. The car was there all the way down the straight and it is not going to suddenly disappear. There now is shared responsibility to avoid contact between the cars.



7. The Vortex of Danger

The Entry Vortex of Danger (Figure 6) is a triangle inscribed by the turn-in point of the lead car, the apex, and the inside edge of the road. Trailing car, do not take a short cut to the apex. If you do, chances are the lead car does not see you. When overtaking, keep out of the Vortex of Danger. It is too late to pass. The hole you see is closing rapidly, you are in a blind spot, there will likely be contact, and it will be your fault.



The Exit Vortex of Danger (Figure 7) is a triangle inscribed by the apex, the track-out point of the lead car, and the outside edge of the road. When attempting a pass on the outside, be aware of the Exit Vortex of Danger, and back out of it if not in the lead car's vision. It is too late to safely pass. The hole you see on the outside is closing rapidly, you are in a blind spot, there will likely be contact, and it will be your fault.





Figure 7

8. The Outside Pass



On this outside pass attempt (Figure 8), the overtaking outside car never presents itself into the vision of the lead car and cannot expect it to make room for a car it cannot see at the exit of the turn. So, the outside trailing car must back off to leave racing room for the inside lead car that cannot see it and avoid the Exit Vortex of Danger. In this situation, if the outside car makes contact or runs off the road, it is most likely their fault.

Turn 5 at Road America is a prime example of where a lead car may protect his line by not using all the track on the right. The overtaking car, in this example, needs to clearly 'present himself' in the braking zone before turn in, because the lead car is looking into the corner, not at his right mirror, and in all probability will not leave racing room at the exit. Outside passing works well when both drivers have excellent spatial awareness but is a very low percentage move in most cases.

Safe, successful passing depends on what a driver can see. Do not hit what you can see!



CLUB RACING BOARD MINUTES | March 1, 2022

The Club Racing Board met by teleconference on March 1, 2022. Participating were John LaRue, Chairman; David Arken, David Locke, Jim Goughary, Peter Keane, Sam Henry, Tom Start and Shelly Pritchett, secretary. Also participating were: Chris Albin, Clay Turner, Dayle Frame and Peter Jankovskis, BoD liaisons; Eric Prill, Chief Operations Officer, Deanna Flanagan, Director of Road Racing, Rick Harris, Club Racing Technical Manager and Scott Schmidt, Series Tech Chief. The following decisions were made:

Member Advisory

SM

1. #31956 (Spec Miata Committee) Ralph Provitz

SMAC would like to thank Ralph Provitz for his years of service and commitment to the SMAC Committee and racers. Ralph has been a key part of the SMAC for many years and has countless hours of personal time invested to help make Spec Miata one of the best classes in SCCA racing. When you see Ralph, please thank him for his service.

Т4

1. #32192 (Griffin Gamcsik-Uly) Request Cleaning Up T3 + T4 Makes/Models Not Seen

The Touring Committee recognizes that there are many spec lines in the Touring categories that have gone unused. We would like to delete unused spec lines but we do not want to accidentally miss anyone that is outside of our radar. In the coming months, we will put a comment in the "notes" section of suspected unused spec lines. The note will state that this spec line is scheduled "To be removed as of 1/2023- Please comment". If you or someone you know is occasionally using the spec line, submit a letter and we will not remove it. Please submit corrections prior to 12/1/2022.

Please note- Only suspected unused spec lines apply.

No Action Required

Ρ1

 #32340 (Jeff Shafer) Data monitoring in P1 Thank you for your letter. The Club Racing Board appreciates your comments.
 #32360 (Chip Romer) Newest Generation 1L Motorcycle Engine Thank you for your letter. The Club Racing Board appreciates your comments.

GCR

1. #31458 (Eric Prill) Restart Procedures Thank you for your letter. Please see response to letter # 32210 in current Fastrack.

2. #32211 (Steve Pence) Restart Procedure

Thank you for your letter. Please see response to letter # 32210 in current Fastrack.

3. #32248 (James Rogerson) Following Safety Car/Pace Car

Thank you for your letter. Please see response to letter # 32176 in current Fastrack.



General

1. #31839 (Harley Kaplan) Rules Stability

Thank you for your letter, there is a common misconception that BoP adjustments are rule changes and after speaking with you that difference should now be understood. Rules changes generally only occur at the beginning of the year while BoP changes are made post Runoffs. Your issue seems to be with BoP changes.

The BoP process involves making changes primarily based on data collected using the AiM Solo; changes are made post Runoffs through the end of June. If you would like to learn more about the BoP process, please log into your profile on SCCA.com and look for the presentation from the 2022 convention which explains the BoP process in detail.

2. #32015 (Paul Anderson) Volunteering to Participate on a Club Racing Board.

Thank you, Paul, for your interest. There are currently no openings on the Club Racing Board. We would recommend that you join one of our Advisory Committees.

3. #32244 (Eric Yagel) BSAC Members Thank you for your letter.

T1

1. #32327 (Matthew Davis) GM T1 Suspension Kit Discontinued

Thank you for your letter. Please reference the 10 bullet points written in the introduction of the T1 rules- Bullet # "4. Use any spring and/or sway bar rate, configuration must remain OE. Ferrous springs and sway bars only."

Т2

1. #31960 (Scotty B White) ONLY BOP is the 6th Place Car

Thank you for your letter. It was never our intention to slow the car. We liked seeing the Viper run in T2. The problem is that your Viper was consistently over 150 mph, while the rest of the field was consistently trapping near 144 mph. Our Post Runoffs adjustments also included a weight reduction, which we thought would assist in tire preservation.

Based on the data reviewed from Sebring, it appears that the adjustments bring the Viper more in-line with the class's trap speeds and lap times. We will continue to watch the car.

T2-T4

1. #32084 (Tim Myers) Feedback letter #31067 Allow the Use of Aftermarket EC - vote NO Thank you for your letter. Please see letter # 31067 in current Fastrack.

2. #32094 (Raymond Blethen) Oppose ECU Rule Change Proposals Thank you for your letter. Please see letter # 31067 in current Fastrack.

Not Recommended

FA

1. #32337 (Jeff Shafer) Swift 016 restrictor

Thank you for your letter. The Club Racing Board does not recommend this change. Please see the responses to letters #31952, #32002, and #32093 in the March 2022 Fastrack.

SCCA Fastrack News



2. #32362 (Chip Romer) Request BoP Swift 016

Thank you for your letter. The Club Racing Board does not recommend this change. Please see the responses to letters #31952, #32002, and #32093 in the March 2022 Fastrack.

GCR

1. #31796 (Mike Ogren) Idle Air Bypass Motor Oversite

Thank you for your letter. You are correct that there are cars where all air does not enter the engine through the carburetor or throttle body, in classes/categories where this is an issue it will be referenced in the specific rule set and not though a global rule.

2. #32163 (SCCA Staff) Interpreting and Appling the GCR

Thank you for your letter. There are classes in the GCR that this addition would create conflicts in as their rule set is restrictive in philosophy and not permissive. In other words: unless it says you can't, then you can.

3. #32210 (Steve Pence) Start Procedure

Thank you for your letter. Since the Runoffs is a once a year stand-alone event, this change would be better addressed in the Runoffs Supplemental Regulations than in the GCR.

General

1. #32300 (Andrew Aquilante) Request to include dates of letters submitted in Fastrack

Mr. Aquilante, Thank you for your suggestion concerning letter submission dates. The CRB is acutely aware of the problem with "aging" letters and is working to rectify such. Recently, the SCCA Staff has begun preparing an "aging report" which helps us to monitor those letters that have gotten bogged down in the system. This problem is exacerbated by the fact that on many of our Advisory Committees we simply lack in the number of qualified volunteers. Touring is one of those committees that is short-staffed. And while if these were paid positions, we could certainly be more demanding, in the end they are not, and we can't. The answer to this problem is for more qualified people to volunteer for the advisory committees. In this regard we would ask that you encourage your friends and competitors to consider this opportunity to help our organization. They may submit their resume and letter of interest to crbscca.com.

EP

1. #32189 (Michael Cooke) Performance adjustment 1986 - 1991 Mazda RX7

Thank you for your letter. With other adjustments that have been recently made in EP to other front running classifications, an additional change with the RX7's is not recommended at this time. The overall competition balance of the class will continue to be monitored as this racing season continues.

2. #32291 (Danny Bradshaw) Convertible factory designed cars

Thank you for your letter. The practice of removing the front windshield frame-work from convertible cars has been a longstanding allowance in Prod, and there is no desire or need to deviate from that. If a competitor decides to retain that structure, and even add a hardtop if they want, that is also allowed. Specific roll-cage construction rules exist for either configuration.

3. #32325 (James Rogerson) Z3 engines



Thank you for your letter. The allowed alternate head is only permitted with the allowed alternate block, as an entire originally mated together engine assembly. The purpose is not to allow mixing and matching of heads and blocks between the iron block engine and the aluminum block engine.

STL

1. #32239 (Matt Rooke) Alternate/Aftermarket Subframe Thank you for your letter. Your request is inconsistent with class philosophy.

STU

1. #32282 (Cameron Wagner) Rule 9.1.4.F.1 - Adjust Wheel Width Min Weight Thank you for your letter. We would like to see the effect of the new weight chart before making adjustments to the wheel width rule.

2. #32297 (Tim Pitts) Proposed weight change to Porsche 944/ Audi 1.8T spec. line Thank you for your letter. The available data has shown the Audi/VW 1.8T is competitive as specified.

3. #32306 (Bill Damron) Clarification on OEM crankshaft interchangeability Thank you for your letter. An alternate crankshaft must be of identical dimensions.

Т4

1. #32144 (Benjamin Merwin) MX-5 Weight Penalty Thank you for your letter. Data reports and race results show that the NC Mx5 is very competitive.

2. #32146 (Brian Price) 2016 ND MX5 Competition Adjustments.

Thank you for your letter. It is our opinion that the ND should be capable of making enough power to compete in T4. We did approve a spring package comparable to the NC MX-5. This should significantly improve the car.

Recommended Items

The following subjects will be referred to the Board of Directors for approval. Address all comments, both for and against, to the Club Racing Board. It is the BoD's policy to withhold voting on a rules change until there has been input from the membership on the presented rules. Member input is suggested and encouraged. Please send your comments via the form at www.clubracingboard.com.

SM

1. #32326 (Spec Miata Committee) Dyno Request

SMAC would like to request the use of a dyno at the 2022 June Sprints and the 2022 Runoffs to further use for validation and evaluation of BOP in the class.

STU

1. #32298 (Tim Pitts) Reinstate the 33mm Restrictor in STU In STU, GCR Section 9.1.4.1.H.6., add to chart the following: Inlet Restrictor (mm): "33" Minimum Weight (Ibs): "2380"



Taken Care Of None.

What Do You Think

None.

RESUMES

1. #31957 (Spec Miata Committee) Steve Bertok

SMAC would like to announce Steve Bertok of Panic Motorsports as our newest SMAC member. Steve brings a wealth of SM experience to the table from building, maintaining and racing Spec Miata's. Steve has an area of expertise with the NB2 platform and we look forward to the knowledge Steve will bring to the SMAC.

2. #31468 (Kyle Colbey) ITAC Committee Interest

Thank you for your resume. Welcome to the Improved Touring Advisory Committee.



EFFECTIVE FIRST DAY OF THE MONTH UNLESS OTHERWISE NOTED DATE: March 20, 2021 NUMBER: TB 22-04 FROM: Club Racing Board TO: Competitors, Stewards, and Scrutineers SUBJECT: Errors and Omissions, Competition Adjustments, Clarifications, and Classifications

All changes are effective 4/1/2022. If any day of a race event falls on the first day of the month, the previous month's rules will be in effect for that event only. The new rules will become effective at the conclusion of the race event, unless otherwise noted.

American Sedan

None.

B-Spec

None.

Electric Vehicle

None.

Formula/Sports Racing

FA

#32251 (Club Racing Board) E&O FA Transmission section
 In FA, GCR section 9.1.1.A.3.d, add the following:
 "Gearboxes with shafts that are transverse to the longitudinal axis of the chassis are not allowed. The soleonly exceptions are the gearbox final drive (crown_wheel) shaft axis and final drive shafts (half shafts) and the motorcycle gearbox permitted in Formula 1000 cars in Table 2 below."

2. #32363 (Club Racing Board) E&O Swift 016 2.5 liter Aero column In FA Table 2, Swift 016 2.5 liter spec line, change as follows: "See 2.3 liter Nnotes"

PΧ

#32416 (Club Racing Board) PX Classification Clarification After Move to GTX
 Effective 3/1/2022 per RM 22-02, In 9.1.8.H PX Classification, remove currently classified cars as follows as they have all been moved to GTX:

 Daytona Prototype Gen #1 (2003-2007):
 Daytona Prototype Gen #2 (2008-2011):
 Daytona Prototype Gen #3 (2012-2016):
 Daytona Prototype International (2017-Present):
 IMSA GTP (1981-1995)
 IMSA Camel Light (1985-1993)
 Le Mans Prototype 2 (1999-Present)
 Le Mans Prototype 3 (2017-Present)
 Le Mans Prototype Challenge (2009-2018)

11. World Sports Car (1994-1998)

12. Vehicles listed in Table 1 below

SCCA Fastrack News



	Table 1						
Marque	Model	Engine	Restrictor	Min Weight (Ibs)	Notes		
Radioal	SR8	RPE 2.7L V8	NA	1775			
Radioal	SR10	Ford Ecoboost 2.3L High Output 4 oyl. Turbo	NA	1825			
Radioal	RXC Spydor	Ford Ecoboost 3.5L V6 Turbo / RPE 2.7L V8	NA	2400			
Radioal	RXC 600R	Ford Ecoboost 3.5L V6 Turbo	NA	2675			
Revolution	A One	Ford 3.7L V6	NA	1925			
Suporlito	Aoro	Sealed Katech GM LS3 6.2L V8	NA	2180			
Superlite	SL-C	GM LS7 7.2L V8	NA	2625	Must comply with specifications found hore: https://www. seca.com/pages/- technical forms and downloads		

GCR

1. #32176 (James Rogerson) Pace/Safety Car procedures

In Racing Rules and Procedures, GCR Section 6.6.2, change as follows:

"A safety car and/or the lead car will be used to control the field and to assure expeditious restarts. All vehicles must pass any on track incident(s) well under control. *The field shall follow the Pace/Safety car as long as its emergency lights are on, even if it varies from the course.*"

2. #32373 (Club Racing Board) After Market to Aftermarket In F500, GCR Section 9.1.1.D.15.D., change as follows:

"Stand-alone after marketaftermarket ECUs are not permitted."

In P2, GCR Section 9.1.8.F.3.a., change as follows:

"As manufactured and ground by Oldsmobile or by an after after marketaftermarket cam manufacturer to Oldsmobile factory specifications for Vin.A (W41) or Mantapart #OP 1149."



In P2, GCR Section 9.1.8.F.3.b., change as follows:

"As manufactured and ground by Oldsmobile or by an after marketaftermarket cam manufacturer to Oldsmobile factory profile Vin. D or Mantapart #OP 1148."

General

None.

Grand Touring

GT3 1. #31677 (Tim Myers) GT3 TCR Car Feedback In GT3 Spec Lines, GT3-TCR, change as follows: Make/Model Audi RS3 LMS (2016-2020) SEQ: Power Level: "100%90%" Weight: "31753177"

Notes: "Must use 200 tread wear tires. *No tire shaving permitted. Stock TCR wheels only.*" Make/Model Audi RS3 LMS (2016-2020) DSG: Power Level: "100%90%" Notes: "Must use 200 tread wear tires. *No tire shaving permitted. Stock TCR wheels only.*"

Make/Model Honda Civic Type R (2016-2020): Power Level: "100%90%" Weight: "32003210" Notes: "Must use 200 tread wear tires. *No tire shaving permitted. Stock TCR wheels only.*"

Make/Model Hyundai I30N (2016-2020): Power Level: "100%90%" Weight: "32003254" Notes: "Must use 200 tread wear tires. *No tire shaving permitted. Stock TCR wheels only*."

Make/Model Volkswagen Golf GTI (2016-2020) SEQ: Power Level: "100%90%" Weight: "31753177" Notes: "Must use 200 tread wear tires. *No tire shaving permitted. Stock TCR wheels only.*"

Make/Model Volkswagen Golf GTI (2016-2020) DSG: Power Level: "100%97.5%" Notes: "Must use 200 tread wear tires. *No tire shaving permitted. Stock TCR wheels only.*"

Improved Touring None.

Legends Car None. SCCA Fastrack News



Production

1. #32170 (John Warren) Mazda RX8 with 13b Rotary

In EP Spec Lines, Mazda RX-8 (04-11) (alternate), make the following changes to Carburetor. No. & Type: "Renesis: Fuel Injection. 13B: d(1) Auto-type 2 bbl *carb* w/ 42mm choke(s) on a "dual-y" manifold, (1) 2 bbl fuel injected throttle body w/ 42mm choke(s) on a "dual-y" manifold, or stock 13B fuel injection."

FP

1. #32394 (Production Committee) Correct FP BMW 325e/es Displacement In FP Spec Lines BMW 325e/es (84-87), correct the displacement as an E&O: "16472693"

ΗP

1. #32241 (Brian Metcalf) Classify VW New Beetle in HP.

In HP Spec Lines, classify Volkswagen New Beetle (98-05) as follows:

HP	Prep. Level	Weight (lbs)	Engine Type	Bore x Stroke mm/(in.)	Displ. cc/ (ci) (nominal)	Block Mat'l	Head/PN & Mat'l	Valves IN & EX mm/ (in.)	Carb. No. & Type	Wheel- base mm/(in.)	Track (F/R) mm/(in.)
Volkswagen New Beetle (98-05)	2	2350 * 2409 ** 2468	4 cyl SOHC	82.5 x 92.5 (3.25 x 3.63)	1984 (121.1)	Iron	Alum	(l) 39.5 / (1.56) (E) 32.9 / (1.30)	Fuel Injection	2515 / (99.0)	1615 / 1594 (63.6 / 62.8)

Wheels (max)	Trans. Speeds (max)	Brakes Std. (mm/(in.))	Brakes Alt.: mm/(in.)	Fuel Injected Equipped Throttle Body Inside Diameter (mm) +/25mm	Notes:
17x7	5	280 / (11.0) Disc 232 / (9.10) Disc		Stock Throttle Body ID	Comp. Ratio limited to 11.0:1. Valve lift limited to .425".

Prod General

1. #32178 (Joe Camilleri) Request Idle control valve clarification

In Production, GCR Section 9.1.5.E.1.b.9, add the following:

"Stock/original idle control devices can be utilized in their original, unmodified location and condition, or completely removed and any resulting openings blocked off. A mechanical stock/original idle control device can be replaced with an electronic stock/original type of idle control device, with the original mechanical idle ports in the throttle body blocked off."

In Production, GCR Section 9.1.5.E.2.b.9, add the following:

"Stock/original idle control devices can be utilized in their original, unmodified location and condition, or completely removed and any resulting openings blocked off. A mechanical stock/original idle control device can be replaced with an electronic stock/original type of idle control device, with the original mechanical idle ports in the throttle body blocked off."



Spec Miata

1. #32217 (Spec Miata Committee) Update GCR Section 9.1.7.3.A.1.

In SM, GCR Section 9.1.7.3.a.1., change as follows:

"b. All 2020 Majors competitors must run the newauthorized Penske shock and mount.

c. Regional competitors are not required to run the new Penske shock and mount-until AT. LEAST 2021, and may not be required to switch. This will be evaluated each year."

Super Production

None.

Super Touring

STU

1. #31535 (Griffin Gamcsik-Uly) Request Adjustment to Min Weight for STU BMW E36 M3 (95-99)

In STU Spec Lines, BMW E36 M3 (95-99), change as follows:

Car: "BMW E36 M3 (95-99)S52B32"

Maximum Displacement: "32003152"

Weight: "32003110"

Notes: "Engines are permitted 0.040 overbore, 0.5 point increase in compression. Engines must use the OEM camshaft lift and stock intake plenum."

2. #31866 (Ryan Hameetman) BMW E36 M3 Canadian (North American) S50B32 engine In STU Spec Lines, BMW S50B32 Euro, classify as follows:

STU	Maximum Displacement (cc's)	Minimum Weight	Notes
BMW S50B32 Euro	3201	3300	Engines are permitted 0.040 overbore, 0.5 point increase in compression. Engines must use the OEM camshaft. Engine must use stock intake plenum.

3. #32209 (Jon McLendon) Engine Swap Origin Country

In ST, GCR Section 9.1.41.G.2., change as follows:

Engines from vehicles not available in a car delivered in North Americathe United States will be considered and approved on a case-by-case basis for use in ST. For an engine to be considered, a member must submit a classification request to the CRB with the following information:

4. #32214 (Stephen Wheeler) CRX/Civic Del Sol

In STU, classify Honda CRX (84-91) as follows:

STU	Maximum Displacement (cc's)	Minimum Weight	Notes
Honda CRX (84-91)		Chart	Ineligible for front wheel drive weight reductions.



In STU, classify Honda Civic Del Sol (93-97) as follows:

STU	Maximum Displacement (cc's)	Minimum Weight	Notes
Honda Civic Del Sol (93-97)		Chart	Ineligible for front wheel drive weight reductions.

5. #32383 (Super Touring Committee) Error correction

In STU, GCR Section 9.1.4.1.F.1, change as follows:

"Wheels may not exceed 18 inches in diameter and 8.0 inches in width for vehicles under 2950 lbs. base weight. Vehicles over 2951 with base weight equal to or over 2950 may use a 9 inch wide wheel."

6. #32393 (Club Racing Board) Single TB Weight Modifiers Add to Chart

Effective 5.1.2022 In STU, GCR Section 9.1.4.H.1., add to chart as follows:

Factory Engine Displacement (cc)	Minimum Weight (lbs)
2450	2695 2596
2500	27502635
2550	2665 2675

Touring

T1

1. #31942 (Scotty B White) Viper/Z06 Parity In T1 Spec Lines, Dodge Viper ACR, change as follows: Car: "Dodge Viper ACR / *SRT RT-10*" Maximum Displ.: "83008400 OEM" Min. Weight: "36003550"

2. #32293 (Touring Committee) Discrepancy in T1 allowances
In T1, GCR Section 9.1.9.1. Limited T1, change as follows:
"In addition to T2 specifications all T1-LPA// T1 cars are permitted to:"

3. #32352 (Touring Committee) T1 RX7 classification

In T1 Spec Lines, classify Mazda RX-7, as follows:

T1	Maximum Displ.	Min. Weight	Required Restrictor	Engine Notes	Chassis Notes
Mazda RX-7		2700lbs	44mm TIR	13B Rotary	A single Garrett Turbo #3076 permitted



Т2

1. #32243 (Charlie Peter) BMW M2 CS Cup 2020- Exhaust

In T2 Spec Lines, BMW M2 CS Cup 2020-, change Notes as follows:

"DOT approved tires required. All other components must be as homologated from BMW Motorsports. No other changes or Touring rule allowances permitted *unless noted below*. It is permitted to remove door glass and mechanism. It is mandatory to run the "Purple" power stick part #8324089. *BMW exhaust part # 18302459928 allowed*. Hot country package allowed including part numbers: (aKMK LH 17 10 8342846 1, aKMK RH 17 10 8328139 1, 17 10 8328135 1, 17 10 8328136 1, 17 10 8328137 1, 17 10 8328138 1, ISO7380-2 M5X14 10.9 ZNSW 17 10 8436008 2, 17 10 8417424 1.)"

T2	Bore x Stroke(mm)/ Disp. (cc)	Wheel- base (mm)	Max Wheel Size (inch)	Tire Size (max)	Gear Ratios	Final Drive	Brakes (mm)	Weight (lbs)	Notes:
Cadillac CT4-V Blackwing (2022-)	94 x 85.6 3564	2776	(f) 18 x 10 (r) 18 x 11	295	MT 2.66, 1.78, 1.30, 1.00, 0.8, 0.63 AT 4.70, 2.99, 2.16, 1.78, 1.53, 1.28, 1.00, 0.85, 0.69, 0.64	MT 3.73 AT 2.85	380 (f) 339 (r)	3800	ECU and all other computers must remain unmodified and must utilize OEM programming unless noted below. Carbon Fiber package RPF-PFZ allowed. Rear spring allowed #84004133. eLSD Calibration permitted.

2. #32263 (Derek Zalewski) RequestT2 classification- 2022 Cadillac CT4-V Blackwing In T2 Spec Lines, classify Cadillac CT4-V Blackwing (2022+) as follows:

T2-T4

1. #31067 (Harley Kaplan) Request to Allow the Use of Aftermarket ECU's in Touring

In T2-T4, GCR Section 9.1.9.2., Introduction, add as follows:

"Touring car eligibility: Cars are eligible for the class they are listed with a specification line and with the specific allowances permitted. In addition T2-T4 cars may race one class up in touring classes above their specification line class as long as they are a legal T2-T4 car and conform to their specification line allowances as classified.

Note-Model year cars 2018 or later may request a spec line adjustment which permits use of a non-oem ECU with a 75# weight addition."



Т3

1. #31959 (Scotty B White) T3 Mustang V8/V6 In T3 Spec Lines, Ford Mustang V6 (11-14), change weight as follows: "34003350"

2. #32294 (Touring Committee) Subaru STI (15-20) Missing part In T3 Spec Lines, Subaru STI (15-20), add to Notes the following: "*SPC lower control arm 67660 allowed*."

Т4

1. #31685 (Griffin Gamcsik-Uly) Request JWT BSR Kit for 02-06 Nissan Sentra SE-R/Spec V In T4 Spec Lines, Nissan Sentra SER Spec-V (02-06), add to Notes the following: "Balance shaft removal kit- OQR25-NOBAL permitted."

2. #31972 (Griffin Gamcsik-Uly) Please Confirm Touring 4 (98-00) BMW 323 is E46 generation In T4 Spec Lines, BMW 323 (98-00), change Wheelbase and Final Drive as follows: Wheelbase: "27002725" Final Drive: "2.933.07"

3. #32151 (Josh Smith) RX-8 Spring Part Numbers (E&O)

In T4 Spec Lines, Mazda RX-8 Base/R3/Sport/ GT (04-12), change Notes as follows:

"Mazdaspeed radiator #0000-01-8501 allowed. Use of 2009 R3 transmission is permitted with alternate gear ratios as listed. R3 transmission must be paired with the listed alternate final drive. Mazdaspeed coil spring kit #QSEA-34-01Z allowed. 60mm flat plate restrictor required. OE Rear spoiler allowed #F151-V4-920F. OE front air dam allowed #F151-V4-900f-BB. Eibach springs 0000-04-9700-08, 0000-04-9400-07, Springs Allowed: (F) Mazda Motorsports- 0000- 04-9700-08 or Eibach- 0800.250.0700 (R) Mazda Motorsports- 0000-04-9400-07 or Eibach 0700.250.0400, and Helper 0000-04-9926 allowed. Alternate sway bars allowed max 32mm (f) 19mm (r)."

4. #32249 (Chris Taylor) 04-09 Mazda3 Tire Limit Clarification In T4 Spec Lines, Mazda3 s (04-09), change Tire Size as follows: "235245"

5. #32252 (Rich Grunenwald) Shock Part Number Errors & Omissions
In T4 Spec Lines, Ford Mustang V6 (05-10), change Notes as follows:
"Koni part numbers 8741.14948741-1494SPORT (front) and 8741.12408241-1240SPORT (rear)."

6. #32262 (Benjamin Bunk) Update Solo Spec Coupe to latest '20 specs for Road Racing
 In T4 Spec Lines, Scion FR-S Solo[®] Spec Coupe (13-16), change Notes as follows:
 "Modifications limited to 2018/2020 SCCA[®] Solo[®] Spec Coupe Official Specifications, dated 1-30-2018/Rev 7/20."

In T4 Spec Lines, Subaru BRZ Solo[®] Spec Coupe (13-16), change Notes as follows: "Modifications limited to 20182020 SCCA[®] Solo[®] Spec Coupe Official Specifications, dated 1-30-2018*Rev* 7/20."



7. #32265 (Brian Price.) Request 2016 Mazda MX5 springs

In T4 Spec Lines, Mazda MX-5 Miata/Club (16-18), add to Notes the following:

"Suspension package permitted with a 100 lbs. weight increase that includes the following parts: front springs #0000-04-9700-08, rear springs #0000-04-9400-07, helper springs #0000-04-HLPR-EB (optional)."



COURT OF APPEALS

JUDGEMENT OF THE COURT OF APPEALS Kip VanSteenburg vs. SOM COA Ref. No. 22-01-SE February 17, 2022

FACTS IN BRIEF

Following the Saturday, January 8, 2022, Group 1 Race 1 of the Palm Tree Majors at Homestead-Miami Speedway, Stu Cowitt, Assistant Chief Steward (ACS) filed a Request for Action (RFA) to investigate contact between Touring 2 (T2) #33, driven by John Yarosz, and Super Touring Under (STU) #4, driven by Kip VanSteenburg, at Turn 12 (Nascar Turn 4) for possible violation of General Competition Rules (GCR) 6.11.1.

The Stewards of the Meeting (SOM) John Edridge, Herbert Gomez, and Chuck Shapiro (Committee Chairman) met to hear and rule on the RFA. The SOM determined Mr. VanSteenburg violated GCR 6.11.1.A. (Avoidable contact) and 6.11.1.B. (Right to Racing Room) and assessed a three race weekend probation, which incurred three penalty points on Mr. VanSteenburg's competition license. Russ Gardner, Chairman of the SOM for the event issued the decision.

Mr. VanSteenburg appealed the ruling of the SOM.

DATE OF THE COURT

The SCCA Court of Appeals (COA) Costa Dunias, Jack Kish, and James Foyle (Chairman) met on February 17, 2022, to review, hear, and render a decision on the appeal.

DOCUMENTS AND OTHER EVIDENCE RECEIVED AND REVIEWED

- 1. Appeal letter from Kip VanSteenburg, received by SCCA January 19, 2022.
- 2. Official Observer's Report and related documents, received February 9, 2022.
- 3. Video from T2 #33, received February 9, 2022.
- 4. Videos (front and rear facing) from STU #4, received February 9, 2022.
- 5. Witness statements from Jorge Ortiz and Don Ahrens, received February 9, 2022.
- 6. Basis for SOM Decision submitted by Russ Gardner, received February 11, 2022.
- 7. Email statement from John Yarosz, dated February 17, 2022.
- 8. Email statement from Russ Gardner, dated February 22, 2022.

FINDINGS



In his appeal, Mr. VanSteenburg described the circumstances leading to the contact between his car and that of Mr. Yarosz. He also provided previously unavailable videos recovered from his in-car camera. Mr. VanSteenburg disagreed with the decision of the SOM.

The SOM interviewed Mr. VanSteenburg, viewed video from T4 #33 provided by Mr. Yarosz's crew, and heard or reviewed other witness statements. Mr. Yarosz was not available for interview. Mr. Gardner reported the SOM concluded Mr. VanSteenburg made an abrupt move to the left, thereby depriving Mr. Yarosz of racing room and initiating the contact in violation of GCR 6.11.1.A. (Avoidable contact) and 6.11.1.B. (Right to racing room).

The COA reviewed all documents and video evidence provided to the SOM at the track. Additionally, the COA reviewed all new evidence and witness statements, including front and rear facing video from Mr. VanSteenburg's STU #4 and his in-depth explanation of the incident. Mr. Gardner's email statement from February 22, 2022, was not considered as it was not received within the documented time limits.

The video evidence revealed Mr. VanSteenburg's car experienced a rapidly deflating right front tire on the banking entering Turn 12, causing the car to move slightly upwards on the banking. The car immediately slowed noticeably, which caused it to move down the 18-20 degree embankment. The forward-facing video from STU #4 showed Mr. VanSteenburg's hands steady on the steering wheel, making no abrupt changes in direction. Meanwhile, Mr. Yarosz, from approximately six car lengths behind, as seen from Mr. VanSteenburg's rear-facing camera, initiated a pass to the left of Mr. VanSteenburg's car as it steadily descended the banking. Mr. Yarosz failed to clear Mr. VanSteenburg's car as it approached the apron, thus making contact. Neither car was able to continue.

The COA finds the videos and witness statements do not support the SOM's decision and Mr. VanSteenburg is not in violation of GCR 6.11.1.A. and 6.11.1.B. Mr. Van Steenburg's probation is cancelled. His full competition license will be returned and the three points assessed on his license will be removed.

DECISION

The COA overturns the SOM decision in its entirety. Mr. VanSteenburg's appeal is well founded, and his appeal fee, less the administrative portion retained by SCCA, will be returned.



CLUB RACING BOARD MINUTES | April 5, 2022

The Club Racing Board met by teleconference on April 5, 2022. Participating were John LaRue, Chairman; David Locke, Jim Goughary, Sam Henry, Tom Start, Tony Ave and Shelly Pritchett, secretary. Also participating were: Chris Albin, Clay Turner and Dayle Frame, BoD liaisons; Eric Prill, Chief Operations Officer, Deanna Flanagan, Director of Road Racing, Rick Harris, Club Racing Technical Manager and Scott Schmidt, Series Tech Chief. The following decisions were made:

Member Advisory

P1

1. #32544 (Club Racing Board) Prototype SIR Compliance

MA – 22-01

The Club Racing Board has become aware that P1 competitors are attempting to defeat the SIR stall test by programming the ECU to shut down the engine when it senses a drop in RPM to avoid the detection of controlled leaks in the air box. The rules clearly state that the introduction of air behind the SIR by any means is prohibited.

The CRB is developing innovative methods for detection and requests that the Stewards of the Meeting (SOM) employ zero tolerance in connection with any SIR infractions or attempts to defeat the SIR stall test."

For additional details, contact the tech department at SCCA.

No Action Required

B-Spec

1. #31392 (Brandon Vivian) Specify Mini Cooper Ride Height to 6

Thank you for your letter. There were numerous letters related to ride height submitted to the committee - all have been closed with the exception of the first letter which has been tabled pending the implementation and subsequent evaluation of the latest BOP changes.

2. #31439 (John Phillips) Request to Raise Mini Ride Height

Thank you for your letter. There were numerous letters related to ride height submitted to the committee - all have been closed with the exception of the first letter which has been tabled pending the implementation and subsequent evaluation of the latest BOP changes.

3. #31642 (Alex Ratcliffe) Request to Equalize Ride Height for all Cars at 5.5 inches

Thank you for your letter. There were numerous letters related to ride height submitted to the committee - all have been closed with the exception of the first letter which has been tabled pending the implementation and subsequent evaluation of the latest BOP changes.

4. #31987 (Billy Parrott) R-58 Mini Request

Thank you for your letter. The B-Spec Advisory Committee has recently submitted their BOP recommendations to the CRB as previously published.

5. #32285 (Kevin Stuckey) B Spec advisory committee meetings Thank you for your letter.

6. #32286 (Kevin Stuckey) B Spec advisory committee meetings Thank you for your letter.



EFFECTIVE FIRST DAY OF THE MONTH UNLESS OTHERWISE NOTED 7. #32313 (Steven Pounds) Feedback on current proposals and discussions Thank you for your letter supporting the Club Racing Board's clarification on acceptable components.

8. #32322 (Steve Kaster) OE or Spec line catalytic converter only Thank you for your letter supporting the Club Racing Board's clarification on acceptable components.

F5

1. #32221 (H. Cory McLeod) Letter #31896 - Support Name Change for F500 Thank you for your letter. Please see the response to letter #31896 in this Fastrack's Minutes.

2. #32222 (Scott Thorp) Should the class name be changed to F600 (F6) Thank you for your letter. Please see the response to letter #31896 in this Fastrack's Minutes.

3. #32223 (Lance C Spiering) Support F500 Change to F600 Thank you for your letter. Please see the response to letter #31896 in this Fastrack's Minutes.

4. #32231 (Aaron Fitzsimmons) Supports F600 name change Thank you for your letter. Please see the response to letter #31896 in this Fastrack's Minutes.

5. #32232 (Aaron Ellis) Opposes F500 Class Name Thank you for your letter. Please see the response to letter #31896 in this Fastrack's Minutes.

6. #32235 (Calvin Stewart) Supports changing class name to F600 or F6 Thank you for your letter. Please see the response to letter #31896 in this Fastrack's Minutes.

FA

1. #32490 (Andy Hill) F3 Motor seals Thank you for your letter. Please see the response to letter #32523 in this Fastrack's Technical Bulletin.

GCR

1. #32354 (Andrew Aquilante) Review Rearview mirror requirements in closed wheels classes Thank you for your letter. The rules are adequate as written. We agree that it is a driver's responsibility to use them appropriately.

General

1. #31410 (Kent Carter) B-spec Transparency Thank you for your letter.

GT2

1. #32083 (Zachary Slater) Request addition of car to GT2 Thank you for your letter. Please see letter #32424 in current Fastrack for further details concerning your request.

GTX

1. #32310 (Randall Smart) McLaren 720SThank you for your letter. Please see letter # 31955 in March 2022 Fastrack.SCCA Fastrack NewsApril 2022



IT General

1. #32277 (Tim Myers) Feedback letter #32064 IT/Prod implications

Thank you for your feedback regarding 200TW tires, we will keep this in mind moving forward.

EP

1. #32324 (James Rogerson) Adapter plate for Z3 manifold

Thank you for your letter. The spec line for this vehicle includes the part number for the correct throttle body adapter plate to match its stock intake manifold to its approved alternate throttle body. The adapter plate the letter writer is referencing is for the incorrect 3.0L intake manifold.

Т2

1. #32446 (Tim Myers) T2 Feedback Thank you for your letter. The T2 Cadillac spec line in question is being re-evaluated.

Т3

1. #32501 (Jim Leithauser) Mustang EcoBoost

Thank you for your letter. The ad promotes the car as something other than a T3 car, then provides the power numbers- "Car is eligible in SCCA, NASA, Trans Am GT, WRL and AER. Dyno shows 451 ft pounds of torque and 323 horsepower."

That HP number is not the power in T3 trim, with the 34mm restrictor. To support this point using Indy Runoffs data; the Ecoboost Mustang had a 6 mph disadvantage to the 2nd place Z4. This data comes from SCCA confidential data as well as the official race time cards.

Т4

1. #32411 (Luis Goncalves) FRS/BRZ/86 Wheels

Thank you for your letter. At the time of this response, Enkei RPF01 wheels were in stock at Tire Rack. These are the most popular wheel on the T4 BRZ. The BOP in T4 is based on the BRZ running 7" wide wheels. Any change to that spec would throw off the class.

Not Recommended

B-Spec

1. #31354 (Rob Piekarczyk) Request elimination of catalytic converter Thank you for your letter. Eliminating catalytic convertors will not have an impact on some models, and will speed other models up thus substantially changing the BOP.

2. #31367 (Michael Fox) Request to allow revalving of the B14 Shocks Thank you for your letter. Request is not consistent with the philosophy of the class.

3. #31416 (Brandon Vivian) Add Engine Modification Restriction Description for all B-specs Thank you for your letter. This proposal is inconsistent with the philosophy of the class.

4. #31425 (Frank Schwartz) Class Philosophy Thank you for your letter.



5. #32136 (Dan Hardison) Allow Cold Air Intake for 09-13 Honda Fit

Thank you for your letter. After reviewing the data, we feel the current BoP is appropriate.

6. #32145 (Rob Piekarczyk) Lower Engine Cover for 2009-2012 Honda Fit

Thank you for your letter. This change is not recommended at this time. The performance of the 2009-2012 Honda Fit will continue to be monitored.

7. #32161 (Matt Wolfe) AWR Lower Motor Mount for Mazda 2

Thank you for your letter. The use of alternate motor mounts do not fit the class philosophy.

8. #32267 (Alex Ratcliffe) Reverse the new FPR rule for the 07-11 Mini Cooper

Thank you for your letter. The BoP changes were designed to allow only one set of specifications per model. Having multiple specifications for each model where competitors pick and choose between them does not fit the philosophy of the class. We are aware of the current shortage of OBX headers and are working diligently to develop a plan to address.

9. #32272 (Gary Wagner) Opposes changes to B Spec regulations

Thank you for your letter. The BoP is constantly monitored and occasionally adjusted as necessary. When cars are determined to be outside the acceptable performance window, the decision to adjust the fewest cars possible is the method we have chosen to both have the smallest impact on competitors and to have the greatest chance of success.

10. #32290 (Dan Sheehy) 2022 BOP suggestion Thank you for your letter. Please see letter #32267 in the current Fastrack.

11. #32368 (John Phillips) Yaris Needs Help

Thank you for the letter. The BoP is acceptable as posted in the most recent Fastrack. The data will continue to be monitored and adjustments made as necessary.

Ρ1

1. #32421 (Jonothan Benefield) Request engine modification

Thank you for your letter. The Club Racing Board does not recommend these changes. Nothing in the P1 rules prohibits the use of individual throttle bodies (ITBs) on a Honda FD2 engine. Honda FD2 owners have two options: they can use OEM parts with the 64mm single throttle body and no SIR at 1,400 lbs. minimum under Line G, or they can add higher performance pistons, rods, and cams and use ITBs with a 30mm SIR at the same weight under Line H. In addition, nothing in the rules prohibits enlarging a Honda FD2 to 2.3L and using higher performance parts and ITBs with a 30mm SIR at 1,445 lbs. minimum under Line I.

A CN Honda FD2 engine is permitted to run without an SIR under Line G because the OEM parts (including the 64mm single throttle body) limit the power such that an SIR is not necessary. Competitors who wish to modify a Honda FD2 in the same way that competitors modify the Mazda MZR are free to do so under a spec line appropriate for the displacement. What the rules do not allow is adding ITBs and/or higher performance pistons, rods, and cams to a Honda FD2 without using an SIR. This would be unfair to other competitors whose modified engines are required to use an SIR.

Data obtained at the 2019 Runoffs from a Norma M20FC using the stock Honda FD2 under the CN spec line showed that the car's acceleration rate was fully in line with and at no disadvantage to the Elan DP02-Mazda 2.5L cars from which data was also obtained. Please see the response to letter #27639 in the December 2019 Fastrack.



P1 is the most technologically advanced and open class in SCCA's Road Racing program. Competitors may choose the chassis, engine, and tires they wish to race, and the rules allow for improvement of aerodynamics, suspension, brakes, and other systems to make a platform more competitive, so it should not be assumed that manufactured cars like CN cars will be able to run at the front without modification. This additional development results in increased performance in cornering, braking, and top speed, which are not subject to the BoP process and are factors entirely within a competitor's control.

GCR

1. #32305 (Kevin Coulter) Modify leader responsibility when full course yellow is displayed Thank you for your letter. Due to the multiple variables, i.e. track configurations, mixed class racing, etc., current GCR wording is more appropriate.

2. #32323 (Paul Gauzens) GCR 8.4.4. Hearing Appeals: Clarify New Evidence Admissibility Thank you for your letter. Current rule is appropriate as written. It is the Court of Appeals' responsibility to choose what evidence they wish to consider.

STU

1. #32389 (Antonio Llona) March 2022 Fastrack STU Weight Modifiers Changes Thank you for your letter. The change was made based on collected data and we will continue to monitor data and adjust as necessary.

2. #32463 (Greg Amy) STU Add 5% Weight to MX-5/Miata Thank you for your letter. The change was made based on collected data and we will continue to monitor data and adjust as necessary.

3. #32470 (Eric Heinrich) 32393 Response - Overly Favors MX-5 Thank you for your letter. The change was made based on collected data and we will continue to monitor data and adjust as necessary.

T1

1. #32154 (James Candelaria) Sequential Transmissions in T1 Thank you for your letter. Transmissions will be addressed in the restructuring of T1. The scope of these changes will be published soon.

T2-T4

1. #32049 (Mike Ogren) Reconsider the adjustable shock rule Thank you for your letter. The committee does not wish to allow the Koni on the Mazda 3. There are other available off-theshelf options for the Mazda 3 at this time.

Т3

1. #32212 (Graham Partain) Spec Boxster Classification Thank you for your letter. The Touring Committee is satisfied the Spec Boxster is properly classified in T3.



Recommended Items

The following subjects will be referred to the Board of Directors for approval. Address all comments, both for and against, to the Club Racing Board. It is the BoD's policy to withhold voting on a rules change until there has been input from the membership on the presented rules. Member input is suggested and encouraged. Please send your comments via the form at www.clubracingboard.com.

B-Spec

1. #31395 (Brandon Vivian) Allow Front Brake Ducts for All B-spec Cars

In B-Spec Category Specifications, GCR Section 9.1.10.E.42., change as follows:

"Brake ducts are permitted, but they must serve no other purpose. Duct openings may be created by the removal of the fog lights. Alternatively, duct openings may be created by opening 2 sections up to 14.5 square inches each of stock false grills originally located in the front fascia, or radiator shroud, but in this case while Fog lamps may be removed. Fog light holes must be completely covered. The stock headlamp location is not permitted for brake ducting."

2. #31558 (Tony Roma) Remove Note About EPA Compliance

TABLED: In B-SPEC CATEGORY, GCR Section 9.1.10.A., change as follows:

"NOTE: B-Spec category cars shall be in compliance with Federal Standards, specifically EPA certifications, and as specified for each automobile listed on its B-Spec Specification line and as permitted by these rules."

F5

1. #31896 (keith joslyn) Class Name Change In F500, GCR section 9.1.1.D, change as follows: "FORMULA 500600 PREPARATION RULES" "Formula 500600 (F500600) Specifications" "9.1.1. F500600 Spec Lines"

In F500, GCR section 9.1.1.D.1, change as follows: "Formula 500600 is a restricted class."

In F500, GCR section 9.1.1.D.14, change as follows:

"The AMW engine approved for F500600 use shallmust be the AMW model no. 250-2 RC2, two-cylinder, two-cycle, liquid-cooled, reed-valve engine with a nominal bore and stroke of 72mm x 61mm and a displacement of 497cc."

In F500, GCR section 9.1.1.D.19, change as follows:

"All F500600 cars competing in Majors Races and the Runoffs must have the AIM part #X47KPFSOLO2R0 data box mount installed on the vehicle to provide the necessary mounting of the AIM Solo or Solo 2 data box."

In F500 engine table, change as follows: "F500600"

In GCR CONTENTS, change as follows: "FORMULA 500600 PREPARATION RULES"



In Racing Rules and Procedures, GCR section 6.4.4, change as follows:

"In all SCCA competitions, engines shallmust be started by the driver sitting in the normal driving position, except F500600 cars with two-cycle engines, using an on-board or supplemental power supply."

In Cars and Equipment, GCR section 9.1.1, change as follows: "Formula 500600 (F56)"

In Cars and Equipment, GCR section 9.3.12, change as follows:

"On all carburetors (except SU, Sports Racing cars with motorcycle-type carburetors, Formula 500F600 two-cycle Mikuni VM38, and F600 motorcycle-engine cars) equipped with a non-threaded fuel inlet fitting, the fitting shallmust be replaced by drilling and tapping the carburetor body for a threaded fitting."

In Cars and Equipment, GCR section 9.4.5.C.1, change as follows: "F500600 cars up to 875900 pounds may use 1020 DOM mild steel roll cage bracing with a 1.0" diameter by .065 wall thickness."

In Cars and Equipment, GCR section 9.4.5.C.2, change as follows: "F500600 cars up to 875900 pounds may use 1020 DOM mild steel roll cage bracing with a 1.0" diameter by .065 wall thickness."

In Appendix B, GCR section 1.4.2.D, change as follows: "It is preferable not to combine FA, FB, FC, FE, and FM with FV and/or F500600. FV may be combined with F500600."

In P2 Table 1, AMAC, Asteck, Cheetah, Decker, Fox, LeGrand, Converted F500 cars spec line, change the marque as follows: "Converted F500600 cars"

In P2 Table 1, AMAC, Asteck, Cheetah, Decker, Fox, LeGrand, Converted F500 cars spec line, change the notes as follows: "Converted F500600 cars must retain suspension compliant with F500600 requirements and meet all P2 non-spec line requirements except minimum width is 55 inches."

GCR

None

General

#32091 (Kevin Ruck) Forward Facing Camera
 In Cars and Equipment, GCR Section 9.3.11.A., change as follows:
 "All cars competing at *Conference Majors*, Super Tour events, and the SCCA Runoffs must have a forward-facing camera that is recording at all times while on track and provides a clear horizontal field of view of the cars and track ahead."

STU

1. #32409 (Super Touring Committee) STU wheel width rule

In STU, GCR Section 9.1.4.1.F., change as follows:

"Wheels may not exceed 18 inches in diameter and or 8.0 inches in width for vehicles under 2950 lbs. and under baseminimum allowed race weight. Vehicles over 29510 base minimum allowed race weight may use a 9 inch wide wheel."



Taken Care Of

B-Spec

1. #31438 (John Phillips) Request to Remove all Catalytic Converts on all B-Spec Cars . Thank you for your letter. Please see letter # 31354 in current Fastrack.

2. #32269 (Jeffrey Hennessy) Unfair burden

Thank you for your letter. Please see letter #32267 in the current Fastrack.

3. #32270 (Jeffrey Hennessy) Proposed rule changes Thank you for your letter. Please see letter #32267 in the current Fastrack.

4. #32271 (Steve Introne) Consideration of February Prelim Fastrack Rule Changes Thank you for your letter. Please see letter #32267 in the current Fastrack.

5. #32284 (Jeff Andrews) Request to speed up most of B-Spec relative to the Mini Thank you for your letter. Please see the response to letter #32272 in the current Fastrack.

6. #32289 (Steven Pounds) Preliminary Tech Bulletin TB 22-03 Thank you for your letter. Please see #32267 in the latest Fastrack

7. #32292 (Josh Schmidt) Opposes Proposed Rule Changes Thank you for your letter. Please see letter #32267 in the current Fastrack.

8. #32301 (Ryan Myhre) 2022 B-Spec changes Thank you for your letter. Please see letter #32267 in the current Fastrack.

9. #32377 (Kyle Keenan) BOP Help for Kia Rio/Hyundai Accent Thank you for your letter. Please see letter # 32378 in current Fastrack.

10. #32388 (Alex Ratcliffe) Objection to the Toyota Yaris Restrictor Plate 07-13 Thank you for your letter. Please see letter # 32368 in current Fastrack.

FX

1. #32489 (Andy Hill) MZR USF2000 Cars Motor Thank you for your letter. Please see the response to letter #31496 in the December 2021 Fastrack.

General

1. #32104 (Steven Pounds) Forward Facing Camera Thank you for your letter. See letter # 32091 in current Fastrack.

2. #32215 (Graham Loughead) Forward Facing Camera Thank you for your letter. See letter # 32091 in current Fastrack.



Т2

1. #32460 (Joe Koenig) BMW E92 T2

Thank you for your letter. Please see letter # 32456 in current Fastrack.

Т4

1. #32174 (Mike Ogren) Single Adjustable Shock Re -Visit Thank you for your letter. Please see letter # 32049 in current Fastrack.

What Do You Think

None.

RESUMES

1. #31941 (Bob Monette) APPLYING FOR CRB PARTICIPATION Thank you for your offer, your resume will be added to our files for future consideration.



Technical Bulletin

DATE: April 20, 2022 NUMBER: TB 22-05 FROM: Club Racing Board TO: Competitors, Stewards, and Scrutineers SUBJECT: Errors and Omissions, Competition Adjustments, Clarifications, and Classifications All changes are effective 5/1/2022. If any day of a race event falls on the first day of the month, the previous month's rules will be in effect for that event only. The new rules will become effective at the conclusion of the race event, unless otherwise noted.

American Sedan

None.

B-Spec

#32378 (Kyle Keenan) Request to Remove Part Numbers from Kia/Hyundai Spec Lines
 In B-Spec Spec Lines, Hyundai Accent GS Hatchback (13-19), change Notes as follows:
 "3639mm flat plate restrictor required. Allow AKSJ03-10-001 Damper Frt Assembly; AKSJ03-20-001 Damper-AST-Rear; KSJ03-20-003 Rear Upper Spring Perch Delrin; KSJ03-20-004 Rear Spring Spacers-Aluminum; KSJ03-20-005 Rear Spring Spacer
 Intermediate; AKSJ03-60-001Sump Pan Extension. Allow rear torque bar Evilla Motorsports #KR-B1."

In B-Spec Spec Lines, Kia Rio 5-door/LX (12-19), change Notes as follows:

"3639mm flat plate restrictor required. Allow AKSJ03-10-001 Damper Frt Assembly; AKSJ03-20-001 Damper-AST-Rear; KSJ03-20-003 Rear Upper Spring Perch Delrin; KSJ03-20-004 Rear Spring Spacers-Aluminum; KSJ03-20-005 Rear Spring Spacer Intermediate; AKSJ03-60-001Sump Pan Extension. Allow rear torque bar Evilla Motorsports #KR-B1."

Electric Vehicle

None.

Formula/Sports Racing

FA

1. #32491 (Club Racing Board) Update FR Americas rulebook requirement

In FA Table 2, FR Americas Ligier JS F3 spec line, change as follows:

"Car must comply with FR Americas rules. Competitors must have current copies of FIA Formula 3 Regional Technical RegulationsFormula Regional Americas Championship Sporting Regulations, Onroak Automotive Ligier JS F3 Information Manual, and HPD engine-related specifications and instructions in their possession and present them upon request."

2. #32522 (Club Racing Board) Clarify verification of sealed engine compliance

In FA, GCR section 9.1.1.A.2, add a new section as follows:

"e. Engines that are required to be sealed are subject to full inspection by SCCA stewards and/or technical staff. The competitor will be responsible for all costs associated with reassembly and resealing of the engine."



3. #32523 (Club Racing Board) Clarify Formula Lites and FR Americas sealed engine requirement

In FA Table 2, Formula Lites FL15 spec line, change the notes as follows:

"Engine must be sealed in compliance with Formula Lites requirements. Car must comply with all Formula Lites technical regulations found here:"

In FA Table 2, FR Americas Ligier JS F3 spec line, change the notes as follows:

"Engine must be sealed in compliance with FR Americas or prior F3 Americas requirements. Car must comply with FR Americas rules."

Ρ1

1. #32468 (Club Racing Board) E&O Clarification of Bodywork Rules

In P1, GCR section 9.1.8.B.C.2, add the following:

"Cycle-type fenders (whichthat cover only the tire and are not continuous with the rest of the body) and may thereby permit a view of the ground from above are prohibited."

In P1, GCR section 9.1.8.B.C.3, add the following:

"As viewed from the side, **T**the outermost surface of body between the front and rear wheel openings and above the floor must have a minimum height equal to the height of the front axle centerline."

In P1, GCR section 9.1.8.B.D.1, add the following:

"It is not permitted to duct air through any part of the bodywork for the purpose of providing aerodynamic downforce on the car. *This prohibition includes openings above the front spoiler or splitter that allow air to pass through the front bodywork for the purpose of providing aerodynamic downforce.*"

P2

1. #32469 (Club Racing Board) E&O Clarification of Chassis Construction Requirements

In P2, GCR section 9.1.8.C.A.1, add the following:

"Chassis fully composed of composite structural materials or chassis partially composed of composite materials that is not capable of rolling on its wheels without the composite materials being installed."

In P2, GCR section 9.1.8.C.C.1, add the following:

"Allow for any form of chassis construction except fully composite chassis. A chassis partially composed of composite materials must satisfy the requirements of section 9.4.5.A, B, C, E, F and be capable of rolling on its wheels without the composite materials being installed."

2. #32525 (Formula/Sports Racing Committee) Clean up P2 wording In P2, GCR section 9.1.8.C, change as follows: "PROTOTYPE 2 (*P*2) CLASSIFICATION"

In GCR CONTENTS, change as follows: "PROTOTYPE 2 (P2) CLASSIFICATION"



GCR

1. #32295 (Kevin Kloepfer) Tire Warmer Clarification

In Cars and Equipment, GCR Section 9.3.46. TIRE WARMERS, change as follows:

"Pre-heating of tires prior to competition by electrically heated covers or similar means is prohibited on the grid. The use of tire warmers or cooling methods other than natural air convection or conduction is prohibited."

2. #32296 (SCCA Staff) Update App C 2.8.B, Accepted Equivalent License List

In Appendix C. Licensing and Types, GCR Section 2.8., change the following:

"6. IMSA *Issued License*

- 7. Midwestern Council of Sports Car Clubs (MCSCC) Full and Novice permit
- 8. Miller Motorsports Park Racing Association Full Competition License
- 98. NASA Full Competition
- 109. Ontario Region CASC Regional
- 110. Porsche Club of America Full Competition
- 121. SCCA Pro Racing licenses (F4, FR, Trans Am, FRP)-or SCCA Vintage
- 12. SCCA Vintage
- 13. Sportscar Vintage Racing Association (SVRA)
- 14. Vintage Auto Racing Association Full Competition
- 16. Waterford Hills Road Racing Club Full and Novice permit
- 17. West Canada Motorsport Association Amateur
- 18. Eastern Motor Racing Association (EMRA) Competition License.
- 19. Atlantic Region Motor Sports (ARMS) Regional Competition License
- 20. Grand American Road Racing Association (Grand-Am)
- 210. Autobahn Country Club Level 1/Level 2

22. Independent Motorsports Group (IMG)

231. Indy Car MX-5 Cup *Issued* License"

3. #32403 (Philip Gott) To Pin or Not to Pin Clip-In Harness Restraints

In Cars and Equipment, GCR Section 9.3.18. DRIVER'S RESTRAINT SYSTEM, add as follows:

"G. Snap-in mounting clips must be pinned to help prevent inadvertent opening of the clip if the manufacturer has provided a hole for such purpose."

4. #32410 (National Staff) GCR Updates - ID's accepted and Official Results

In Penalties, GCR Section 7.5. AMENDMENT OF RESULTS, change as follows:

"Whenever a penalty or correction affects the finalofficial results, including when a driver or car is disqualified or reinstated, the SOM shall advance or demote subsequent competitors in the finishing order and advise the Chief of Timing and Scoring of any amendment to the results. The results must then be labeled "Revised Official Results" and include the revision date and time."

In Appendix C. Licensing and Types, GCR Section 2.5.B.2., change as follows: "*Proof of Age:* A photocopy of both sides of his State Operator's Permit/Driver's License, *government issued identification, passport, or birth certificate.*"

General None.



Grand Touring

GT2

1. #32308 (Richard Gray) Typo in rules for shocks

In GT-2, 3, LITE CATEGORY SPECIFICATIONS, GCR Section 9.1.2.F.7.c.11., change as follows:

"Shock absorbers: It is not permitted to alter the number of shock absorbers. The make of shock absorber *is free* and its points of attachment may be moved."

2. #32424 (Grand Touring Committee) additional response to letters #31898 & 32083

In GT2 Spec Lines, Engines - PORSCHE, add to Notes as follows:

SOHC - 100 x 78.9: "**2V only**: May use Borg Warner EFR 76/70 42mm SIR @2280 lbs. Alt.4 valve head #944 104 013 03 NOTE: 4 valve head is not permitted to use with turbo allowance."

SOHC - 104 x 78.9: "2V only: May use Borg Warner EFR 76/70 42mm SIR @2330 lbs."

SOHC - 95.0 x 70.4: "2V only: May use Borg Warner EFR 76/70 42mm SIR @2405 lbs."

In GT2 Spec Lines, Engines - PORSCHE, change as follows: Bore x Stroke: "95.0 x 70.4104.0 x 88.0" Weight: "19502090"

GT3

1. #32247 (Grand Touring Committee) wheel size addition

In Grand Touring Category Specifications, GCR Section 9.1.2.F.10.b, change as follows:

"The maximum wheel size for GT3 cars is 15 x 7". Alternatively: GT3 cars may run up to a maximum 17" x 9" wheel with a weight penalty equal to three (3) percent of the car's weight as listed on the specification line. The maximum vehicle weight shall be rounded to the nearest pound.

Alternatively, aAdditionally: Any wheel up to 18" with a maximum tire cross section of 12.0" and a maximum tire diameter of 26.0" may be used with a weight penalty equal to eightfive (5) percent of the car's weight as listed on the specification line. The minimum vehicle weight shall be rounded to the nearest pound. A maximum brake rotor diameter of 13.0" may be used with alternate wheels. Cars using 15" American Racer 23.5- 10.0-15, bias ply, non-belted tire may do so without the weight penalty."

GTX

1. #31981 (Henry Hill) Add Classification to the accepted Model Table In GTX Table 4, add a spec line as follows:

Table 4									
Marque	Model	Model Engine Res		Min Weight (lbs)	Notes				
Wolf	GB08 F1	Ford 52XS V8	NA	1725	Must comply with specifications found here: https://www.scca.com/pages/ technical-forms-and-downloads				



2. #32254 (Joe Aquilante) Request to classify C7 Corvette Grand Sport IN GTX Misc In GTX Spec Lines, classify C7 Corvette Grand Sport as follows:

GTX - MISC

Make	Homologation	Model	Restrictor (mm)	Weight (Ibs)	Notes		
C7 Corvette		Grand Sport	NA	3200	May remove "displacement on demand" valve train system		

3. #32511 (Club Racing Board) E&O list of eligible prototypes

In GTX, GCR section 9.1.2.H.B, change as follows:

"10. IMSA GTP (1994-19981981-1993)

- 11. -- IMSA Camel Lights (1985-1993)
- 12. -- Le Mans Prototype 1 (1999-2013)
- 13. -- Le Mans Prototype 2 (1999-Present)
- 14. -- Le Mans Prototype 3 (2017-Present)
- 15. -- Le Mans Prototype Challenge (2009-2018)
- 16. -- World Sports Car (1994-1998)

11.17. Vehicles listed in Table 4 below."

Improved Touring

None.

Legends Car

None.

Production

1. #32370 (Mark Uhlmann) Please Class BMW 128i in EP In EP Spec Lines, classify the BMW 128i (08-13) as follows:

EP	Prep. Level	Weight (lbs)	Engine Type	Bore x Stroke mm/(in.)	Displ. cc/ (ci) (nominal)	Block Mat'l	Head/PN & Mat'l	Valves IN & EX mm/ (in.)	Carb. No. & Type	Wheel- base mm/(in.)	Track (F/R) mm/(in.)
BMW 128i (08-13)	2	2700 * 2768 ** 2835	6 cyl DOHC	85.0 x 88.0 (3.35 x 3.46)	2996 (182.8)	Alum	Alum	(I) 34.2 / (1.35) (E) 28.0 / (1.10)	Fuel Injection	2736 / (104.7)	1590 / 1623 (62.6 / 63.9)

Wheels (max)	Trans. Speeds (max)	Brakes Std. (mm/(in.))	Brakes Alt.: mm/(in.)	Fuel Injected Equipped Throttle Body Inside Diameter (mm) +/25mm	Notes:
18x8	6	300 / (11.8) Disc 300 / (11.8) Disc		Stock Throttle Body ID	Comp. Ratio limited to 11.0:1. Valve lift limited to .400".



FP

1. #32398 (STEVE STRICKLAND) Request to classify the 1999-2000 Mazda Protege in FP

In FP Spec Lines, classify the Mazda Protégé ES (99-00) as follows:

FP	Prep. Level	Weight (lbs)	Engine Type	Bore x Stroke mm/(in.)	Displ. cc/ (ci) (nominal)	Block Mat'l	Head/PN & Mat'l	Valves IN & EX mm/ (in.)	Carb. No. & Type	Wheel- base mm/(in.)	Track (F/R) mm/(in.)
Mazda Protégé ES (99-00)	2	2150 * 2204 ** 2258	4 cyl DOHC	83.0 x 85.0 (3.27 x 3.62)	1839 (112.2)	Iron	Alum	(l) 31.5 / (1.24) (E) 27.6 / (1.09)	Fuel Injection	2611 / (102.8)	1544 / 1549 (60.8 / 61.0)

Wheels (max)	Trans. Speeds (max)	Brakes Std. (mm/(in.))	Brakes Alt.: mm/(in.)	Fuel Injected Equipped Throttle Body Inside Diameter (mm) +/25mm	Notes:
15x7	5	258 / (10.2) Disc 261 / (10.3) Disc		Stock Throttle Body ID	Comp. Ratio limited to 11.0:1. Valve lift limited to .450".

Prod General

1. #32396 (Production Committee) Inconsistency in Body Work Descriptions

In Production Category Specifications, GCR Section 9.1.5.E.9.a.12 change as follows:

"Open cars must remove convertible soft tops and all attaching bracketry and hardware. If the stock windshield is retained, OEM and aftermarket hardtops are allowed. Aftermarket hardtops must retain OEM appearance in all exterior profiles, and carbon fiber construction is not allowed. Any hardtop must be attached by positive fasteners."

Spec Miata

None.

Super Production

None.

Super Touring

STU

1. #32381 (Edwin Soto-Quinones) Opposed to the Proposed STU Weight Chart In STU, GCR Section 9.1.4.1.H, add the following after weight chart: "Any STU car that qualified to run 9 inch wheels in 2021, may continue to run 9 inch wheels thru 2022 only."

2. #32414 (Bill Damron) Clarification request for GCR 9.1.4.D.3.a Splitter Definition

In ST Category Specifications, GCR Section 9.1.4.D.3.a, change as follows:

"Definition: A horizontal, single-plane aerodynamic device attached to the lowerest point of the front of the vehicle, protruding forward. It is intended to divert air and produce downforce through vertical pressure differential. A splitter shall have no vertical deviations."



Touring

Т2

1. #32456 (Harley Kaplan) Request BoP E92 torque In T2 Spec Lines, BMW E92 M3 (08-14), change Notes as follows: "7778"

2. #32535 (Touring Committee) Classify Cadillac Blackwing

In T2 Spec Lines, classify Cadillac CT4-V Blackwing (2022+) as follows:

CT4-V 3564 18 x 10 2.66, 3.73 339 (r) Springs	and Front
(2022-) 18 x 11 1.30, AT Rear sg. 1.00, 0.8, 0.63 2.85 allowed W#4004 0.63	n OEM. oring d 4133. e and tic ter must n stock. nd all other iters must n dall other iters must dified and itilize OEM imming noted Carbon package 72 allowed. Calibration ted. AR DOES UALIFY CCA FFS ETITION



T2-T4

1. #32452 (Raymond Blethen) Request Alternate Front & Rear Strut/Shock Top Hats

In TOURING (T2-T4) CATEGORY, GCR Section 9.1.9.2.D.5.b.2, add the following:

"f. Cars with an alternative spring allowance are permitted to use performance alternative top hats on shocks and struts. These top hats are permitted to utilize spherical bearings."

Т3

1. #31750 (Touring Committee) correct wording

In T3 Spec Lines, Honda Civic Si (2017-), change Notes as follows:

"HPD CAT Delete pipe 18150-F23S-R6; HPD 4th Gear Set 23460-F23S-R6; HPD Differential 41100-F23S-R6; HPD RR Damper Mount 52670-F23S-A6; HPD RR Spring Adjuster 52691-F23S-A6; HPD Adjustable RR Upper Arm 52390-F23S-A6; HPD ABS Modulator 57100-F23S-R6; Alternate grill Cuztom Tuning FG-CIV16- V3-TR-BK allowed. Any sway bar front/rear up to 30mm allowed. Front springs up to 800lb allowed, rear springs up to 1000lb allowed. 36mm TIR required. Wheels up to 10" wide allowed with 50 lb. penalty. 1-piece rotor required."

In T3 Spec Lines, Honda Civic Si (2017-), change Car as follows: "Honda Civic Si (2017-) (Changes effective 03/01/2022)"

2. #31999 (John Weisberg) 2005-2008 Porsche Boxster 2.7

In T3 Spec Lines, classify Porsche Boxster Base (2005-2008) as follows:

Т3	Bore x Stroke(mm)/ Disp. (cc)	Wheel- base (mm)	Max Wheel Size (inch)	Tire Size (max)	Gear Ratios	Final Drive	Brakes (mm)	Weight (Ibs)	Notes:
Porsche Boxster Base (2005- 2008)	85.8 x 78 2687	2415	18 X 8	245	3.5, 2.118, 1.429, 1.091, 0.838,	3.556	298 (f) 299 (r)	3000	Alternate exhaust manifold permitted, 966-111-102- 05 (left) and 996-111-101- 05 (right). Any OEM or aftermarket hardtop permitted that retains the OEM roof silhouette.



3. #32483 (Kevin Anderson) 2022 Subaru BRZ and Toyota 86 twins In T3 Spec Lines, Subaru BRZ (2022-), change as follows: Wheel Size (in.): "18 x 98"

Gear Ratios: "*Auto* 3.54, 2.06, 1.41, 1.00, 0.71, 0.58 *Manual* 3.63, 2.19, 1.54, 1.21, 1.00, 0.77"

Final Drive: "Auto 3.91 Manual 4.1"

Notes: "Any spring up to 750 F/R permitted. Front strut tower brace permitted. SPC rear lower control arms permitted. Cold air intake allowed. *Subaru brake parts 26292CA070 & 26292CA060 allowed with 100 lb penalty.*"

In T3 Spec Lines, Toyota 86 (2022-), change as follows: Wheel Size (in.): "18 x 98"

Gear Ratios: "*Auto* 3.54, 2.06, 1.41, 1.00, 0.71, 0.58 *Manual* 3.63, 2.19, 1.54, 1.21, 1.00, 0.77"

Final Drive: "Auto 3.91 Manual 4.1"

Notes: "Any spring up to 750 F/R permitted. Front strut tower brace permitted. SPC rear lower control arms permitted. Cold air intake allowed. *Toyota brake parts SU003-07197 & SU003-07198 allowed with 100 lb penalty.*"

Т4

1. #32395 (Michael Ogren) Request to Add Spec Line for 2004-2009 Mazda3 i 2.0 In T4 Spec Lines, Mazda 3 S (04-09), change as follows: Bore x Stroke(mm)/ Displ. (cc): "87.5 x 94.0 2260 *or* 87.5 x 83.1 1999"

Weight (lbs): "2.3I 2500, 2.0I 2425"



COURT OF APPEALS

JUDGEMENT OF THE COURT OF APPEALS Jeffrey LaBounty vs. SOM COA Ref. No. 22-02-SE March 23, 2022

FACTS IN BRIEF

Following the Sunday, February 13, 2022, Group 4 Regional Race at Sebring International Raceway, Leland Miller, Chief Steward (CS), filed a Request for Action (RFA) to investigate an altercation between Jason Fichter, driver of Spec Miata (SM) #7, Jeffrey LaBounty, driver of Spec Miata T (SM-T) #4, and the crew members and/or family members of Car #7.

The Stewards of the Meeting (SOM), Herbert Gomez, Pedro Prado, and Stu Cowitt, Chairman, met to hear and rule on the RFA. The SOM determined Mr. LaBounty violated GCR 2.1.7. (Acting in an unsportsmanlike manner) and GCR 2.1.8. (Threatening or committing physical violence upon any other participant or spectator). The SOM assessed the following penalties: suspension of license privileges for six months, followed by probation of competition privileges for six race weekends, and a \$200 fine. The penalties assessed incurred six penalty points on Mr. LaBounty's competition license.

Mr. LaBounty appealed the ruling of the SOM.

DATE OF THE COURT

The SCCA Court of Appeals (COA), James Foyle, Jeffrey Niess, and Costa Dunias (Chairman) met on March 17, 2022, to review, hear, and render a decision on the appeal.

DOCUMENTS AND OTHER EVIDENCE RECEIVED AND REVIEWED

- 1. SCCA Court of Appeals Request Confirmation, received February 22, 2022.
- 2. Electronic Appeal Form submitted by Jeffrey LaBounty, received March 9, 2022.
- 3. Official Observer's Report and related documents, received March 9, 2022.
- 4. Additional statement from SOM Chairman, received March 17, 2022.

FINDINGS

In his appeal, Mr. LaBounty stated the penalty was unjust. He provided no additional documentation or argument.

Since this matter was submitted to the SOM at 3:15p.m. on Sunday afternoon and there were numerous witnesses to be interviewed (along with necessary discovery of possible



additional witnesses), the SOM began the investigation at the track but continued it over the course of the following week via teleconferences with the various witnesses. The RFA described a verbal and physical altercation among the named parties. The request also included an allegation of placement of a duct tape sticker on the rear window of Car #4 hand-printed with "F*ck Jason Fichter". The COA notes the Supplementary Regulations for the event stated, "...behaviors such as [Harassing, intimidating, threatening, or bullying any participant] will be considered egregious examples of GCR 2.1.7., "Acting in an unsportsmanlike manner", and may be penalized as such."

The SOM found Mr. LaBounty in violation of GCR 2.1.7. for "Harassing, intimidating, threatening, or bullying any participant." The SOM also found Mr. LaBounty in violation of GCR 2.1.8. for bodily contact with Jason Fichter's father, Richard Fichter, which caused Mr. Fichter to fall back onto the hood of Car #7.

The role of the COA is to confirm whether evidence relied upon by the SOM supports the ruling; verify that all rules and regulations were applied appropriately, fairly, and equitably; and consider whether new evidence contradicts the SOM's decision. In Mr. LaBounty's case, there is no new evidence to contradict the decision of the SOM.

The COA finds the SOM reached a fair and reasoned decision based on the evidence available to them. The SOM considered impartial witness testimony in determining the alleged violations did occur and they applied penalties that are within their purview.

DECISION

The COA upholds the SOM decision in its entirety. Mr. LaBounty's appeal is not well founded. His entire appeal fee will be retained by SCCA.